

Rapid Communication

Benefiting from Social Capital in Online Support Groups: An Empirical Study of Cancer Patients

CHRISTOPHER E. BEAUDOIN, Ph.D.¹ and CHEN-CHAO TAO, Ph.D.²

ABSTRACT

With measures specific to the online cancer environment and data from an online survey of cancer patients, the current study finds support for the following model: asynchronous online communication → social interaction → social support → positive health outcomes in terms of stress, depression, and coping. The findings suggest that the Internet can be a positive cyber venue for cancer patients as they confront illness, undergo treatment, and seek out support.

INTRODUCTION

OF AMERICANS who use the Internet, 28% participate in online support groups related to medical conditions and personal problems.¹ About 58% of patients with cancer use the Internet as a source of cancer information and support.² This Internet use leads to increases in social support, community, and coping and decreases in loneliness, depression, and anxiety.^{3,4}

Central to understanding the impact of the Internet on cancer patients are the concepts of social capital and social support. Social capital is the actual or potential resources that result from social connections and senses of reciprocity and trust, which, when mobilized, can bring about outcomes at the individual and collective levels.⁵ Social support, which involves advice and emotional reinforcement, is a behavioral outcome of social capital.⁶ Re-

search has demonstrated two strong linkages: (1) between mass media use and social capital; and (2) between social capital and public health. Per the first linkage, social capital is predicted by news use,^{5,7} media campaign exposure,⁸⁻¹⁰ and Internet use.^{7,11} Per the second linkage, social capital predicts health outcomes,^{12,13} including those of cancer patients.^{4,14}

These two linkages can be merged to form a three-step model: mass media use → social capital → public health outcomes.⁹ This three-step model has been supported in terms of youth health¹³ and the stress and depression of supporters of cancer patients.⁶ The current study tests a more complex model on cancer patients: Internet use → social capital → social support → health outcomes in terms of coping, stress, and depression. Implicit to this model is that decreases in stress and depression¹⁵ and an increase in coping¹⁶ are potential bridges to cancer recovery.

¹ Tulane University School of Public Health and Tropical Medicine, New Orleans, Louisiana.

² Department of Communication and Technology, National Chiao Tung University, Hsinchu, Taiwan.

METHOD

An online survey was conducted from March 21, 2005, to April 30, 2005. Respondents were recruited from Yahoo! cancer-related discussion groups. Survey responses were collected from 372 current cancer patients.

Household income was measured on a seven-point scale ($M = 3.47$, $SD = 1.78$). The mean age was 42.47 years ($SD = 12.61$). Education was from "no formal education" (0) to "graduate degree" (9) ($M = 7.47$, $SD = 1.42$). About 96% of participants were Caucasian, with 31 percent male.

Internet use for cancer purposes involved online-related communication and online information-seeking. Factor analysis (principal components, with orthogonal rotation) indicated three dimensions to the nine items.^{3,17} Asynchronous online communication, including e-mail and discussion groups, had five items⁶ (eigenvalue = 3.89, variance explained = 31.13%; $\alpha = 0.82$; $M = 15.25$ times during last month, $SD = 9.58$). Offline communication stimulated by online communication had two items⁶ (eigenvalue = 1.24, variance explained = 19.36%; $r = 0.496$, $p < 0.01$; $M = 1.29$ times during last month, $SD = 2.63$). Synchronous online communication, including instant messages and chatrooms, had two items⁶ (eigenvalue = 1.02, variance explained = 17.21%; $r = 0.464$, $p < .01$; $M = 1.96$ times during last month, $SD = 3.56$).

Online information-seeking for cancer purposes involved Internet use by medium³ and by information type.¹⁸ Factor analysis (principal components,

with orthogonal rotation) identified two dimensions. Information-seeking by information type, such as prevention, diagnosis, and treatment, had six items⁶ (eigenvalue = 5.52, variance explained = 40.03%; $\alpha = 0.89$). The mean was 3.27 on a five-point scale from "never" to "very often" ($SD = 0.94$). Information-seeking by medium type, including search engines and weblogs, had four items⁶ (eigenvalue = 1.03, variance explained = 25.46%; $\alpha = 0.80$). The mean was 3.38 days per week ($SD = 1.77$).

Social capital and social support were specific to the online cancer environment. Social interaction had two items⁶ ($r = 0.496$, $p < .01$), with a mean of 16.02 people during last month ($SD = 12.47$). Interpersonal trust had four items⁶ ($\alpha = 0.88$), with a mean of 3.53 on a four-point scale from "strongly disagree" to "strongly agree" ($SD = 0.64$). Social support had three items from the Interpersonal Support Evaluation List (ISEL) scale¹⁹ ($\alpha = 0.88$), with a mean of 3.46 on a four-point scale from "strongly disagree" to "strongly agree" ($SD = 0.84$).

Coping had 10 items from the Brief COPE scale¹⁶ ($\alpha = 0.66$), with a mean of 3.49 on a four-point scale from "strongly disagree" to "strongly agree" ($SD = 0.48$). Stress had eight items from the perceived stress scale²⁰ ($\alpha = 0.85$). The mean was 3.37 on a five-point scale from "never" to "very often" ($SD = 0.62$). Depression was measured with eight items from the Center for Epidemiologic Studies Depression (CES-D) scale²¹ ($\alpha = 0.90$). The mean was 3.60 on a five-point scale from "never" to "very often" ($SD = 0.72$). Some items were reversed, with higher levels indicating more positive health status.




FIG. 1. Final structural equation model.

Structural equation modeling (SEM) was implemented, with maximum likelihood method of estimation. Excellent model fit is indicated by a comparative fit index (CFI) of 0.95 or higher, a nonsignificant χ^2 , and a root-mean-squared error of approximation (RMSEA) of close to 0.06 or less.²² Paths were drawn from Internet use measures to social capital, from social capital to social support, and from social support to health outcomes. Demographics were used as control variables. Nonsignificant paths were pruned, with paths added per modification indices. Where SEM indicated mediation, another round of SEM was conducted to assess whether the addition of a direct path, bypassing the mediating variable, led to a significant model improvement.²³

RESULTS

The theorized model was first run ($\chi^2 [27, 372] = 36.05, p = 0.114; CFI = 0.99; RMSEA = 0.03$). After pruning and adding paths, a second model was run ($\chi^2 [37, 372] = 37.54, p = 0.444; CFI = 0.99; RMSEA = 0.01$). Endogenous variables without ties to one another were pruned, rendering a parsimonious final model ($\chi^2 [19, 372] = 23.11, p = 0.232; CFI = 0.99; RMSEA = 0.02$). This final model (see Figure 1) accounted for the following variance: social support, 28%; social interaction, 43%; interpersonal trust, 1%; stress, 15%; depression, 12%; and coping, 7%.

The posited four-step model receives support. Asynchronous online communication predicts social interaction ($\beta = 0.62$). Social support is predicted by social interaction ($\beta = 0.32$) and interpersonal trust ($\beta = 0.50$). Social support predicts stress ($\beta = 0.13$), coping ($\beta = 0.23$), and depression ($\beta = 0.13$), with these positive coefficients signifying positive health outcomes.

Figure 1 offers initial support for social interaction's mediation of the effect of asynchronous online communication on social support. In an additional step, a path was drawn directly from asynchronous online communication to social support.²³ Because this new model did not represent a significant improvement over the previous model ($\chi^2 [18, 372] = 21.26, p = 0.267; CFI = 0.99; RMSEA = 0.02$), there is support for mediation. There is also support for the mediation role of social support. In the additional step, direct paths were drawn from social capital to the three health outcomes. The new model did not represent a significant improvement over the previous model ($\chi^2 [13, 372] = 16.17, p = 0.240; CFI = 0.99; RMSEA = 0.03$).

DISCUSSION

SEM offered support for the following four-step model: asynchronous online communication \rightarrow social interaction \rightarrow social support \rightarrow positive health outcomes in terms of depression, coping, and stress. Synchronous online communication falls out of the model, perhaps because of the lack of a consistent mass and continuity in terms of chatroom and instant-messaging participants.

The model has two blemishes that should be noted. First, the negative effect from information-seeking by medium type to depression relates to previous research indicating that, while the Internet can empower and inform cancer patients, it can also be intimidating, confusing, and frightening.²⁴ Second, the lack of significant paths from Internet use to interpersonal trust suggests a complexity to media effects on social trust. Previous research has demonstrated that Internet use does not predict interpersonal trust¹¹ or that such effects can be indirect and vary by content type.⁵

Three limitations should be noted. First, generalization of the findings is limited by this study's focus on only users of Yahoo! cancer groups. Second, to avoid overburdening cancer patients, certain decisions were made to limit the number of items used in measurement scales. Third, although SEM posits a direction of influence, it does not demonstrate causality to the degree that experimental research can do.

This study has implications for health practitioners and researchers. We hope health practitioners will understand the benefits that online communication can have in regards to the development of social capital, social support, and subsequent positive health outcomes. In addition, we hope that researchers will continue to model the manner by which the mass media can influence public health outcomes via the mediation of social capital and social support.

REFERENCES

1. Pew Internet & American Life Project. (2005). Trends. Washington, DC: Pew Internet & American Life Project.
2. Monnier, J., Laken, M., & Carter, C.L. (2002). Patient and caregiver interest in Internet-based cancer services. *Cancer Practice* 10:305-310.
3. Fogel, J., Albert, S.M., Schnabel, F., Ditkoff, B.A., & Neugut, A.I. (2002). Internet use and social support in women with breast cancer. *Health Psychology* 21:398-404.

4. Lieberman, M.A., Golant, M., Giese-Davis, J., Wenzelberg, A., Benjamin, H., Humphreys, K., Kronenwetter, C., Russo, S., & Spiegel, D. (2003). Electronic support groups and breast carcinoma: a clinical trial of effectiveness. *Cancer* 97:920–925.
5. Beaudoin, C.E., & Thorson, E. (2004). Social capital in rural and urban communities: testing differences in media effects and models. *Journalism & Mass Communication Quarterly* 81:378–399.
6. Beaudoin, C.E., & Tao, C.C. (In press). The impact of online cancer resources on the supporters of cancer patients. *New Media & Society*.
7. Shah, D.V., McLeod, J.M., & Yoon, S.-H. (2001). Communication, context, and community: an exploration of print, broadcast, and Internet influences. *Communication Research* 28:464–506.
8. Beaudoin, C.E., Thorson, E., & Hong, T. (2006). Promoting youth health by social empowerment: a media campaign targeting social capital. *Health Communication* 19:175–182.
9. Thorson, E., & Beaudoin, C.E. (2004). The impact of a health campaign on health social capital. *Journal of Health Communication* 9:167–194.
10. Beaudoin, C.E., & Thorson, E. (In press). Evaluating the effects of a youth health media campaign. *Journal of Health Communication*.
11. Shah, D.V., Kwak, N., & Holbert, R.L. (2001). “Connecting” and “disconnecting” with civic life: patterns of Internet use and the production of social capital. *Political Communication* 18:141–162.
12. Kawachi, I., Kennedy, B.P., & Glass, R. (1999). Social capital and self-rated health: a contextual analysis. *American Journal of Public Health* 89:1187–1193.
13. Beaudoin, C.E. (In press). The impact of news use and social capital on youth well-being: a community-level analysis. *Journal of Community Psychology*.
14. Landro, L. (1999). Alone together: cancer patients and survivors find treatment-and support—online. *The Oncologist* 4:59–63.
15. Tjemslund, L., Soreide, J.A., & Malt, U.F. (1999). Post-traumatic distress symptoms in operable breast cancer III: status one year after surgery. *Breast Cancer Research and Treatment* 47:141–151.
16. Alferi, S.M., Carver, C.S., Antoni, M.H., Weiss, S., & Duran, R.E. (2001). An exploratory study of social support, distress, and life disruption among low-income Hispanic women under treatment for early stage breast cancer. *Health Psychology* 20:41–46.
17. Wellman, B., Quan Haase, A., Witte, J., & Hampton, K. (2001). Does the Internet increase, decrease, or supplement social capital? Social networks, participation, and community commitment. *American Behavioral Scientist* 45:436–455.
18. Johnson, D.J. (1997). *Cancer-related information seeking*. Cresskill, NJ: Hampton Press.
19. Cohen, S., & Hoberman, H. (1983). Positive events and social supports as buffers of life change stress. *Journal of Applied Social Psychology* 13:99–125.
20. Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior* 24:385–396.
21. Radloff, L.S. (1977). The CES-D scale: a self-report depression scale for research in the general population. *Applied Psychological Measurement* 1:385–401.
22. Hu, L., & Bentler, P.M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: conventional criteria versus new alternative. *Structural Equation Modeling* 6:1–55.
23. Holmbeck, G.N. (1997). Toward terminological, conceptual, and statistical clarity in the study of mediators and moderators: examples from the child-clinical and pediatric psychology literatures. *Journal of Consulting and Clinical Psychology* 65:599–610.
24. Penson, R.T., Benson, R.C., Parles, K., Chabner, B.A., & Lynch, T.J., Jr. (2002). Virtual connections: Internet health care. *The Oncologist* 7:555–568.

Address reprint requests to:

Dr. Christopher E. Beaudoin
 Tulane University School of Public Health and
 Tropical Medicine
 1440 Canal St., Suite 2315, TW-19
 New Orleans, LA 70112

E-mail: beaudoin@tulane.edu

This article has been cited by:

1. Heather J. Hether, Sheila T. Murphy, Thomas W. Valente. 2014. It's Better to Give Than to Receive: The Role of Social Support, Trust, and Participation on Health-Related Social Networking Sites. *Journal of Health Communication* 1-16. [[CrossRef](#)]
2. Michelle M. Kazmer, Mia Liza A. Lustria, Juliann Cortese, Gary Burnett, Ji-Hyun Kim, Jinxuan Ma, Jeana Frost. 2014. Distributed knowledge in an online patient support community: Authority and discovery. *Journal of the Association for Information Science and Technology* n/a-n/a. [[CrossRef](#)]
3. TIINA YLI-UOTILA, ANJA RANTANEN, TARJA SUOMINEN. 2014. Online Social Support Received by Patients With Cancer. *CIN: Computers, Informatics, Nursing* 32:3, 118-126. [[CrossRef](#)]
4. Leonard Reinecke, Sabine Trepte. 2014. Authenticity and well-being on social network sites: A two-wave longitudinal study on the effects of online authenticity and the positivity bias in SNS communication. *Computers in Human Behavior* 30, 95-102. [[CrossRef](#)]
5. Christian Fieseler, Matthes Fleck. 2013. The Pursuit of Empowerment through Social Media: Structural Social Capital Dynamics in CSR-Blogging. *Journal of Business Ethics* 118:4, 759-775. [[CrossRef](#)]
6. Phoenix K.H. Mo, Neil S. Coulson. 2013. Online support group use and psychological health for individuals living with HIV/AIDS. *Patient Education and Counseling* 93:3, 426-432. [[CrossRef](#)]
7. Matthias Hofer, Viviane Aubert. 2013. Perceived bridging and bonding social capital on Twitter: Differentiating between followers and followees. *Computers in Human Behavior* 29:6, 2134-2142. [[CrossRef](#)]
8. Matt C. Howard, Stephanie M. Magee. 2013. To boldly go where no group has gone before: An analysis of online group identity and validation of a measure. *Computers in Human Behavior* 29:5, 2058-2071. [[CrossRef](#)]
9. Jing Zhao, Sejin Ha, Richard Widdows. 2013. Building Trusting Relationships in Online Health Communities. *Cyberpsychology, Behavior, and Social Networking* 16:9, 650-657. [[Abstract](#)] [[Full Text HTML](#)] [[Full Text PDF](#)] [[Full Text PDF with Links](#)]
10. Jae Eun Chung. 2013. Social Networking in Online Support Groups for Health: How Online Social Networking Benefits Patients. *Journal of Health Communication* 1-21. [[CrossRef](#)]
11. Susan Stewart Loane, Steven D'Alessandro. 2013. Communication That Changes Lives: Social Support Within an Online Health Community for ALS. *Communication Quarterly* 61:2, 236-251. [[CrossRef](#)]
12. Susan Stewart Loane, Steven D'Alessandro. 2013. Peer-to-Peer Value Through Social Capital in an Online Motor Neuron Disease Community. *Journal of Nonprofit & Public Sector Marketing* 25:2, 164-185. [[CrossRef](#)]
13. Yuan-Hui Tsai, Sheng-Wuu Joe, Chieh-Peng Lin, Rong-Tsu Wang, Yu-Hsiang Chang. 2012. Modeling the relationship between IT-mediated social capital and social support: Key mediating mechanisms of sense of group. *Technological Forecasting and Social Change* 79:9, 1592-1604. [[CrossRef](#)]
14. Brad Love, Brittani Crook, Charee M. Thompson, Sarah Zaitchik, Jessica Knapp, Leah LeFebvre, Barbara Jones, Erin Donovan-Kicken, Emily Eargle, Ruth Rechis. 2012. Exploring Psychosocial Support Online: A Content Analysis of Messages in an Adolescent and Young Adult Cancer Community. *Cyberpsychology, Behavior, and Social Networking* 15:10, 555-559. [[Abstract](#)] [[Full Text HTML](#)] [[Full Text PDF](#)] [[Full Text PDF with Links](#)]
15. Shannon Vallor. 2012. Flourishing on facebook: virtue friendship & new social media. *Ethics and Information Technology* 14:3, 185-199. [[CrossRef](#)]
16. Gül SeçkinCyber Behaviors of Self Health Care Management 722-734. [[CrossRef](#)]
17. Robert A. Bell, Xinyi Hu, Sharon E. Orrange, Richard L. Kravitz. 2011. Lingering questions and doubts: Online information-seeking of support forum members following their medical visits. *Patient Education and Counseling* 85:3, 525-528. [[CrossRef](#)]
18. Sabine Trepte, Leonard Reinecke, Keno Juechems. 2011. The social side of gaming: How playing online computer games creates online and offline social support. *Computers in Human Behavior* . [[CrossRef](#)]
19. Maurice Vergeer, Yon Soo Lim, Han Woo Park. 2011. Mediated relations: new methods to study online social capital. *Asian Journal of Communication* 21:5, 430-449. [[CrossRef](#)]
20. Phoenix K. H. Mo, Neil S. Coulson. 2011. Developing a model for online support group use, empowering processes and psychosocial outcomes for individuals living with HIV/AIDS. *Psychology & Health* 1-15. [[CrossRef](#)]
21. Eun-Ok Im. 2011. Online Support of Patients and Survivors of Cancer. *Seminars in Oncology Nursing* 27:3, 229-236. [[CrossRef](#)]
22. Yan Hong, Ninfá C. Peña-Purcell, Marcia G. Ory. 2011. Outcomes of online support and resources for cancer survivors: A systematic literature review. *Patient Education and Counseling* . [[CrossRef](#)]
23. Laramie D. Taylor, Robert A. Bell, Richard L. Kravitz. 2011. Third-person effects and direct-to-consumer advertisements for antidepressants. *Depression and Anxiety* 28:2, 160-165. [[CrossRef](#)]

24. Robert A. Bell, Laramie D. Taylor, Richard L. Kravitz. 2010. Do antidepressant advertisements educate consumers and promote communication between patients with depression and their physicians?. *Patient Education and Counseling* **81**:2, 245-250. [[CrossRef](#)]
25. Jacquelyn Quin, Victor Stams, Beth Phelps, Theresa Boley, Stephen Hazelrigg. 2010. Interest in Internet Lung Cancer Support Among Rural Cardiothoracic Patients. *Journal of Surgical Research* **160**:1, 35-39. [[CrossRef](#)]
26. Huon Longman, Dr. Erin O'Connor, Patricia Obst. 2009. The Effect of Social Support Derived from World of Warcraft on Negative Psychological Symptoms. *CyberPsychology & Behavior* **12**:5, 563-566. [[Abstract](#)] [[Full Text PDF](#)] [[Full Text PDF with Links](#)]
27. Kathleen M Griffiths, Alison L Callear, Michelle Banfield. 2009. Systematic Review on Internet Support Groups (ISGs) and Depression (1): Do ISGs Reduce Depressive Symptoms?. *Journal of Medical Internet Research* **11**:3. . [[CrossRef](#)]
28. Susan Scola-Streckenbach. 2008. Experience-based Information: The Role of Web-based Patient Networks in Consumer Health Information Services. *Journal of Consumer Health On the Internet* **12**:3, 216-236. [[CrossRef](#)]
29. Christopher E. Beaudoin. 2008. Explaining the Relationship between Internet Use and Interpersonal Trust: Taking into Account Motivation and Information Overload. *Journal of Computer-Mediated Communication* **13**:3, 550-568. [[CrossRef](#)]
30. PAULA KLEMM. 2008. Late Effects of Treatment for Long-term Cancer Survivors. *CIN: Computers, Informatics, Nursing* **26**:1, 49-58. [[CrossRef](#)]