

Corrigendum

Corrigendum to “Poly(oxypropylene)-amide grafted polypropylene as  
novel compatibilizer for PP and PA6 blends”  
[Polymer 42 (2001) 713–25]<sup>☆</sup>

F.-P. Tseng<sup>a</sup>, J.-J. Lin<sup>b</sup>, C.-R. Tseng<sup>a</sup>, F.-C. Chang<sup>a,\*</sup>

<sup>a</sup>*Institute of Applied Chemistry, National Chiao-Tung University, Hsinchu, Taiwan, ROC*

<sup>b</sup>*Department of Chemical Engineering, National Chung-Hsing University, Taichung, Taiwan, ROC*

Received 12 July 1999; received in revised form 17 March 2000; accepted 10 May 2000

---


We wish to point out to readers that errors were present in the published version of the above article. Fig. 3(A)–(I) should appear as overleaf:

---

<sup>☆</sup> PII of original article: S0032-3861(00)00400-6

\* Corresponding author. Tel.: +886-3-571-2121; fax: +886-3-5723764.

E-mail address: changfc@cc.nctu.edu.tw (F.-C. Chang).



(A) PA6/PP=30/70








(B) PA6/PP/PP-g-MA(0.3 wt.%)  
=30/70/5(C) PA6/PP-g-MA(0.3 wt.%)  
-D-230 (1:1)  
=30/70/5(D) PA6/PP-g-MA(0.3 wt.%)  
-D-400 (1:1)  
=30/70/5(E) PA6/PP-g-MA(0.3 wt.%)  
-D-2000 (1:1)  
=30/70/5(F) PA6/PP-g-MA(0.8 wt.%)  
=30/70/5


Fig. 1. SEM micrographs of the uncompatibilized and compatibilized PA6/PP = 30/70 blends: (A) PA6/PP = 30/70; (B) PA6/PP/PP-g-MA(0.3 wt.%) = 30/70/5; (C) PA6/PP-g-MA(0.3 wt.%)  
-D-230 (1:1) = 30/70/5; (D) PA6/PP-g-MA(0.3 wt.%)  
-D-400 (1:1) = 30/70/5; (E) PA6/PP-g-MA(0.3 wt.%)  
-D-2000 (1:1) = 30/70/5; (F) PA6/PP-g-MA(0.8 wt.%) = 30/70/5; (G) PA6/PP-g-MA (0.8 wt.%)  
-D-230 (1:1) = 30/70/5; (H) PA6/PP-g-MA(0.8 wt.%)  
-D-400 (1:1) = 30/70/5; (I) PA6/PP-g-MA(0.8 wt.%)  
-D-2000 (1:1) = 30/70/5.



(G) PA6/PP-g-MA(0.8 wt.%)  
-D-230 (1:1)  
=30/70/5



(H) PA6/PP-g-MA(0.8 wt.%)  
-D-400 (1:1)  
=30/70/5



(I) PA6/PP-g-MA(0.8 wt.%)  
-D-2000 (1:1)  
=30/70/5

Fig. 1. (continued)