

## 參考文獻

- [1] Masaru Ishikawa, “Stability of plastic deformation and toughness of polycarbonate blend with polyacrylonitrile butadiene Styrene copolymer”, Polymer, Vol. 36, pp. 2203--2210, 1995
- [2] Aji P. Mathew and Sabu Thomas, “Izod impact behavior of nature rubber/polystyrene interpenetrating polymer networks”, Materials Letters, Vol. 50, pp. 154 , 163, 2001
- [3] 謝俊雄“塑膠工程學”文京圖書有限公司，1976。
- [4] 吳培熙等編“聚合物共混改性”，北京，中國輕工業出版社，1996，3660 頁。
- [5] 項尚田等譯，“聚合物--聚合物混溶性”，北京，化學工業出版社，1987，1~73 頁。
- [6] M. T. Shaw , “Studies of polymer-polymer solubility using a two-dimensional solubility parameter approach”, Journal of Applied Polymer Science , 1974,18;449
- [7] Mer E R ,Glaver G G,Baer M Polym.Sci,1956.22;325
- [8] B. S. Lombardo, H. Keskkula, D. R. Paul , “Influence of ABS type on morphology and mechanical properties of PC/ABS blends” , Journal of Applied Polymer Science 1994;54:1697
- [9] T.S. Grabowski ,(Borg Warner Corp.) , U.S.Pat.3,130,177 (1964).
- [10] S.Krkuse,J.Macromol;Sci,C7 251,19722
- [11] Roberto Greco, A. Sorrentino , “ Polycarbonate/ABS blends: A literature review” , Advances in Polymer Technology Advancesin . 1994,13(4):249~258
- [12] J. J. Herpels and L. Mascia , “Effects of styrene-acrylonitrile/ butadiene ratio on the toughness of polycarbonate/ABS blends” , European polymer,1990,26(9):997

- [13] KUMIN YANG, SHI-HO LEE, and JONG-MAN OH , “ Effects of Viscosity Ratio and Compatibilizers on the Morphology and Mechanical Properties of polycarbonate/Acrylonitrile-Butadiene-Styrene Blends ”Polymer Engineering and science.1999,39(9)1667.
- [14] 徐聲鈞，姜勇等，“ 塑膠技術 ”，北京，中國輕工業出版 1999,(1):15 。
- [15] Jiann-Shing Wu, Shu-Chen Shen, Feng-Chih Chang “Effect of polycarbonate molecular weight on polymer blends of polycarbonate and ABS”Journal of Applied Polymer science.1993,50 :1379
- [16] 鄭光鼎，“現代塑料加工應用”，中國石油月刊，1994,6(3):41 。
- [17] L. H. Sperling, “Introduction to Physical Polymer Science”, third edition, John Wiley & Sons, New York, 2001
- [18] 蔡信行編著，聚合物化學，文京圖書有限公司，台北，民國七十三年八月。
- [19] 賴耿陽著，聚丙烯樹脂 PP 原理與應用，復漢出版社，台南，民國八十八年三月。
- [20] S. L. Rosen, “Fundamental Principles of Polymeric Materials”, Wiley-Interscience, 1993
- [21] M. J. Folkes and P. S. Hope, “Polymer Blend and Alloys”, Blackie Academic & Professional, pp. 46-74, 1993
- [22] G. Zhang, Q. Fu, K. Shen, L. Jian, and Y. Wang, “Studies on Blends of High-Density Polyethylene and Polypropylene Produced by Oscillating Shear Stress Field”, Journal of Applied Polymer Science, pp. 58-63, 2002
- [23] Y. Wand, H. Zou, Q. Fu, G. Zhang, and K. Shen, “Super Polyolefin Blends Achieved Via Dynamic Packing Injection Molding: Tensile Strength”, Journal of Applied Polymer Science, pp. 236-243, 2002
- [24] C. D. Han, “Rheology in Polymer Processing”, Academic Press, New York, 1976

- [25] B. S. Lombardo, H. Keskkula, and D. R. Paul, "Influence of ABS Type on Morphology and Mechanical Properties of PC/ABS blends", Journal of Applied Polymer Science, pp. 1697-1720, 1994
- [26] ASTM, "Standard Test Method for Tensile Properties of Plastics", D 638, 1990.
- [27] Q. Guan, K. Shen, J. Ji, and J. Zhu, "Structure and properties of self-reinforced polyethylene prepared by oscillating packing injection molding under low pressure", Journal of Applied Polymer Science, pp. 1797-1804, 1995

