

參 考 文 獻

- [1] S. Middelhoek and S. A. Audet, “Silicon Sensors”, Academic Press, New York, Sds(1989).
- [2] R. S. Muller, R. T. Howe, S. D. Senturia, R. L. Smith, and R. M. White, eds., “Microsensors”, IEEE Press, New York, (1991).
- [3] S. M. Sze, ed., Semiconductor Sensors, John Wiley & Sons Inc., (1994).
- [4] 林弘德, 浮板熱電堆元件之製作, 國立交通大學光電工程研究所, 碩士論文, 民國 86 年.
- [5] D. S. Tezcan, S. Eminoglu, O. S. Akar, and T. Akin, “An Uncooled Microbolometer Infrared Focal Plane Array in Standard CMOS” OPTO 2001, SPIE Vol. 4228, San Jose, California, 19-26 January, 2001.
- [6] R. A. Smith, F. E. Jones, and R. P. Chasmar, “The Detection and Measurement of Infra-Red Radiation”, London Oxford University Press, 1957.
- [7] R. Dewaard and E. M. Wormser, “Description and Properties of Various Thermal Detectors”, Proc. Inst. Radio Engrs., 47, 1508(1959).
- [8] B. Cole, R. Horning, B. Johnson, K. Nguyen, P.W. Kruse, and M.C. Foote, “High Performance Infrared Detector Arrays using Thin Film Microstructures”, IEEE, pp. 653-656, 1995.
- [9] Hyung-Kew Lee, Jun-Bo Yoon, Euisik Yoon, Sang-Baek Ju, Yoon-Joong Yong, Wook Lee, and Sang-Gook Kim, “A High Fill-Factor Infrared Bolometer Using Micromachined Multilevel Electrothermal Structures”, IEEE Trans. on electron devices, Vol. 46, No. 7, pp. 1489-1491, July 1999.
- [10] Changhong Chen, Xinjian Yi, Xingrong Zhao, Bifeng Xiong, “Characterizations of VO₂-based uncooled microbolometer linear array”, Sensors and Actuators A 90 (2001) 212-214.
- [11] 國科會精儀中心, 微機電系統技術與應用, 全華科技圖書, 新竹市, 民國 92 年.

- [12] Liang Dong, Rui Feng Yue, Litian Liu, “An uncooled microbolometer infrared detector based on poly-SiGe thermistor”, Sensors and Actuators A 105 (2003) 286-292.
- [13] Deniz Sabuncuoglu Tezcan, Selim Eminoglu, Tayfun Akin, “A Low-Cost Uncooled Infrared Microbolometer Detector in Standard CMOS Technology”, IEEE Trans. on electron devices, Vol. 50, No.2, pp. 494-502, February 2003.
- [14] Tsutomu Ichihara, Yoshifumi Watabe, Yoshiaki Honda and Kouichi Aizawa, “A High Performance Amorphous $\text{Si}_{1-x}\text{C}_x:\text{H}$ Thermistor Bolometer Based on Micro-Machined Structure”, IEEE Int. Conf. on Solid-State Sensors and Actuators, pp. 1253-1256, Chicago, USA, June 16-19, 1997.
- [15] R Barth, J Siewert, B Spangenberg, C Jaekel, H Kurz, B Utz, W Prusseit, H Kinder and H Wolf, “Silicon micromachining technique for fabricating high temperature superconducting microbolometers”, Vacuum, Vol.47, No. 9, pp. 1129-1132, 1996.
- [16] E. Mottin, A. Bain, JL. Martin, J.L. Ouvrier-Buffet, S. Bisotto, J.J. Yon, JL.Tissot, “Uncooled amorphous silicon technology enhancement for 25um pixel pitch achievement”, SPIE Vol. 4820, Infrared technology and Applications XXVIII, 2002.
- [17] Mahmoud Almasri, Donald P. Butler, Zeynep Celik-Butler, “Self-Supporting Uncooled Infrared Microbolometers With Low-Thermal Mass”, Journal of Microelectromechanical Systems, Vol. 10, No.3, pp. 469-476, September 2001.
- [18] John E. Gray, Zeynep Celik-Butler, and Donald P. Butler, “Mgo Sacrificial Layer for Micromachining Uncooled Y-B-Cu-O IR Microbolometers on Si_3N_4 Bridges”, IEEE Journal of Microelectromechanical Systems, Vol. 8, No. 2, pp.192-199, June 1999.
- [19] S. M. Sze, ed., VLSI Technology, 2nd ed., McGraw-Hill, New York, (1998).
- [20] L. Dobrzanski, E. Nossalzewska-Orlowska, Z. Nowak, J. Piotrowski, “Micromachined silicon bolometers as a detectors of soft X-ray, ultraviolet, visible and infrared radiation”, Sensors and Actuators A 60 (1997) 154-159.
- [21] Sherif Sedky, Paolo Fiorini, Kris Baert, Lou Hermans, and Robert Mertens, “Characterization and Optimization of Infrared Poly SiGe

- Bolometers”, IEEE Trans. on electron devices, Vol. 46, No. 4, pp. 675-682, April 1999.
- [22] R.I. Alley, G.J. Cuan, R.T. Howe and K. Kimvpoulos, “The effect of release-etch processing on surface microstructure stiction”, Solid-State Sensors and Actuator Workshop, Hilton Head Island, SC, USA, 1992, pp.202-207.
- [23] R. Legtenberg, H.A.C. Tilmans, J. Elders and M. Elwenspoek, “Stiction of surface micromachined structures after rinsing and drying: model and investigation of adhesion mechanisms”, Sensors and Actuators A 41-43 (1994) 230-238.
- [24] 王盧正, 大角度紅外線感測器之製作, 國立交通大學電子物理研究所, 碩士論文, 民國 87 年.
- [25] J. Y. Lin, L. M. Fu, and R. J. Yang, “Numerical Simulation of Electrokinetic Focusing in Microfluidic Chips”, Journal of Micromechanics and Microengineering, accepted for publishing (2002).
- [26] 林稔杰, 紅外線感測器之低溫製程研究, 國立交通大學電子工程研究所, 碩士論文, 民國 89 年.
- [27] M. Elwenspoek and H. V. Jansen, Silicon Micromachining, Cambridge University Press, United States of America, 1998.
- [28] K. Yanagisawa, H. Kuwano, and A. Tago, “An Electromagnetically Driven Microvalve”, Proceedings of Transducers ’93, Yokohama, Japan (1993).
- [29] M. S. Haque, H. A. Naseem, W. D. Brown, “Post-deposition processing of low temperature PECVD silicon dioxide films for enhanced stress stability”, Thin Solid Films 308-309 (1997) 68-73.
- [30] J. J. Hsieh, D. E. Ibbotson, J. A. Mucha, and D. L. Flamm, “DIRECTIONAL DEPOSITION OF DIELECTRIC SILICON OXIDE BY PLASMA ENHANCED TEOS PROCESS”, IEEE VMIC Conference, pp.411-415, June 12-13, 1989.
- [31] L. da Silva Zambom, R. Domingues Mansano, R. Furlan, “Silicon nitride deposited by inductively coupled plasma using silane and nitrogen”, Vacuum 65 (2002) 213-220.

- [32] Tamura M, Sunami H., Japan J. Apply Physics 11, 1972, 1097-105.
- [33] F. VOLKLEIN, “THERMAL CONDUCTIVITY AND DIFFUSIVITY OF A THIN FILM SiO_2 - Si_3N_4 SANDWICH SYSTEM”, Thin Solid Films, Electronics and Optics, 188 (1990) 27-33.
- [34] K. Kusaka, T. Hanabusa, M. Nishida, F. Inoko, “Residual stress and in-situ thermal stress measurement of aluminum film deposited on silicon wafer”, Thin Solid Films 290-291 (1996) 248-253.
- [35] D.A.P. Bulla, N.I. Morimoto, “Deposition of thick TEOS PECVD silicon oxide layers for integrated optical waveguide applications”, Elsevier Science S.A., Thin Solid Films 334 (1998) 60-64.
- [36] G. Beshkov, Shi Lei, V. Lazarova, N. Nedev, S.S. Georgiev, “IR and Raman absorption spectroscopic studies of APCVD, LPCVD and PECVD thin SiN films”, Vacuum 69 (2003) 301-305.
- [37] D. Criado, I. Pereyra, M.I. Alayo, “Study of nitrogen-rich silicon oxynitride films obtained by PECVD”, Materials Characterization 50 (2003) 167-171.
- [38] P.J. French, P.M. Sarro, R. Mallee, E.J.M. Fakkeldij, R.F. Wolffenbuttel”, Sensors and Actuators A 58 (1997) 149-157.
- [39] Hui Lin, Liqiang Xu, Xiang Chen, Xuhong Wang, Mei Sheng, Frank Stubhan, Karl-Heinz Merkel, Juergen Wilde, “Moisture-resistant properties of SiN_x films prepared by PECVD”, Thin Solid Films 333 (1998) 71-76.