

參考文獻

- [1] U.S. Patent, Tseng, “Thin-film integrated circuit with tank circuit characteristics and applications to thin-film filters and oscillators”, Patent No. 4,166,258 , Aug. 28, 1979.
- [2] K. Sachse, and A. Sawieki, “Quasi-ideal multilayer Two- and Three-strip directional couplers for monolithic and hybrid MIC's,” *IEEE Trans. Microwave Theory Tech.*, Vol. MTT-47, pp. 1873-1882, Sept. 1999.
- [3] J-W. Sheen, “LTCC-MLC duplexer for DCS-1800,” *IEEE Trans. Microwave Theory Tech.*, Vol. MTT-47, pp. 1883-1889, Sept. 1999.
- [4] T. Ishizaki, M. Fujita, H. Kagata, T. Uwano, and H. Miyake, “A very small dielectric planar filter for portable telephones,” *IEEE Trans. Microwave Theory Tech.*, Vol. MTT-42, pp. 2017-2022, Nov. 1994.
- [5] K. Nishikawa, T. Tokumitsu, and I. Toyoda, “Miniaturized Wilkinson power divider using three-dimensional MMIC technology,” *IEEE Microwave and Guided Wave Letters*, Vol. 6 No. 10, pp. 372-374, Oct. 1996.
- [6] H. Okazaki, and T. Hirota, “Multilayer MMIC broad-side coupler with a symmetric structure,” *IEEE Microwave and Guided Wave Letters*, Vol. 7 No. 6, pp. 145-147, June 1997.
- [7] K. Nishikawa, I. Toyoda, and T. Tokomitsu, “Miniaturized three-dimensional K-band upconverter,” *IEEE Microwave and Guided Wave Letters*, Vol. 7 No. 8, pp. 230-232, Aug. 1997.
- [8] P. Pieters, S. Brebels, e. Beyne, and R. P. Mertens, “Generalized analysis of coupled lines in multilayer microwave MCM-D technology—application: Integrated coplanar Lange coupler,” *IEEE Trans. Microwave Theory Tech.*, Vol. MTT-47, No. 9, pp. 1863-1872, Sept. 1999.

- [9] C. Y. Chang, C. C. Yang, and D. C. Niu, "A multi-octave bandwidth rat-race singly balanced mixer," *IEEE Microwave and Guided Wave Letters*, Vol. 9, No. 8, pp37-39, Jan.,1999.
- [10] C. Y. Chang, and C. C. Yang, "A novel broad-band Chebyshev response rat-race ring coupler," *IEEE Trans. on Microwave Theory and Tech.* Vol. 47, No. 4, pp 455-462, April. 1999.
- [11] B. R. Heimer, L. Fan, and K. Chang, "Uniplanar hybrid couplers using asymmetrical coplanar striplines." *IEEE Trans. on Microwave Theory and Tech.* Vol. 45, pp 2234-2240, Dec. 1997.
- [12] S. March, "A wideband stripline hybrid ring," *IEEE Trans. on Microwave Theory and Tech.* Vol. 16, pp 361, June, 1968.
- [13] Y. K. Konishi, I. Awai, Y. Fukuoka, and M. Nakajima, "A directional coupler of a vertically installed planar circuit structure," *IEEE Trans. on Microwave Theory and Tech.* Vol. 36, No. 6, pp 1057-1063, June, 1988. J. L. B. Walker, "Improvements to the design of the o-180o rat race coupler and its application to the design of balanced mixers with high LO to RF isolation," in 1997 IEEE MTT-S Digest, pp747-750, June, 1997.
- [14] E. M. T. Jones, and J. T. Bolljahn, "Coupled strip transmission line filters and directional couplers," *IRE Trans.. PGMTT-4*, No. 2. pp. 75-81, April, 1956.
- [15] Jen-Tsai Kuo and Eric Shih, "Wideband bandpass filter design with three-line microstrip structures," *Microwave Symposium Digest, 2001 IEEE MTT-S International* , Volume: 3 , 20-25 May 2001 ,Page(s): 1593 -1596 vol.3
- [16] Y. Z. Li, M. J. Lancaster, F. Huang, and N. Roddis, " Superconducting Microstrip wide band filter for radio astronomy," in *2003 IEEE MTT-S Symp. Digest*, pp.551-554, June, 2003.
- [17] L. Zu, W. Menzel, K. Wu, and F. Boegelsack, " Theoretical characterization and

experimental verification of novel compact broadband microstrip bandpass filter,” in *2001 APMC Symp. Digest*, pp.625-628, Dec., 2001.

- [18] M. Makimoto and S. Yamashita, “Bandpass filters using parallel-coupled stripline stepped impedance resonators,” *IEEE Trans. Microwave Theory Tech.*, vol. MTT-28, pp. 1413–1417, Dec. 1980.
- [19] Kuo, J.-T. and Shih, E.,” Microstrip stepped impedance resonator bandpass filter with an extended optimal rejection bandwidth”, *Microwave Theory and Techniques, IEEE Transactions on* , Volume: 51 Issue: 5 , May 2003 Page(s): 1554 –1559.
- [20] Milovanovic, B., Gmitrovic, M., Stankovic, V. and Djordjevic, S.,” Contribution to the designing wide-band interdigital band-pass filters,” *Electrotechnical Conference, 1991. Proceedings.*, 6th Mediterranean , 22-24 May 1991,Page(s): 138 -141 vol.1
- [21] F. -R. Yang, K. -P. Ma, Y. Qian, and T. Itoh, “A uniplanar compact photonic-bandgap (UC-PBG) structure and its applications for microwave circuits,” *IEEE Transaction on Microwave Theory and Tech.*, Vol. MTT-47, No. 8, pp. 1509-1514, Aug. 1999.
- [22] T. Lopetegi, M. A. G. Laso, J. Hernandez, M. Bacaicoa, D. Bernito, M. J. Sorolla, and M. Guglielmi, “New microstrip Wiggly-line filters with spurious passband suppression,” *IEEE Transaction on Microwave Theory and Tech.*, Vol. MTT-49, No. 9, pp. 1593-1598, Sept. 2001.
- [23] C. C. Yang, and C. Y. Chang, “ Microstrip cascade trisection filter,” *IEEE Microwave and Guided Wave Letters*, Vol. 9, pp271-273, July 1999.
- [24] C. Y. Chang, and W. C. Hsu, “Novel square-shaped dielectric waveguide single- and dual-mode filters,” *IEEE Trans. on Microwave Theory and Tech.* Vol. 50, No. 11, pp 2527-2536, Nov. 2002.

- [25] C. Y. Chang, and W. C. Hsu, "Photonic bandgap dielectric waveguide band-pass filter," *IEEE Microwave and Wireless Components Letters*, Vol. 12, No. 4, pp137-139, April, 2002
- [26] C. C. Chen, Y. R. Chen, and C. Y. Chang, "Miniaturized microstrip cross-coupled filters using quarter-wave or quasi-quarter-wave resonators," *IEEE Trans. on Microwave Theory and Tech.* Vol. 51, No. 1, pp120-131, Jan. 2003.
- [27] C.Y. Chang, and D. C. Niu, " A novel CPW interdigital filter," in *APMC Digest*, pp621-624, Dec 2001.
- [28] C. Y. Chang, C. C. Chen, and H. J. Huang, "Folded quarter-wave resonator filters with Chebyshev, flat group delay, or quasi-elliptical function response," in *IEEE MTT-S Int. Symposium Digest*, pp1609-1612, June 2002.
- [29] C. Y. Chang, and T. Itoh, "A modified parallel-coupled filter structure that improves the upper stopband rejection and response symmetry," *IEEE Trans. on Microwave Theory and Tech.*, Vol. 39, No. 2, pp 310-314, Feb. 1991.