## 圖目錄

Figure 1-1 Small molecular OEL device prepared by Tang <i>et al</i> 2
Figure 1-2 Structures of some common small molecules
Figure 1-3 Structures of some common polymer materials4
Figure 1-4 Structure of a single layer OLED device
Figure 1-5 Electroluminescence mechanism
Figure 1-6 Energy diagram of exciton formation7
Figure 1-7 Schematic energy level diagram for an ITO/PPV/Al device8
Figure 1-8 Structure of a multilayer OLED device8
Figure 1-9 Structure of MEH-PPV10
Figure 1-10 Scheme of SPR method10
Figure 1-11 Scheme of XPR method11
Figure 1-12 Structures of some DP-PPVs12
Figure 1-13 Scheme of ring-opening polymerization
Figure 1-14 Molecular orientation of the polymer chains in the L-B film15
Figure 1-15 Structures of PF2/6, PI and ST63816
Figure 1-16 Structures of some LC-PPVs, LC-PPPs and LC-PTVs17
Figure 1-17 Structures of DP-PPVs with liquid crystalline side groups
Figure 3-1 Mechanism of the Gilch route
Figure 3-2 <sup>1</sup> H-NMR spectra of the (a) monomer <b>6</b> and polymer <b>P1</b> synthesized
with different amount of base: (b) 8 equivalent; (c) 16 equivalent.34
Figure 3-3 TGA diagrams of <b>P1</b> synthesized with different amount of base (a) 8
equivalent; (b) 16 equivalent35
Figure 3-4 FT-IR spectra of <b>P1</b> synthesized with different amount of base (a) &
equivalent; (b) 16 equivalent
Figure 3-5 Optical texture of <b>P1</b> at 19040
Figure 3-6 DSC diagram of <b>P1</b> 40

Figure 3-7 UV-vis spectra of $P1$ in solid film (a) and solution states: (b) in
CHCl <sub>3</sub> ; (c) in THF; (d) in Toluene41
Figure 3-8 PL spectra of <b>P1</b> in solid film (a) and solution states: (b) in $CHCl_3$ ; (c)
in THF; (d) in Toluene42
Figure 3-9 Oxidation curve in CV of <b>P1</b> 43
Figure 3-10 Energy level of <b>P1</b> 44
Figure 3-11 Direct rubbing of the polymer in fusion or solution state45
Figure 3-12 Polarized UV and PL spectra of <b>P1</b> 45
Figure 3-13 Rubbing direction and alignment of the conjugated backbone46
Figure 3-14 UV-vis spectra of (a) <b>P1</b> and (b) <b>P2</b> in thin film state47
Figure 3-15 UV-vis spectrum of <b>P3</b> in thin film state47
Figure 3-16 PL spectra of (a) <b>P1</b> and (b) <b>P2</b> in thin film state48
Figure 3-17 PL spectrum of <b>P3</b> in thin film state
Figure 3-18 Emission spectra of (a) PL and (b) EL
Figure 3-19 I-V and L-V curves of ITO / PEDOT / P1 / Ca(Al)50
Figure 3-20 OLED device using <b>P1</b> as the emission layer
Figure 3-21 Structures of some DP-PPVs with different substituents
Figure 3-22 Hexagonal packing of DPn-PPV52
Figure 5-1 PL spectra of MEH-PPV inside/outside silica nanopores59
Figure 7-1 SEM images of: (a)PPV/SiO <sub>2</sub> -B; (b)PPV/SiO <sub>2</sub> -F; (c)PPV/TiO <sub>2</sub> -B67
Figure 7-2 UV-vis absorption spectra of PPV and nanocomposites: (a) PPV; (b)
PPV/SiO <sub>2</sub> -A; (c) PPV/SiO <sub>2</sub> -D; (d) PPV/SiO <sub>2</sub> -E; (e) PPV/SiO <sub>2</sub> -H; (f)
PPV/TiO <sub>2</sub> -A; (g) PPV/TiO <sub>2</sub> -D69
Figure 7-3 FT-IR spectra of PPV and nanocomposites: (a) PPV; (b) PPV/SiO <sub>2</sub> -B;
(c) PPV/SiO <sub>2</sub> -F; (d) PPV/TiO <sub>2</sub> -B71
Figure 7-4 Raman spectra of PPV and nanocomposites: (a) PPV; (b) $\ensuremath{PPV}$
SiO <sub>2</sub> -B; (c) PPV/SiO <sub>2</sub> -F; (d) PPV/TiO <sub>2</sub> -B73
Figure 7-5 Variation of the peak 1 (1547 $\text{cm}^{-1}$ ) / peak 2 (1625 $\text{cm}^{-1}$ ) ratio as a
function of the nanoparticle concentration: (a) PPV/SiO <sub>2</sub> (100 nm);

xvi

(U) FF V/SIO <sub>2</sub> (20 IIIII). (C) FF V/ IIO <sub>2</sub> (20 IIIII)	(b	) $PPV/SiO_2(20)$	) nm): (c)	PPV/TiO <sub>2</sub> (2	20 nm)	7
---	----	-------------------	------------	-------------------------	--------	---

- Figure 7-9 Current density vs applied field in ITO-PPV/SiO<sub>2</sub> (100 nm)-MgAg diodes with different nanoparticle concentrations.......80
- Figure 7-10 Current density vs applied field in ITO-PPV/SiO<sub>2</sub> (20 nm)-MgAg diodes with different nanoparticle concentrations.......80
- Figure 7-11 Current density vs applied field in ITO-PPV/TiO<sub>2</sub> (20 nm)-MgAg diodes with different nanoparticle concentrations.......81
- Figure 7-13 UV-vis absorption spectra of MEH-PPV and nanocomposites: (a) MEH-PPV; (b) MEH/SiO<sub>2</sub>-A; (c) MEH/SiO<sub>2</sub>-D; (d) MEH/SiO<sub>2</sub>-E;
  - (e) MEH/SiO<sub>2</sub>-H; (f) MEH/TiO<sub>2</sub>-A; (g) MEH/TiO<sub>2</sub>-D......84
- Figure 7-14 FT-IR spectra of MEH-PPV and nanocomposites: (a) MEH-PPV; (b) MEH/SiO<sub>2</sub>-A; (c) MEH/SiO<sub>2</sub>-E; (d) MEH/TiO<sub>2</sub>-A.....85
- Figure 7-15 Raman spectra of MEH-PPV and nanocomposites: (a) MEH-PPV; (b) MEH/SiO<sub>2</sub>-A; (c) MEH/SiO<sub>2</sub>-E; (d) MEH/TiO<sub>2</sub>-A......86

Figure 7-19 PL spectra of MEH-PPV of	luring 4 weeks9	90	
--------------------------------------	-----------------	----	--

Figure 7-20 PL spectra of MEH-PPV/SiO<sub>2</sub> (20 nm, 1%) during 4 weeks......91

Figure 7-21 PL spectra of MEH-PPV/SiO<sub>2</sub> (100 nm, 1%) during 4 weeks.....91

Figure 7-22 PL spectra of MEH-PPV/TiO<sub>2</sub> (20 nm, 1%) during 4 weeks......92

Figure 7-23 Variation of the emission ratio  $L/L_0$  as a function of the nanoparticle

- Figure 7-24 Raman spectra of MEH-PPV thin films spin-coated from solutions: (a) MEH/C; (b) MEH/T; (c) MEH/X......95
- Figure 7-25 PL spectra of MEH-PPV thin films spin-coated from solutions: (a) MEH/C; (b) MEH/T; (c) MEH/X......95

Figure 7-27 Raman spectra of MEH-PPV thin films on (a) glass plate and porous alumina substrates: (b) 118 nm; (c) 78 nm; (d) 30 nm; (e) 18 nm..97

Figure 7-28 PL spectra of MEH-PPV thin films on (a) glass plate and porous alumina substrates: (b) 118 nm; (c) 78 nm; (d) 30 nm; (e) 18 nm..98

Figure 7-30 Relative intensity variation of the main PL peak in MEH-PPV/ alumina composites as a function of the pore size......100