

參考文獻

1. 林明杰，“遺傳演算法應用於擬三維地下水數值模式之參數優選”，國立交通大學土木工程研究所碩士論文，(1998)。
2. 潘禎哲，“改良式降低變異數分析於地下水觀測井網規劃之應用”，碩士論文，(1994)。
3. 陳宏嘉，“遺傳演算法於地下水觀測井網規劃之應用”，國立交通大學土木工程研究所碩士論文，(1998)。
4. 陳宇文，“類神經網路於入滲池最佳化設計之應用”，國立交通大學土木工程研究所碩士論文，(1999)。
5. 蔡威平，“應用遺傳演算法與參數優選於地下水最佳觀測井網設計”，國立交通大學土木工程研究所碩士論文，(1999)。
6. 張孝龍，“應用卡門濾波理論與遺傳演算法於地下水觀測井網設計”，國立交通大學土木工程研究所碩士論文，(2002)。
7. 薛安聿，“應用遺傳演算法與最佳控制於非拘限含水層之水量管理營運”，國立交通大學土木工程研究所碩士論文，(2002)。
8. 左正民，“遺傳演算法於地層下限模式參數檢定之應用”，國立交通大學土木工程研究所碩士論文，(1997)。
9. 蕭金財，“序率最佳控制理論應用於水庫系統之優選操作”，國立交通大學土木工程研究所碩士論文，(1994)。
10. 蕭金財，“動態控制理論與遺傳演算法應用於地下水之管理與污染整治”，國立交通大學土木工程研究所博士論文，(2001)。
11. 陳信華，“應用遺傳演算法與試驗設計原則於地下水觀測井網設計”，國立交通大學土木工程研究所碩士論文，(2002)。
12. 冷家豪，“擴展式卡門率波應用於水層參數檢定”，國立交通大學

- 環境工程研究所碩士論文，(2001)。
- 13.葉明生，“濁水溪沖積扇地下水序率數值模擬模式之研究”，國立交通大學土木工程研究所碩士論文，(1996)。
 - 14.蘇惠珍、張良正，“通用克利金法於地下水觀測網規劃之應用”，地下水調查分析與保育管理論文集，pp.191-205，(1992)。
 - 15.丁澈士，“屏東平原地下水觀測井網觀測密度設計之研究”，第十屆全國技術及職業教育研討會，pp.175-184，1995。
 - 16.曾國雄、邱裕鈞、許書耕，“主線欄柵式收費站最佳區位遺傳演算尋優法與逐步尋優法之比較分析”，中國土木水利工程學刊，第九卷，第一期，第171~178頁，(1997)。
 - 17.洪士林、劉志雄，“基因演算法於鋼構斜張橋斷面及幾何最佳化設計之應用”，八十六年電子計算機於土木工程應用論文研討會論文集，(1997)。
 - 18.張斐章、陳莉，“遺傳演算法於專家系統中參數優選之研究”，農業工程學報，39卷2期，第1~12頁，(1993)。
 - 19.Chang, L. C., C. A. Shoemaker, and P. L. F. Liu, “Optimal time-varying pumping rates for groundwater remediation: application of a constrained optimal control algorithm,” *Water Resour. Res.*, 28(12), 3157-3171, (1992).
 - 20.Bear, J., “Hydraulics of Groundwater”, McGraw-Hill, New York, (1979)。
 - 21.Cieniawski, S. E. J. W. Eheart and S. Ranjithan, “Using genetic algorithms to solve a multiobjective groundwater monitoring problem”, *Water Resource Research*, v, 31(2), p399-409,(1995)。
 - 22.Goldberg, David E., “Genetic Algorithms in Search, Optimization, and

- Machine Learning”, Addison-Wesley Publishing Company Inc, (1989) ◦
- 23.Haupt, R. L. and S. E. Haupt, “Practical Genetic Algorithms”, John Wiley & Sons, Inc,(1998) ◦
- 24.McKinney, D. C. and M. D. Lin, “Genetic algorithm solution of Groundwater management models”, Water Resource Research, v, 30(6), p1897-1906,(1994) ◦
- 25.Oliveira, R. and D. P. Loucks, “Operating rules for multireservoir systems”,Water Resource Research, v, 33(4), p839-852,(1997) ◦
- 26.Ritzel, B. J., J. W. Eheart and S. Ranjithan, “Using genetic algorithms to solve a multiple objective groundwater pollution problem”,Water Resource Research, v, 30(5), p1589-1603,(1994) ◦
- 27.Silvey, S. D., “Optimal Design – An Introduction to the Theory for Parameter Estimation”,Chapman and Hall, New York,(1980) ◦
- 28.Wang, M. and C. Zheng, “Optimal Remediation Policy Selection under General Condition”,Groundwater ,v,35(5), p757-764, (1998) ◦
- 29.Wang, M. and C. Zheng, “Groundwater Management Optimization using Genetic Algorithms and Simulated Annealing: Formulation and Comparison”, J. the American Water Resources Association, v, 34(3), p519-530,(1998) ◦
- 30.Wang, Q. J., “The genetic algorithm and its application to calibrating conceptual rainfall-runoff models”,Water Resource Research, v, 27(9), p2467-2471,(1991) ◦
- 31.Wardlaw, R. and M. Sharif, “Evaluation of genetic algorithms for optimal reservoir system operation”, J. Water Resour, Plng, and Mgmt,, ASCE ,V,125(1), p25-33,(1999) ◦

32. Van Geer, F. C., C. B. M. Te Stroet and Zhou Y, “Using Kalman filtering to improve and quantify the uncertainty of numerical groundwater simulations,1.The role of system noise and it’s calbration”, Water Resources Research, Vol,27 No,8, p1991-1994, (1991) ◦
- 33.Frans C. Van Geer, “Using Kalman Filtering to Improve and Quantify the Uncertainty of Numerical Groundwater Simulations – 2.Application to Monitoring Network Design”, Water Resources Research, Vol,27 No,8, p1995-2006,(1991) ◦
- 34.Shahrokh Rouhani, “Variance Reduction Analysis”, Water Resources Research, Vol,21 No,6, p837-846,(1985) ◦
- 35.Zhou, Yangxiao, “KALMOD, A Stochastic-Deterministic Model for Simulating Groundwater Flow with Kalman filtering, Part A, Methodology”, International Institute for Environmental and Hydraulic Engineering Delft, The Netherlands, July, (1991) ◦
- 36.Zhou, Yangxiao, “KALMOD, A Stochastic-Deterministic Model for Simulating Groundwater Flow with Kalman filtering, Part B, User’s Manual”, International Institute for Environmental and Hydraulic Engineering Delft, The Netherlands, July, (1991) ◦
- 37.Sophocleous, M., J. E., Paschetto and R. A. Olea, “Ground-Water Network Design for Northwest Kansas, Using the Theory of Regionalized Variables”, Ground Water, Vol.20 No.1, p.48-58, (1982) ◦
- 38.Michael G. McDonald and Arlen W. Harbaugh, “A Modular Three Dimensional Finite-Difference Ground-Water Flow Model”, U.S. Government printing office, (1988) ◦
- 39.Christopher K. Wikle and J. Andrew Royle, “Space-Time Dynamic

Design of Environmental Monitoring Networks”, Journal of Agricultural, Biological, and Environmental Statistics, Vol.4, No.4, p.489-507,(1999) ◦

40.Te Stroet, C.B.M., Calibration of Stochastic Groundwater Flow Models, Estimation of System Noise Statistics and Model Parameters, PhD thesis Delft Univ. of Techn, (1995) ◦

41.Naruhisa Tanaka and Hirokazu Tatano “A Performance evaluation method of monitoring systems for inner-basin grainage under imperfect observation”, Hydrological Processes,14,62-638,(2000) ◦

42.Roko Andricevic and Peter K. Kitanidis “Optimization of the Pumping Schedule in Aquifer Remediation Under Uncertainty”,Water Resources Research,Vol.26,No.5,p.875-885,(1990) ◦

43.Roko Andricevic “A Real-Time Approach to Management and Monitoring of Groundwater Hydraulics”,Water Resources Research, Vol.26, No.11, p.2747-2755,(1990)◦

44.Roko Andricevic “Coupled Withdrawal and Sampling Designs for Groundwater Supply Models”,Water Resources Research,Vol.29, No.1,p.5-16,(1993)◦