

參考文獻

李咸亨，吳志明(1991)「下井探測法量測剪力波速之影響因素探討」，中國土木水利工程學刊，第三卷，第一期，p.15-28

林志平，張宗盛，陳逸龍(2004) “Towards the standardization of Multi-station Surface Wave Method for Site Investigation” ，第十二屆非破壞性檢測技術研討會，中華民國非破壞性檢測協會年度會議，p. 213-221

左天雄(1999)「連續表面波試驗(CSWT)及反算分析地層剪力波速」，土木技術，第二卷，第八期，p.48-62

倪勝火(2000)「表面波譜法(SASW)之分析原理與應用」，地工技術，第 86 期，p.5-18



陳銘鴻,李榮瑞(2002)，「台灣地區地層波速之調查」，岩盤工程研討會論文集，p.645-653

林志平，張正宙，鄭孟雄(2002)「以多頻道表面波量測地層之剪力速度」，岩盤工程研討會論文集，N.21-22

葉文謙，吳建閩，鍾毓東，余明山(1998)「液化風險與土壤改良評估案例」，地工技術，第 67 期，p. 43-54

簡連貴，林敏清(1998)「回填造地土壤剪力波速之評估」，地工技術，第 67 期，p. 69-82

張正宙(2002)，「多頻道表面波震測之研究」，國立交通大學，碩士論文，民國九十二年。

林靜怡(2003)，「細粒料對粉土細砂小應變勁度之影響」，國立交通大學，碩

士論文，民國九十三年。

羅建民(2002)，「剪力波速評估土壤液化潛能-模糊類神經網路」，國立台灣大學，碩士論文，民國九十二年。

Chien, Lien-Kwei and Yan-Nam Oh(2000) “Laboratory and Field Shear Wave Measurement at A Reclaimed Site in West Taiwan” Geotechnical Testing Journal , Vol.23 , No.1 , p.21-35

Carlo G.Lai , Glenn J.Rix , Sebastiano Foti , Vitantonio Roma(2002)

“Simultaneous measurement and inversion of surface wave dispersion and attenuation curves” , Soil Dynamics and Earthquake Engineering , Vol22 , p.923-930

Clayton , R. W. , and McMechan , G. A.(1981) “Inversion of refraction data by wave field continuation” Geophysics, , Vol.46 , p.860-868.

Chia-Shyun Chen and Chien_Chih Chang(2002) “Use of cumulative volume of constant-head injection test to estimate aquifer parameters with skin effects : Field experiment amd data analysis” water resources research , Vol.38 , No.5 , p.14.1-14.5

Dyvik , R.and Madshus , C.(1985) “Laboratory measurement of Gmax using bender element” , Proc.ASCE Annual Convention : Advance in the art of testing soils under cyclic conditions , Detorit

D.M.McCANN , E.M.ANDREW (1985) “seismic sources for shallow reflection surveying” Geophysical Prospecting , Vol.33 , p.943-955

Glenn J.Rix , Carlo G.Lai , A.Wesley Spang Jr.(2000) “In Situ Measurement Of

Damping Ratio Using Surface Wave” , Journal of geotechnical and geoenvironmental engineering , Vol.126 , No.5 , p472-480

Gabriels, P. and Snieder, R. and Nolet, G. (1978), “In situ Measurements of Shear-Wave Velocity in Sediments with Higher-Mode Rayleigh Waves”, Geophysical Prospecting, Vol. 35, p. 187~196.

Gucunski , N. and Woods , R. D. (1991) “Instrumentation for SASW Testing” , Recent Advances in Instrumentation , Data Acquisition and Testing in Soil Dynamics , Geotechnical Special Publication No. 29 , pp. 1~16 , ASCE

Heisey, J. S., Stokoe, II K. H., Hudson, W. R. and Meyer, A. H. (1982), “Determination of in situ Shear Wave Velocities from Spectral Analysis of Surface Waves”, Research Report No. 256-2, Center for Transformation Research, University of Texas at Austin, December.

Hiltunen , D. R. (1988) “Experimental Evaluation of Variables Affecting the Testing of Pavements by the Spectral-Analysis-of-Surface-Waves Method” , Ph. D. Dissertation , Civil Engineering Department , The University of Michigan

Hardin , B.O&Richart , F.E(1963) “Elastic wave velocities in granular soil”

Journal of the Soil Mechanics and Foundations Division , N.SM1 , p.33-65

J.P.Sully and R.G.Campanella(1995) “Evaluation of in situ anisotropy from crosshole and downhole shear wave velocity measurements ” , Geotechnique , No.2 , p.267-282

Kayabali , Kamil(1996) “Soil liquefaction evaluation using shear wave velocity” , Engineering Geology , Vol.44 , p.121-127

Lin, C.-P. , Chang, T.-S. (2004) “Multi-station analysis of surface wave dispersion ” Soil Dynamics and Earthquake Engineering (in press)

Lin, C.-P. , Chang , C.-C. , and Chang , T.-S.(2004) “ The Use of MSASW Method in the Assessment of Soil Liquefaction Potential” Soil Dynamics and Earthquake Engineering (in press)

Luna , R. and Jadi , H. (2000) “Determination of Dynamic Soil Properties Using Geophysical Methods” , Geophysics 2000 , St. Louis , Missouri , December 15 , 2000.

Lancellotta.R(1993) “Monotonic and cyclic loading behavior of two sands at small strain” , Geotechnical Testing Journal , Vol.16 , No.4 , p.409-424

Louie , J.N.(2001) “fast , better : shear-wave velocity to 100 meters depth from refraction microtremor arrays” Bulletin of the Seismological Society of America , Vol.91 , No.2 , p.347-364

McMechan, G. A. and Yedlin, M. J. (1981), “Analysis of Dispersive Waves by Wave Field Transformation”, Geophysics, Vol. 46, No. 6, p. 869~874

Matthews, M. C., Hope, V. S. and Clayton, C. R. I. (1996), “The Use of Surface Waves in the Determination of Ground Stiffness Profiles”, Geotechnical Engineering, The Proceedings of the Institute of Civil Engineering, Vol. 119, p. 84~95.

McMechan, G. A. and Yedlin, M. J. (1981), “Analysis of Dispersive Waves by Wave Field Transformation”, Geophysics, Vol. 46, No. 6, p. 869~874.

M.Feroci , L.Orlando(2000) “Some considerations on shallow seismic reflection surveys” Journal of Applied Geophysics , Vol.45 , p.127-139

Nigbor, R. L. and Imai, T. (1994) "The Suspension PS Velocity Logging Method: Geophysical Characterization of Sites", Volume Prepared by ISSMFE , Technical Committee #10 , XIII ICSMFE , New Delhi , India , p. 57~64

Nazarian, S., Stokoe, II K. H. and Hudson, W. R. (1983), "Use of Spectral Analysis of Surface Waves Method for Determination of Moduli and Thicknesses of Pavement Systems", Transportation Research Record, Vol. 930, p. 38-45.

Park, C. B., Miller, R. D. and Xia, J. (1999), "Multichannel Analysis of Surface Waves", Geophysics, Vol. 64, No. 3, p. 800~808

Park, C. B., Miller, R. D. and Xia, J. (1998), "Imaging Dispersion Curves of Surface Waves on Multi-channel Record", 68th Annual International Meeting, SEG Expanded Abstracts, p. 1377~1380.

Proakis JG, Manolakis DG.(1992) , "Digital signal processing-principles", algorithms, and applications, 3rd ed. New Jersey: Prentice Hall

Ronald D.Andrus and Kenneth H. , Stokoe(2000) "Liquefaction resistance of soils from shear-wave velocity " , Journal of geotechnical and geoenvironmental engineering , Vol.126 , No.11 , p.1015-1025

Rix GJ , Lai CG , Foti S.(2001) "Simultaneous measurement of surface wave dispersion and attenuation curves" , Geotech Testing Journal , Vol.24 , No.4 , p.350-358

R.D.Miller , S.E.Pullan "Field comparison of shallow seismic sources" Geophysics , Vol.51 , No.11 , p.2067-2092

Stokoe, II K. H., Wright, S. G., Bay, J. A. and Roessel, J. M. (1994), “Characterization of Geotechnical Sites by SASW Method”, XIII ISSMFE, New Delhi, India, p. 15-25.

Satoh, T., Poran, C. J., Yamagata, K. and Rodriguez, J. A. (1991), “Soil Profiling by Spectral Analysis of Surface Waves”, The Proceeding of 2th International Conference Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamic, St. Louis, p.1429~1434.

Seed.B.H(1986) “ ANALYTICAL MODELLING OF DYNAMIC SOIL RESPONSE IN THE MEXICO EARTHQUAKE OF SEPT. 19, 1985” , ASCE , p.148-162

Shirley , D.J.(1978) “An Improved Shear Wave Transducer” , Jouranl of the Acoustical Society of American , Vol63 , No5 , p.1643-1645

Sebastiano Foti(2000) “Multistation Methods for Geotechnical Characterization using Surface Waves” , Politecnico di Torino , Ph.D.Dissertation

S.SHIBUYA , S.C.HWANG , T.MITACHI(1997) “Elastic shear modulus of soft clays from shear wave velocity measurement” Geotechnique , Vol.47 , No.3 , p.593-601

Tokimatsu , and , Uchida(1990) “Correlation between liquefaction resistance and shear wave velocity” , Soils and Foundations , Vol.30 , No.2 , p.33-42

T.L.Youd , I.M.Idriss , Ronald D.Andrus etc..(2001) “Liquefactin resistance of soils:summary report from the 1996 NCEER and 1998 NCEER/NSF workshops on evaluation of liquefaction resistence of soils” ,Journal of geotchnical and geoenvironmental engineering , p.817-833

Woods , R.D.(1977) “Parameters affecting elastic properties” , Dynamic method on Soil and Rock Mechanics , Vol.1 , p.37-60

“Materials for the technical meeting on the Suspension PS Log” , OYO Corporation , March 26 2002

“Standard Test Methods for Crosshole Seicmic Testing” , ASTM.D4428 ,

p.762-770

