

參考文獻

1. 黃進富，碩士論文「土壤中水/有機液體保持特性研究」國立交通大學土木工程研究所，1996。
2. 鄭淑華，碩士論文「不飽和層中有機液體保持特性研究」國立交通大學土木工程研究所，1997。
3. 歐國隆，碩士論文「遲滯效應及尺度原則對 NAPLs 於孔隙介質中傳輸模擬之影響」國立交通大學土木工程研究所，2000。
4. 呂元鈞，碩士論文「非水相液滲透係數—飽和度—毛細壓力關係之微模型試驗研究」國立交通大學土木工程研究所，2002。
5. 賴威宇，碩士論文「現地導水度試驗評估」國立交通大學土木工程研究所，2004。
6. 林立偉，碩士論文「含非水相液體土壤之滲透性」國立交通大學土木工程研究所，2005。
7. Boulding, J. R.,(1995), "Ractical Handbook of Soil, Vadose-zone, and Ground-Water Contamination: Assessment, Prevention, and Remediation," Boca Raton : Lewis Publishers, pp.948 .
8. Brooks, R. H., and Corey, A. T.,(1964) "Hydraulic Properties of Porous Media," Colo. State Univ., Fort Collins, Hydrol. Pap. 3, pp.27.
9. Brown, H.W., (1951), "Capillary Pressure Investigations," Pet. Trans. AIME,192: pp.67-74.
10. Calhoun, J.C., Lewis, Jr., M., and Newman, R.C., (1949), "Experiments on the capillary properties of porous solids,Pet. Trans." AIME, pp.189-196.
11. Campell, G. S.,(1974), A Simple Method for Determining Unsaturated Conductivity from Moisture Retention Data, Soil Sci., 117: pp.311-314.
12. Chatzis, J.C., Jr., Lewis, and Lim, H.T.,(1983), "Magnitude and detailed structure of residual oil saturation," Soc. Pet.Eng.AIME Pap SEP,23(2), pp.311-326.
13. Davidson, J.M., Nielsen, D.R., and Biggar, J.W., (1966), "The

- dependency of Soil Water Uptake and Release on the Applied Pressure Increment,” Soil Science Society of America, Proc. Vol.30, No. 3: pp.298-304.
14. Demond, A.H., and Robert, P.V.,(1991), “Effect of Interfacial Forces on Two-Phase Capillary Pressure-Saturation Relationships”, Water Resour. Res., 27: pp.423-437.
 15. Donald W. Taylor,(1948). Fundamentals of Soil Mechanics.pp.112-116.
 16. Fourie, A. B., Papageorgiou, G., and Blight, G. E.,(1995), ”The Rapid Determination of the Moisture-Retention Characteristics of Soil,” Geotechnical Testing Journal, GTJODJ, Vol.18, No.2, June 1995, pp.276-285.
 17. Garden, W.R., (1956), “Calculation of capillary conductivity from pressure plate outflow data,” Proceedings of the Soil Science Society of America, Vol. 20, No. 3, pp.317-320.
 18. Haines, W. B., (1930), “Studies in the Physical Properties of Soil: V. The Hysteresis Effect in Capillary Properties and the Modes of Moisture Associated Therewith,” Journal of Agricultural Science, Vol. 20, pp. 97-116.
 19. Hillel, Daniel., (1980), “Fundamentals of Soil Physics”, New York: Academic Press, Inc, pp.413
 20. Kia, S.F., (1988), “Modeling of the retention of organic contaminants in porous media of spherical particles,” Water Res. 22(10),pp.1301-1309.
 21. Klute, A., (1986), “Water Retention: Laboratory Methods,” Methods of Soil Analysis, Klute, A., Ed., No. 9, Part 1, American Society of Agronomy, Madison, WI, pp. 635-662.
 22. Lenhard, R.J., and Parker, J.C.,(1987), ”Measurement and Prediction of Saturation-Pressure Relationships in Three-Phase Porous Media Systems,” Journal of Contaminant Hydrology, pp.407-424.
 23. Lorentz, S. A., Durnford, D. S., and Corey, A. T., (1991), “Liquid Retention Measurement on Porous Media Using a New Capillary Pressure Cell,” Agronomy Abstracts, Annual Meeting, American Society of Agronomy, Madison, WI, pp.244
 24. Mercer, J.W., and R.M. Cohen, (1990), ”A Review of Immiscible Fluids in the Subsurface : Properties, Models, Characterization and Remediation,” J.

of Contaminant Hydrology, V.6, pp.107-163.

25. Melrose, J.C.,(1965), "Wettability as Related to Capillary Action in Porous Media," Soc. Pet. Eng. J., pp.259-271.
26. Morrow,N.R. (1970), "Irreducible Wetting Phase Saturation in Porous Media," Chem. Eng. Sci., 25(11), pp.1799-1815.
27. Muskat, M.,(1937), The Flow of Homogeneous Fluids through Porous Media. New York : McGraw-Hill.
28. Stevenson, F.J., (1982), "Humus Chemistry," Wiley and Sons, pp.444
29. Su, C., and Brooks, R. H., (1980), "Water Retention Measurement for Soils," Journal of Irr. Drain, Div., Proc. ASCE, Vol. 106, pp. 105-112.
30. Topp, G. C., Klute, A., and Peter, D. B., (1967), "Comparison of Water Content-Pressure Head Data Obtained by Equilibrium, Steady State, and Unsteady State Methods," Soil Science Society of America, Proc. Vol. 31, pp. 312-314.
31. Van Genuchten, M. Th.,(1980) "A Closed Form Equation for Predicting the Hydraulic Conductivity of Unsaturated Soils", Soil Sci. Soc. of Am. J., 44, pp.892-898.
32. Von Englahardt, W.,(1955), "Interstitial Water of Oil Bearing Sands and Sandstones," Proc. World Petroleum Congress, pp.399-416
33. Wilson, J.T.,et al.,(1988), "The Pore Level Spatial Distribution and Saturation of Organic Liquids in Porous Media," Proc. NWWA Conf. on Petroleum Hydrocarbons and Organic Solvent in the Subsurface.