

## References

- 1 Bai, X. D., C. Y. Zhi, S. Liu, E. G. Wang, Z. L. Wang, Solid State Comm., 125, (2003), 185-188, "High-density uniformly aligned silicon nanotip arrays and their enhanced field emission characteristics"
- 2 Baugham, R. H., C. Cui, A. A. Zhakhidov, Z. Iqbal, J. N. Barisci, G. M. Spinks, G. G. Wallace, A. Mazzoldi, D. D. Rossi, A. G. Rinzler, O. Jaschinski, S. Roth and M. Kertesz, Science, 284, (1999), 1340-1344, "Carbon nanotubes actuators"
- 3 Bower, C., O. Zhou, W. Zhu, D. J. Werder, and S. Jin, Appl. Phys. Lett., 77, (2000), 2767-2769, "Nucleation and growth of carbon nanotubes by microwave plasma chemical vapor deposition"
- 4 Bower, C., W. Zhu, S. Jin, O. Zhou, Appl. Phys. Lett., 77, (2000), 830-832  
"Plasma-induced alignment of carbon nanotubes"
- 5 Chang, H. L., C. H. Lin and C. T. Kuo, Dia. Rel. Mater., 11, (2002), 793-798, "Field emission, structure and cathodoluminescence and formation studies of carbon and Si-C-N nanotubes "
- 6 Chang, H. L, Ph. D. thesis, (2002), Mat. Res. Lab., MSE, NCTU, "Synthesis and characterization of Si, N coating carbon-based crystals and their nanostructured materials", P.193.
- 7 Chen, P., X. Wu, J. Lin, and K. L. Tan Science, 285, (1999), 91-93, "High H<sub>2</sub> uptake by alkali-doped carbon nanotubes under ambient pressure and moderate temperatures".
- 8 Choi, W. B., Chung D. S., Kang J. H., Kim H. Y., Jin Y. W., Ha I. T., Y. H. Lee, Jung J. E., Lee N. S., Park G. S., and Kim J. M., Appl. Phys. Lett., 75, (1999), 3129-3131, "Fully sealed high-brightness carbon-nanotube field-emission display".

- 9 Choi, S., K. H. Park, S. Lee, and K. H. Koh, J. Appl. Phys., 92, (2002), 4007-4011, “Raman spectra of nano-structured carbon films synthesized using ammonia-cotaining feed gas“
- 10 Dai, H., J. H. Hafner, A. G. Rinzler, D. T. Colber, and R. E. Smalley, Nature, 384, (1996), 147-150, ”Nanotubes as nanoprobes in scanning probe microscopy”.
- 11 Dolin, A. C., K. M. Jones, T. A. Bekkedahl, C. H. Kiang, D. S. Bethue and M. J. Heben, Nature, 386, (1997), 377-379, “Storage of hydrogen in single –walled carbon nanotubes”.
- 12 Dresselhaus, M. S., G. Dresselhaus, P. C. Eklund, “Science of Fullerenes and Carbon Nanotubes” (Academic Press, New York, 1996), P.756
- 13 Ebbesen, T. W., “Carbon nanotube preparation and properties” CRC press publishing, (1997), P.7, P.115
- 14 Ebbesen, T. W., P. M. Ajayan, (1992), Nature, 358, 220-222, “Large-scale synthesis of carbon nanotubes”.
- 15 Endo, M. K. Takeuchi, K. Kobori, K. Takahashi, H. W. Kroto and A. Sarkar, Carbon, 33, (1995), 873-881, “Pyrolytic carbon nanotubes from vapor-grown carbon fibers”
- 16 Endo, M., S. Iijima, M. S. Dresselhaus, “ Carbon nanotubes” (Elsevier Science Limited, 1996), P.5
- 17 Fan, S., M. G. Ghapline, N. R Franklin, T. W. Tombler, A. M. Cassell, H. Dai, Science, 283, (1999), 512-514, "Self-oriented regular arrays of carbon nanotubes and their field emission properties"
- 18 Ferguson, I. F., In Auger Microscope analysis, (IOP, Publishing, Bristol, (1998 ), P.63

- 19 Frank, S., P. Poncharal, Z. L. Wang, and W. A. de Heer, Science, 280, (1998), 1744-1746, “Carbon Nanotube Quantum Resistors”.
- 20 Gao, B., A. Kieinhammes, X. P. Tang, C. Bower, L. Fleming, Y. Wu and O. Zhou, Chem. Phys. Lett., 307, (1999), 153-157, “Electrochemical intercalation of single walled carbon nanotubes with lithium”
- 21 Guo, T., P. Nikolaev, A. Thess, D. T. Colbert, and R. E. Smalley, Chem. Phys. Lett., 243, (1995), 49-54, “Catalytic Growth of Single-walled Nanotubes by Laser Vaporization”.
- 22 Hamada, N., S. I. Sawada, and A. Oshiyama, Phy. Rev. Lette., 68, (1992), 1579-1581, “New one-diamensional conductors: graphitic microtubules”.
- 23 Hayashi, Y., T. Tokunaga, T. Soga, and T. Jimbo, Appl. Phys. Lett., 84, (2004), 2886-2888, “Corn-shape carbon nanofibers with dense graphite synthesized by microwave plasma-enhanced chemical vapor deposition”
- 24 Hiura, H., T. W. Ebbesen, J. Fujita, K. Tanigaki and T. Takada, Nature, 367 (1994) 148-151, “Role of SP<sup>3</sup> defect structures in graphite and carbon nanotubes”
- 25 Hsu, C. M., Master Thesis, (2002), Mat. Res. Lab., MSE, NCTU, “Process control of the oriented carbon nanotubes and the interfacial reaction of Co catalyst and Si substrate”
- 26 Huang, C. J., Y. K. Chih, J. Hwang, J. Appl. Phys., 94, (2003), 6796-6799, “Field emission from amorphous-carbon nanotips on copper”
- 27 Iijima, S, Nature, 354, (1991), 56-58, “Helical microtubules of graphitic carbon ”
- 28 Jang, J., S. J. Chung, and H. S. Kim, Appl. Phys. Lett., 79, (2001), 1682-1684, “Self-organized carbon nanotips”

- 30 Jan, Y. T., H. C. Hsieh, C. F. Chen, Dia. Rel. Mate.,8, (1999),772-780,“Fabriction of nano-size conic diamond arrays by bias assisted PECVD”
- 31 Kim, P., and C. M. Liebeer, Science, 286, (1999), 2148-2150, “Nanotube nanotweezers”
- 32 Kim, P., L. Shi, A. Majumdar, and P. L. McEuen, Phys. Rev. Lett., 87, (2001), 215502-1~4, “Thermal Transport Measurements of Individual Multiwalled Nanotubes”.
- 33 Kociak, M., A. Yu. Kasumov, S. Guéron, B. Reulet, I. I. Khodos, Yu. B. Gorbatov, V. T. Volkov, L. Vaccarini, and H. Bouchiat, Phys. Rev. Lett., 86, (2001), 2416-2419, “Superconductivity in Ropes of Single-Walled Carbon Nanotubes”.
- 34 Kong, J., N. R. Franklin, C. Zhou, M. G. Chapline, S. Peng, K. Cho, and H. Dai, Science, 287, (2000), 622-625, “Nanotube molecular wires as chemical sensors”
- 35 Kroto, H. W., J. R. Heath, S. C. O’Brien, R. F. Curl and R. E. Smally, Nature, 318, (1985), 162-163, “C<sub>60</sub>: Buckminsterfullerene”
- 36 Kurt, R., J. M. Bonard, A. Karimi, Carbon, 39, (2001), 1723-1730, “Morphology and field emission properties of nano-structured nitrogenated carbon films produced by plasma enhanced hot filament CVD”.
- 37 Lee, C. J., J. Park, Appl. Phys Lett., 77, (2000), 3397-3399, “Growth model of bamboo-shaped carbon nanotubes by thermal chemical vapor deposition”
- 38 Lee, C. J., S. C. Lyu, Y. R. Cho, J. H. Lee, and K. I. Cho, Chem. Phys. Lett., 341, (2001), 245-249, “Diameter-controlled growth of carbon nanotubes using thermal chemical vapor deposition”.

- 39 Lin, C. H., H. L. Chang and C. T. Kuo, Dia. Rel. Mater., 11, (2002), 922-926, “Growth mechanism and properties of the large area well-aligned carbon nanostructures deposited by microwave plasma ECRCVD”
- 40 Lin, C. R., T. J. Wang, K. C. Chen, C. H. Chang, Mater. Chem.& Phys., 72, (2001), 126-129, “Nano-tip diamond-like carbon fabrication utilizing plasma sheath potential drop technique”
- 41 Lim, S. H., H. S. Kim, C. H. Lee, S. M. Pietruszko, J. Jang, J. Non-crystal. Solids, 299-302, (2002), 864-867 “High stability of emission current for a new carbon nanostructure film”
- 42 Liu, X. W., C. H. Lin, L. T. Chao, H. C. Shih, Mater. Lett., 44, (2000), 304-308 “Electron field emission from amorphous carbon nitride nanotips”
- 43 Lo, H. C., D. Das, J. S. Hwang, K. H. Chen, C. H. Hsu, C. F. Chen and L. C. Chen, Appl. Phys. Lett., 83, (2003), 1420-1422, “SiC-capped nanotip arrays for field emission with ultralow turn-on field emission”
- 44 Martel, R., T. Schmidt, H. R. Shea, T. Hertel and Ph. Avouris, Appl. Phys. Lett., 73 (1998), 2447-2449, "Single- and Multi-wall carbon nanotube field-effect transistors".
- 45 Merkulov, V. I., A. V. Melechko, M. A. Guillorn, D. H. Lowndes, and M. L. Simpson, Appl. Phys. Lett., 79, (2001), 1178-1180, “Shaping carbon nanostructure by controlling the synthesis process”
- 46 Merkulov, V. I., A. V. Melechko, M. A. Guillorn, D. H. Lowndes, and M. L. Simpson, Chem. Phys. Lett., 350, (2001), 381-385, “Sharpening of carbon nanocone tips during plasma-enhanced chemical vapor growth”

- 47 Merkulov, V. I., A. V. Melechko, M. A. Guillorn, D. H. Lowndes, and M. L. Simpon, Appl. Phys. Lett., 80, (2002), 476-478, "Effect of spatial separation on the growth of vertically aligned carbon nanofibers produced by plasma-enhanced chemical vapor deposition"
- 48 Nilsson, L., O. Groening, C. Emmenegger, O. Kuettel, E. Schaller, L. Schlapbach, H. Kind, J-M. Bonard and K. Kern, Appl. Phys. Lett., 76, (2000), 2071-2073, "Scanning field emission from patterned carbon nanotube films".
- 49 Niu, C., E. K. Sichel, R. Hoch, D. Moy and H. Tennent, App. Phys. Lett., 70, (1997), 1480-1482 "High power electrochemical capacitors based on carbon nanotube electrodes".
- 50 Obraztosv, A., M. Endo and T. Koyama, Dia. Rel. Mater., 9, (2000), 1190-1195, "Field emission from nanostructured carbon materials "
- 51 Odom, T. W., J. L. Huang, P. Kim, and C. M. Lieber, Nature, 391, (1998), 62-64, "Atomic structure and electronic properties of single-walled carbon nanotubes".
- 52 Orgass, D., G. J. Mankey and H. Fujiwara, Nanotech., 12, (2001), 281-284, " Spin injection into carbon nanotube and a possible application in spin-resolved scanning tunneling microscopy".
- 53 Qin, L. C., D. Zhou, A. R. Krauss, and D. M. Gruen, App. Phys. Lett., 72, (1998), 3437-3439, "Growing carbon nanotubes by microwave plasma-enhanced chemical vapor deposition".
- 54 Robertson, J., Dia. Rel. Mater., 5, (1996), 797-801, "Electron affinity of carbon systems"

- 55 Saito, R., Fujita M., Dresselhaus G., and Dresselhaus M. S, Appl. Phys. Lett., 60, (1992), 2204-2206, “Electronic structure of chiral graphene tubules”.
- 56 Satio, Y, Carbon, 33, (1995), 979-988, “Nanoparticles and filled nanocapsules”.
- 57 Satteler, K., Carbon, 33, (1995), 915-920, “Scanning tunneling microscopy of carbon nanotubes and nanocones”
- 58 Spint, C. A., I. Brodie, L. Humphrey, and E. R. Westerberg, J. Appl. Phys. 47, (1976), 5248-5263, “Physical properties of thin film field emission cathodes with molybdenum cones”
- 59 Tang, Z. K., Lingyun Zhang, N. Wang, X. X. Zhang, G. H. Wen, G. D. Li, J. N. Wang, C. T. Chan, and Ping Sheng, Science, 29, (2001), 2462-2465, “Superconductivity in 4 Angstrom Single-Walled Carbon Nanotubes”.
- 60 Tarntair, F. G, Ph. D. thesis, (2001), Electronic Engineering, NCTU, “Synthesis and characterization of new cathode materials for field emission devices”, P. 12
- 61 Tasi, C. L., C. F. Chen, C. L. Lin, Appl. Phys. Lett., 80, (2002), 1821-1822, “Field emission from well-aligned carbon nanotips grown in gated device structure”
- 62 Tasi, C. L., J. H. Hsu and C. F. Chen, Appl. Phys. Lett., 82, (2003), 4337-4339, “Self-embedded nanocrystalline chromium carbides on well-aligned carbon nanotips”
- 63 Treacy, M. M. J., T. W. Ebbesen, J. M. Gbson, Nature, 381, (1996), 678-680, “Exceptionally high young’s modulus observed for individual carbon nanotubes ”
- 64 Tsai, S. H., C. W. Chao, C. L. Lee and H. C Shin, Appl. Phys. Lett., 74, (1999), 3462-3464, "Bias-enhanced nucleation and growth of the aligned carbon nanotubes with open ends under microwave plasma synthesis"

- 65 Tsai, M. H., M.S. Thesis, (2001), Mat. Res. Lab., MSE, NCTU, “Deposition mechanisms and properties of large area well-aligned carbon nanotubes by catalyst-assisted ECR-CVD method”
- 66 Yakoboson, B. I., C. J. Brabec, and J. Bernholc, Phys. Rev. Lett., 76, (1996), 2511-2514, “Nanomechanics of carbon tubes: instabilities beyond linear response ”
- 67 Ye, Y., C. C. Ahn, C. withham, B. Fultz, J. Liu, A. G. Rinzler, D. Colbert, K. A. Smith and R. E. Smally, App. Phys. Lett., 74, (1999), 2307-2309, ”Hydrogen adsorption and cohesive energy of single walled carbon nanotubes ”
- 68 Yeh, W. Y., J. Y. Hwang, A. P. Lee, C. S. Kuo, H. Chang, Appl. Phys. Lett., 79, (2001), 3609-3611, “Composite diamond-like carbon and silicon carbide tips grown on oblique-cut Si (111) substrates”
- 69 Yu, J., X. D. Bai, J. Ahn, S. F. Yoon and E. G. Wang, Chem. Phys. Lett., 323, (2000), 529-533, “Highly oriented rich boron B-C-N nanotubes by bias-assisted hot filament chemical vapor deposition”
- 70 Zhang, G., X. Jiang, E. Wang, Science, 300, (2003), 472-474, “Tubular Graphite Cones”
- 71 Zhu, W., G. Kochanski, and S. Jin, Science, 282, (1998), 1471-1473, “Low-field electron emission from undoped nanostructured diamond”.
- 72 Zhu, W., Bell Lab-Lucent Technologies, “Vacuum microelectronics” (John Wiley & Sons. Inc. 2001), P.7, P.293, P.106, P.290.