Figure Captions

Chapter 1.
Fig. 1.1 Images of carbon nanotube (CNT) : (a) simulated atomic structure (b) SEM image
(c) TEM image2
Fig. 1.2 SEM imges of CNTs with site density of (a) 7.5×10^5 cm ⁻² (b) 2×10^6 cm ⁻² (c) 6×10^6
cm^{-2} (d) $2x10^7 cm^{-2}$
Fig. 1.3 (a) Densely packed of CNTs (b) Sparse packed of CNTs
Fig. 1.4 SEM image of patterned growth CNTs
Fig. 1.5 Schematic diagram of a field emission cell
Fig. 1.6 (a) Comparison between traditional CRT (left) and FED (right), and (b) products
of FED
Chapter 2.
Fig. 2.1 Diagram of potential energy of electrons at the surface of a metal11
Fig. 2.2 Diagram of the potential energy of electrons at the surface of an n-type
semiconductor with field penetration into the semiconductor interior
Fig. 2.3 Schematic diagram of a cell in a FEA. The emitter height is denoted by h
the gate aperture diameter by d, and the tip curvature by r
Fig. 2.4 Emission current density as a function of gate voltage for :(a) the fixed of
$\phi = 4 \text{ eV}$ and varying values of β (b) the fixed value of $\beta = 4 \times 10^5 \text{ cm}^{-1}$
and varying values of ϕ 16
Fig. 2.5 Schematic diagram of vapor-solid (VS) growth model18
Fig. 2.6 Schematic diagram of VLS growth mechanism for nanotubes19
Fig. 2.7 Schematic of SLS growth mechanism

Chapter 3.

Fig. 3.1 Flow chart of heat treatment procedure	23
Fig. 3.2 Flow chart of CNTs growth procedure	25
Fig. 3.3 Schematic diagram of the bias assisted microwave plasma chemical	
vapor deposition system	26
Fig. 3.4 Schematic diagram of scanning electron microscopy	29
Fig. 3.5 Schematic diagram of transmission electron microscopy	29
Fig. 3.6 Raman shift of (a) diamond (b) diamond film (c) amorphous carbon	
(d) graphite	<mark>3</mark> 0
Fig. 3.7 Schematic diagram of micro-Raman equipment	<mark>3</mark> 1
Fig. 3.8 Schematic diagram of the instrument for I-V measurement	36
Read and Descent Provide and the second seco	
Chapter 4.	
Fig. 4.1 The SEM images of substrates after different temperature heat treatment	36
Fig. 4.2 (a) SEM image of octopus-like nanostructure with low magnitude	5
(b) SEM image with high magnitude (c) SEM EDS analysis of octopus-like	
nanostructure	37
Fig. 4.3 (a) TEM image of octopus-like nanostructure (b) TEM EDS analysis	38
Fig. 4.4 Analysis of octopus-like nanostructure with Surface Auger Microscopy	39
Fig. 4.5 Heat treatment with different metal layer thickness	40
Fig. 4.6 Heat treatment with different cooling rate	41
Fig. 4.7 The growth steps of octopus-like nanostructure	42
Fig. 4.8 Growth of CNTs from different temperature treated substrate	47
Fig. 4.9 Raman shift measurement	48
Fig. 4.10 TEM with EDS analysis of the curved carbon nanotubes	49

Fig. 4.11 TEM with EDS analysis of the straight carbon nanotubes	50
Fig. 4.12 Growth of CNTs with different density	51
Fig. 4.13 The growth steps of density-reduced carbon nanotubes	52
Fig. 4.14 Emission samples with different density	53
Fig. 4.15 Cross-section image of the emission samples	54
Fig. 4.16 Field emission measurement I-V plot	55
Fig. 4.17 Fowler-Nordheim plot translated from I-V measurement	56
Fig. 4.18 Plot drawn by enhancement factor versus carbon nanotube density	57

