

## REFERENCE

1. Aron, M. (1988), "Car following in an urban network: simulation and experiments," **In Proceeding of Seminar D 16th PTRC Meeting**, pp. 27-39.
2. Bham, G. H. and Benekohal, R. F. (2004), "A high fidelity traffic simulation model based on cellular automata and car-following concepts," **Transportation Research C**, Vol. 12, pp. 1-32.
3. Bierley, R. L. (1963), "Investigation of an inter-vehicle spacing display," **Highway Research Record** 25, pp. 58-75.
4. Boer, E. R. (1999), "Car-following from the driver's perspective," **Transportation Research F**, Vol. 2, pp. 201-206.
5. Brackstone, M. and McDonald, M. (1999), "Car-following: a historical review," **Transportation Research F**, Vol. 2, pp. 181-196.
6. Ceder, A. and May, A. D. (1976), "Further evaluation of single and two regime traffic flow models," **Transportation Research Record** 567, pp. 1-30.
7. Chandler, R. E., Herman, R., and Montroll, E. W. (1958), "Traffic dynamics: studies in car following," **Operations Research** 6, pp. 165-184.
8. Chakroborty, P. and Kikuchi, S. (1999), "Evaluation of the general motors based car-following models and a proposed fuzzy inference model," **Transportation Research C**, Vol. 7, pp. 209-235.
9. Chen, I. C. (1997), **Developing a Microscopic Freeway Simulation Model with Artificial Neural Network Lane Change Model** (in Chinese), M.S. Thesis, Department of Transportation and Communication Management Science, Nation Cheng Kung University.
10. Chen, S. C. (1993), **Analysis of Driving Behavior of Motorcycles in Mixed Traffic** (in Chinese), M.S. Thesis, Department of Civil Engineering, National Taiwan University.
11. Chiou, H. H. (1995), **A Study on Characteristics of Motorcycle Delay at Signalized Intersections** (in Chinese), M.S. Thesis, Institute of Traffic and Transportation, National Chiao Tung University.
12. Chiou, Y. C. and Lan, L. W. (2001) "Application of genetic algorithms to constructing adaptive fuzzy logic control systems-- an example of car following," **Proceedings of the 16th Annual Conference for the Chinese Institute of Transportation**, Taipei, pp.515-525, Nov. 29 (in Chinese).
13. Chou, Y. H. and Sheu, J. B. (1992), "A simulation model of mixed traffic flow in roundabouts," **Transportation Planning Journal**, Vol. 21, No. 3, pp.301-334 (in Chinese).
14. Chowdhury, D., Wolf, D. E. and Schreckenberg, M. (1997), "Particle-hopping models for two-lane traffic with two kinds of vehicles: effects of lane-changing rules," **Physica A**, Vol. 235, pp. 417-439.
15. Dijkster, T., Bovy, P. H. L., and Vermijs, R.G.M.M. (1998), "Car-Following under congested conditions empirical findings", **Transportation Research Record** 1644, pp.20-28.
16. Evans, L., and Rothery, R. (1973), "Experimental measurement of perceptual thresholds in car following," **Highway Research Record** 64, pp.13-29.
17. Evans, L. and Rothery, R. (1977), "Perceptual thresholds in car following - a

- recent comparison,” **Transportation Science** 11, pp. 60-72.
18. Gazis, D. C., Herman, R. and Potts, R. B. (1959), “Car following theory of steady state traffic flow,” **Operations Research** 7, pp. 499-505.
  19. Gazis, D. C., Herman, R. and Rothery, R. W. (1961), “Nonlinear follow the leader models of traffic flow,” **Operations Research** 9, pp. 545-567.
  20. Gerlough, D.L. and M. J. Huber (1975), **Traffic Flow Theory**, Special Report 165, TRB.
  21. Gipps, P. G. (1981), “A behavioral car following model for computer simulation,” **Transportation Research B**, Vol. 15, pp. 105-111.
  22. Gipps, P. G. (1986), “A model for the structure of lane-changing decisions,” **Transportation Research B**, Vol. 20, pp. 107-120.
  23. Hashimoto, M., Suetomi, T., Okuno, A. and Uemura, H. (2001), “A study on driver model for lane change judgment,” **JSAE Review**, Vol. 22, pp. 183-188.
  24. Helly, W. (1959), “Simulation of bottlenecks in single lane traffic flow,” **In Proceedings of the Symposium on Theory of Traffic Flow, Research Laboratories, General Motors** (pp. 207-238), Elsevier, New York.
  25. Herman, R. and Potts, R. B. (1959), “Single lane traffic theory and experiment,” **In Proceedings of the Symposium on Theory of Traffic Flow, Research Laboratories, General Motors** (pp. 147-157), Elsevier, New York.
  26. Hermann, M. and Kerner, B. S. (1998), “Local cluster effect in different traffic flow models,” **Physica A**, Vol. 255, pp. 163-188.
  27. Hermann, H. J. (1999), “Statistical models for granular materials,” **Physica A**, Vol. 263, pp. 51-62.
  28. Heyes, M. P. and Ashworth, R. (1972), “Further research on car following models,” **Transportation Research** 6, pp. 287-291.
  29. Hoogendoorn, S. P. and Bovy, P. H. L. (1999), “Gas-Kinetic model for multilane heterogeneous traffic flow,” **Transportation Research Record** 1678, pp. 150-159.
  30. Hsu, T. P. and Chiang, J. Y. (2002), “The characteristics of behavioral thresholds for motorcycle following simulation,” **Proceedings of the 17<sup>th</sup> Annual Conference for the Chinese Institute of Transportation**, pp. 1093-1102 (in Chinese).
  31. Hsu, T. P. and Wang, Y. C. (2001), “The design and evaluation on the motorcycle lane,” **Journal of the Chinese Institute of Transportation**, Vol. 13, No. 2, pp. 27-56 (in Chinese).
  32. Hsu, T. P., Wang, Y. C. and Lin, M. T. (2001), “Design and performance evaluation for motorcycle stopping area at signalized intersection,” **Proceedings of the 3<sup>rd</sup> ROC Motorcycle Traffic and Safety Symposium**, pp. 55-67 (in Chinese).
  33. Hsu, T. P., Hsu, T. Y. and Wang, Y. C. (2001), “Disturbance analysis of motorcycle flows in mixed traffic on urban arterials,” **Proceedings of the 3<sup>rd</sup> ROC Motorcycle Traffic and Safety Symposium**, pp. 69-78 (in Chinese).
  34. Hsu, T. P. and Cheng, Y. W. (1999), “A comparative study on car and motorcycle traffic flow characteristics on local streets,” **Journal of the Chinese Institute of Transportation**, Vol. 11, No. 4, pp. 1-18 (in Chinese).
  35. Hsu, T. P., Jean, J. C. and Wang, Y. C. (1998), “The discharging characteristics for

- through motorcycle stopping area,” **Proceedings of the 2<sup>nd</sup> ROC Motorcycle Traffic and Safety Symposium**, pp. 155-164 (in Chinese).
36. Hsu, T. P., You, J. L. and Peng, Y. Y. (1995), “A preliminary study on designating motorcycle moving lanes and the flow characteristics,” **Transportation Quarterly**, Vol. 28, pp. 19-36 (in Chinese).
  37. Hunt, J. G., and Lyons, G. D. (1994), “Modeling dual carriageway lane changing using neural networks,” **Transportation Research C**, Vol. 2, No. 4, pp. 231-245.
  38. Hwang, T. L. and Ho, C. H. (1994), “New micro simulation model for mixed traffic -- an introduction of crisscross squares with fuzzy advance method,” **Proceedings of the 9<sup>th</sup> Annual Conference for the Chinese Institute of Transportation**, pp.475-482 (in Chinese).
  39. Hwu, S. C. (1993), **A Study of Behavior of Lane-changing on the Two-lane Freeway** (in Chinese), M.S. Thesis, Department of Civil Engineering , Tankang University.
  40. Institute of Transportation (2001), **Planning and Designing Guidelines for Motorcycle Lane** (in Chinese), Institute of Transportation, Ministry of Transportation and Communications.
  41. Institute of Transportation (1999), **Study of the Lane Width and Discharging Pattern on the Intersection for Motorcycle Lane** (in Chinese), Institute of Transportation, Ministry of Transportation and Communications.
  42. Ju, J. C. (1999), **The Driving Maneuver Response of Traffic Conflicts for Motorcyclists** (in Chinese), M.S. Thesis, Institute of Transportation Engineering and Management, National Chiao Tung University.
  43. Kometani, E. and Sasaki, T. (1959), “A safety index for traffic with a linear spacing,” **Operations Research**, Vol. 7, pp. 707-720.
  44. Krug, J. and Spohn, H. (1988), “Universality classes for deterministic surface growth,” **Physical Review A**, Vol. 83, No. 8, pp. 4271-4286.
  45. Lan, L. W., Wang, J. C. and Chiang, J. I. (1994) “On the car following model with fuzzy control,” **Transportation Quarterly**, No.25, pp.43-55 (in Chinese).
  46. Lan, L. W. and Chang, C. W. (2001) “Motorcycle flow models and characteristics at a divided road section,” **Proceedings of the 3<sup>rd</sup> ROC Motorcycle Traffic and Safety Symposium**, Taoyuan, April 28 (in Chinese).
  47. Lan, L. W. and Yeh, H. H. (2001) “Car following behavior for drivers with non-identical risk aversion: ANFIS approach,” **Journal of the Chinese Institute of Civil and Hydraulic Engineering**, Vol. 13, No. 2, pp. 427-434 (in Chinese).
  48. Lan, L. W., Chang, C. W. and Kuo, A. Y. (2002) “General-motors (GM) based and fuzzy-neural based motorcycle following models -- a comparison,” **10<sup>th</sup> ROC Conference on Fuzzy Theory and Its Applications –Soft Computing and its Application to Civil Engineering**, Hsin-Chu, D1, pp.15-20, Dec. 5-6.
  49. Lan, L. W. and Chang, C. W. (2002) “Motorcycle following model: adaptive neural fuzzy influence system,” **Proceedings of the 10<sup>th</sup> Inter-university Transportation Seminar for the Chinese Institute of Transportation**, Tainan, pp. 107-124, May 16 (in Chinese).
  50. Lan, L. W. and Chang, C. W. (2003) “Moving behaviors of motorbikes in mixed traffic: particle hopping model,” **Journal of the Eastern Asia Society for Transportation Studies**, Vol. 5, pp. 23-37.
  51. Lan, Lawrence W. and Chang, C. W. (2004), “Inhomogeneous particles hopping

- models for mixed traffic with motorcycles and cars,” **International Conference on Application of Information and Communication Technology in Transport Systems in Developing Countries**, University of Moratuwa, Sri Lanka, August 5-7.
52. Lan, L. W. and Chang, C. W. (2004) “A comparison of general-motors (GM) and adaptive neuro-fuzzy inference system (ANFIS) motorcycle-following models,” **Transportation Planning Journal**, Vol. 33, No.3 (to appear in Chinese)
  53. Lighthill, M. H. and Whitham, G. B. (1955), “On kinematic waves: a theory of traffic flow on long crowded roads,” **Proceedings of the Royal Society, Series A**, Vol. 229, pp. 317-345.
  54. Lin, D. Y. (1979), “The traffic characteristics of motorcycle lane on Tientsin Street in Taipei,” **Transportation Planning Journal**, Vol. 8, No. 2, pp.231-244 (in Chinese).
  55. Lin, Y. J. (2002), **Using Neural Network Method to Build the Motorcycle Traffic Flow Model** (in Chinese), M.S. Thesis, Department of Transportation and Communication Management Science, Nation Cheng Kung University. .
  56. Liu, G., Lyrintzis, A. S., and Michalopoulos, P. G. (1998), “Improved high-order model for freeway traffic flow,” **Transportation Research Record** 1644, pp. 37-46.
  57. May, A. D. (1990), **Traffic Flow Fundamentals**, Prentice-Hall Inc., New Jersey.
  58. May, A. D. Jr., and Keller, H. E. M. (1967), “Non integer car following models,” **Highway Research Record** 199, pp. 19-32.
  59. Michaels, R.M. and Cozan, L. W. (1963), “Perceptual and field factors causing lateral displacement,” **Highway Research Record** 25, pp. 1-13.
  60. Nagatani, T. (1993), “Jamming transition in the traffic-flow model with two-level crossings,” **Physical Review E**, Vol. 48, pp. 3290-3294.
  61. Nagel, K. and Schreckenberg, M. (1992), “A cellular automaton model for freeway traffic,” **Journal de Physique I France** 2, pp. 2221-2229.
  62. Nagel, K. and Herrmann, H. J. (1993), “Deterministic models for traffic jams,” **Physica A**, Vol. 199, pp. 254-269..
  63. Nagel, K. (1994), “Life times of simulated traffic jams,” **International Journal of Modern Physics C**, Vol. 5, No. 3, pp. 567-580.
  64. Nagel, K. (1996), “Particle-hopping models and traffic flow theory,” **Physical Review E**, Vol. 53, pp. 4655-4672.
  65. Nagel, K. (1998), “From particle-hopping models to traffic flow theory,” **Transportation Research Record** 1644, pp. 1-9.
  66. Nagel, K., Wolf, D. E., Wanger, P. and Simon, P. (1998), “Two-lane traffic rules for cellular automata: A systematic approach,” **Physical Review E**, Vol. 58, pp. 1425-1437.
  67. Nelson, P. (1995), “A kinetic model of vehicular traffic and its associated bimodal equilibrium solutions,” **Transport Theory and Statistical Physics**, Vol. 24, pp. 383-409.
  68. Nelson, P. and Sopasakis, A.(1998), “The Prigogine-Herman kinetic model predicts widely scattered traffic flow data at high concentrations,” **Transportation Research B**, Vol. 32, pp. 589-604.
  69. Ozaki, H. (1993), “Reaction and anticipation in the car following behavior,” **In**

**Proceedings of the 13<sup>th</sup> International Symposium on Traffic and Transportation Theory**, pp. 349-366.

70. Paveri-Fontana, S. L. (1975), "On boltzmann-like treatments for traffic flow: a critical review of the basic model and an alternative proposal for dilute traffic analysis," **Transportation Research**, Vol. 9, pp. 225-235.
71. Payne, H. J. (1971), "Model of freeway traffic and control," **Mathematics of Public Systems** 1, pp. 51-61.
72. Philips, W. F. (1979), "A kinetic model for traffic flow with continuum implications," **Transportation Planning and Technology** 5, pp. 131-138.
73. Pipes, L. A. (1953), "An Operational Analysis of Traffic Dynamics," **Application Physical**, Vol. 24, pp.274-281.
74. Pipes, L. A. (1967), "Car following models and the fundamental diagram of road traffic," **Transportation Research Record** 1, pp. 21-29.
75. Pottmeier, A., Barlovic, R., Knospe, W. and Schadschneider, A. (2002), "Localized defects in a cellular automaton model for traffic flow with phase separation," **Physica A**, Vol. 308, pp. 471-482.
76. Powell, M. (2000), "A Model to Represent Motorcycle Behavior at Signalized Intersection Incorporating an Amended First Order Macroscopic Approach," **Transportation Research A**, Vol. 34, pp. 497-514.
77. Prigogine, I. and Herman, R. (1971), **Kinetic Theory of Vehicular Traffic**, Elsevier, New York.
78. Ranney, T. A. (1999), "Psychological Factors that Influence Car-following and Car-following Model Development," **Transportation Research F**, Vol. 2, pp.213-219.
79. Richards, P. I. (1956), "Shock waves on highway," **Operations Research**, Vol. 4, No. 1, pp. 42-51.
80. Rickert, M., Nagel, K., Schreckenberg, M. and Latour, A. (1996), "Two lane traffic simulations using cellular automata," **Physica A**, Vol. 231, pp. 534-550.
81. Rockwell, T. H. and Treiterer, J. (1968), "Sensing and communication between vehicles," **NCHRP Report** 51, HRB, Washington, D.C.
82. Schadschneider, A. (2000), "Statistical physics of traffic flow," **Physica A**, Vol. 285, pp. 101-120.
83. Sprott, J. C. (2003), **Chaos and Time-Series Analysis**, Oxford University Press Inc., New York.
84. Tang, R. Y. (2001), "The discharging patterns for pure motorcycle flow at signalized intersection," **Proceedings of the 3<sup>rd</sup> ROC Motorcycle Traffic and Safety Symposium**, pp. 43-54 (in Chinese).
85. Tang, R. Y. (1998), "The relationship of speed and lane width requirement for exclusive motorcycle lane," **Proceedings of the 2<sup>nd</sup> ROC Motorcycle Traffic and Safety Symposium**, pp. 95-103 (in Chinese).
86. Takagi, T. and Sugeno, M. (1985), "Fuzzy identification of systems and its applications to modeling and control," **IEEE Transactions on Systems, Man, and Cybernetics**, Vol. 15, pp. 116-132.
87. Treiterer, J. and Myers, J. A. (1974), "The hysteresis phenomenon in traffic flow," **In Proceedings of The 6<sup>th</sup> International Symposium on Transportation and Traffic Theory**, pp. 13-38.

88. Tsao, S. M. and Su, J. M. (1994), "A study on forced lane change behavior of off-ramp vehicles," **Transportation Planning Journal**, Vol. 23, No. 1, pp.1-10 (in Chinese).
89. Tseng, P. Y. and Lin, F. B. (2002) **Capacities and Flow Characteristics of Suburban and Rural Multi-Lane Highways in Taiwan (I)**, Final Report (in Chinese), Institute of Transportation, Ministry of Transportation and Communications, Taipei.
90. van Winsum, W., de Waard, D. and Brookhuis, K. A. (1999), "Lane change manoeuvres and safety margins," **Transportation Research F**, Vol. 2, pp.139-149.
91. Wang, B. H., Wang, L., Hui, P. M. and Hu, B. (2000), "The asymptotic steady states of deterministic one-dimensioned traffic flow models," **Physica B**, Vol. 27, pp. 237-239.
92. Wolf, D. E. (1999), "Cellular automata for traffic simulations," **Physica A**, Vol. 263, pp. 438-451.
93. Wolfram, S. (1986), **Theory and Applications of Cellular Automata**, Word Scientific, Singapore.
94. Zhang, H. M. (1998), "A theory of nonequilibrium traffic flow," **Transportation Research B**, Vol. 32, pp. 485-498.

