

## References

- [1] G. A. Ball, W. W. Morey, and W. H. Glenn, "Standing-Wave Monomode Erbium Fiber Laser," *IEEE Photon. Technol. Lett.*, vol. 3, pp. 613-615, 1991.
- [2] J. L. Zyskind, J. W. Sulhoff, J. Stone, D. J. Digiovanni, L. W. Stulz, H. M. Presby, A. Piccirilli, P. E. Pramayon, "Electrically Tunable, Diode-Pumped Erbium-Doped Fibre Ring Laser with Fibre Fabry-Perot Etalon," *IEE Electron. Lett.*, vol. 27, pp. 1950-1951, 1991.
- [3] N. Park, J. W. Dawson, and K. J. Vahala, "All Fiber, Low Threshold, Widely Tunable Single-Frequency, Erbium-Doped Fiber Ring Laser with a Tandem Fiber Fabry-Perot Filter," *Appl. Phys. Lett.*, vol. 59, pp. 2369-2371, 1991.
- [4] S. Li, K. S. Chiang, W. A. Gambling, Y. Liu, L. Zhang, and I. Bennion, "Self-Seeding of Fabry-Perot Laser Diode for Generating Wavelength-Tunable Chirp-Compensated Single-Mode Pulses with High-Sidemode Suppression Ratio," *IEEE Photon. Technol. Lett.*, vol. 12, pp. 1441-1443, 2000.
- [5] S. Li, K. S. Chiang, and W. A. Gambling, "Fast Wavelength Tuning of a Self-Seeded Fabry-Pérot Laser Diode with a Fabry-Pérot Semiconductor Filter," *IEEE Photon. Technol. Lett.*, vol. 13, pp. 1364-1366, 2001.
- [6] Y. Zhao and C. Shu, "Single-Mode Operation Characteristics of a Self-Injection Seeded Fabry-Perot Laser Diode with Distributed Feedback From a Fiber Grating," *IEEE Photon. Technol. Lett.*, vol. 9, pp. 1436-1438, 1997.
- [7] M. Schell, D. Huhse, A. G. Weber, G. Fischbeek, D. Bimberg, D. S. Tarasov, A. V. Gorbachov and D. Z. Grabuzov, "20nm Wavelength Tunable Singlemode Picosecond Pulse Generation At  $1.3\mu\text{m}$  By Self-Seeded Gain- Switched Semiconductor Laser," *IEE Electron. Lett.*, vol. 28, pp. 2154-2155, 1992.
- [8] G.-R. Lin, "Mutual injection locking of an erbium-doped fiber laser and a fiber-pigtailed Fabry-Perot laser diode," *Opt. Lett.*, vol. 28, pp. 1203-1205, 2003.
- [9] G.-R. Lin and P.-S. Hsueh, "The Spectral Characteristics of a Regenerative Semiconductor Optical Amplifier Mutually Injection-Locked with a Fabry-Perot Laser Diode", *Appl. Opt.*, vol. 43, pp. 153-159, 2004.
- [10] L. Xu, I. Glesk, D. Baby, and P. R. Prucnal, "Suppression of beating noise of narrow-linewidth erbium-doped fiber ring lasers by use of a semiconductor optical amplifier," *Opt. Lett.*, vol. 28, pp. 780-782, 2003.
- [11] L. Chusseau, E. Hemery, and J.-M. Lourtioz, "Period doubling in directly modulated InGaAsP semiconductor lasers," *Appl. Phys. Lett.*, vol. 55, pp. 822-824, 1989.
- [12] Y. Matsui, S. Kutsuzawa, S. Arahira, Y. Ogawa, and A. Suzuki, "Bifurcation in 20-GHz gain-switched  $1.55\text{-}\mu\text{m}$  MQW lasers and its control by CW injection

- seeding,” *IEEE J. Quantum Electron.*, vol. 34, pp. 1213-1223, 1998.
- [13] H. Yoo, Y. D. Jeong, Y. H. Won, M. Kang, and H. J. Lee, “All-optical wavelength conversion using absorption modulation of an injection-locked Fabry-Perot laser diode,” *IEEE Photon. Technol. Lett.*, vol. 16, pp. 536-538, 2004.
  - [14] L.-Y. Chan, C.-K. Chan, D.T.K. Tong, F. Tong, and L.-K. Chen, “Upstream traffic transmitter using injection-locked Fabry-Perot laser diode as modulator for WDM access networks,” *Electron. Lett.*, vol. 38, pp. 43-45, 2002.
  - [15] C. W. Chow, C. S. Wong, and H. K. Tsang, “All-optical NRZ to RZ format and wavelength converter by dual-wavelength injection locking,” *Opt. Commun.*, vol. 209, pp. 329-334, 2002.
  - [16] Y. D. Jeong, H. J. Lee, H. Yoo, and Y. H. Won, “All-optical NRZ-to-RZ converter at 10 Gb/s based on self-phase modulation of Fabry-Perot laser diode,” *IEEE Photon. Technol. Lett.*, vol. 16, pp. 1179-1181, 2004.
  - [17] C. Henery, “Locking range and stability of injection locked 1.54  $\mu\text{m}$  InGaAsP semiconductor laser,” *IEEE J. Quantum Electron.*, vol. 21, pp. 1152-1156, 1985.
  - [18] K. Sharaf, M. Ibrahim, “The effect of electronic feedback on semiconductor lasers,” *IEEE J. Quantum Electron.*, vol. 26, pp. 1347-1352, 1990.
  - [19] I. Petibon, P. Gallion, G. Debarge and C. Chabran, J. B. Georges, “Locking bandwidth and relaxation of an injection-locked semiconductor laser,” *IEEE J. Quantum Electron.*, vol. 24, pp. 148-154, 1998.
  - [20] V. Jayaraman, M. E. Heimbuch, L. A. Coldren and S. P. DenBaars, “Widely tunable continuous-wave InGaAsP/InP sampled grating lasers,” *Electron. Lett.*, vol. 30, pp. 1492-1494, 1994.
  - [21] L. W. Liou, M. Yu, T. Yoshino and G. P. Agrawal, “Mutual injection locking of a fibre laser and a DFB semiconductor laser,” *Electron. Lett.*, vol. 31, pp. 41-42, 1995.
  - [22] K. Y. Lau, “Gain-switching of semiconductor injection lasers,” *Appl. Phys. Lett.*, vol. 52, pp. 257-259, 1988.
  - [23] D. Huhse, M. Schell, J. Kaessner, D. Bimberg, I. S. Tarasov, A. V. Gorbachov and D. Z. Garbuzov, “Generation of electrically wavelength tunable ( $\Delta\lambda = 40$  nm) singlemode laser pulses from a 1.3  $\mu\text{m}$  Fabry-Pérot laser by self-seeding in a fiber-optic configuration,” *Electron. Lett.*, vol. 30, pp. 157-158, 1994.
  - [24] Y. Matsui, S. Kutsuzawa, S. Arahira, and Y. Ogawa, “Generation of wavelength tunable gain-switched pulses from FP MQW lasers with external injection seeding,” *IEEE Photon. Technol. Lett.*, vol. 9, pp. 1087-1089, 1997.
  - [25] S. Li, K. S. Chiang, W. A. Gambling, Y. Liu, L. Zhang and I. Bennion, “Self-seeding of Fabry-Pérot laser diode for generating wavelength-tunable chirp-compensated single-mode pulses with high-sidemode suppression ratio,”

- IEEE Photon. Technol. Lett., vol. 12, pp. 1441-1143, 2000.
- [26] G.-R. Lin and J. R. Wu, "Linewidth reduction and wavelength tuning of an erbium-doped fiber laser by use of a single-mode-selected and side-mode-suppressed Fabry-Perot laser diode," *Appl. Opt.*, vol. 42, pp. 5477-5482, 2003.
  - [27] S. Noda, K. Kojima, and K. Kyuma, "Mutual injection-locking properties of monolithically integrated surface-emitting multiple-quantum-well distributed feedback lasers," *IEEE J. Quantum Electron.*, vol. 26, pp. 1883-1894, 1990.
  - [28] D. Derickson, *Fiber Optic Test and Measurement*, chapter 5, pp. 179-202, 1998.
  - [29] K. Y. Lau, "Gain-switching of semiconductor injection lasers," *Appl. Phys. Lett.*, vol. 52, pp. 257–259, 1988.
  - [30] L. P. Barry, R. F. O'Dowd, J. Debau, and R. Boittin, "Tunable transformlimited pulse generation using self-injection locking of an FP laser," *IEEE Photon. Technol. Lett.*, vol. 5, pp. 1132–1134, 1993.
  - [31] D. Huhse, M. Schell, J. Kaessner, D. Bimberg, I. S. Tarasov, A. V. Gorbachov, and D. Z. Garbuzov, "Generation of electrically wavelength tunable ( $\Delta = 40\text{nm}$ ) singlemode laser pulses from a  $1.3 \mu\text{m}$  Fabry-Pérot laser by self-seeding in a fiber-optic configuration," *Electron. Lett.*, vol. 30, pp. 157–158, 1994.
  - [32] Y. Matsui, S. Kutsuzawa, S. Arahira, and Y. Ogawa, "Generation of wavelength tunable gain-switched pulses from FP MQW lasers with external injection seeding," *IEEE Photon. Technol. Lett.*, vol. 9, pp. 1087–1089, 1997.
  - [33] M. Zhang, D. N. Wang, H. Li, W. Jin, and M. S. Demokan, "Tunable dual-wavelength picosecond pulse generation by the use of two Fabry-Pérot laser diodes in an external injection seeding scheme," *IEEE Photon. Technol. Lett.*, vol. 14, pp. 92–94, 2002.
  - [34] E. A. Chauchard, J. S. Wey, C. H. Lee, and G. Burdge, "Coherent pulsed injection seeding of two gain-switched semiconductor lasers," *IEEE Photon. Technol. Lett.*, vol. 3, pp. 1069–1071, 1991.
  - [35] K. Chan and C. Shu, "Electrically wavelength-tunable pulse generated by synchronous two-way injection seeding," *IEEE Photon. Technol. Lett.*, vol. 11, pp. 170–172, 1999.
  - [36] A. J. Seeds, and J. R. Forrest, "High-rate amplitude and frequency modulation of semiconductor lasers," *IEE Proc.*, vol. 129, pp. 275-282, 1982.
  - [37] B. R. Bennett, R. A. Soref, and J. A. Del Alamo, "Carrier-induced change in refractive index of InP, GaAs, and InGaAsP," *IEEE. J. Quantum Electron.*, vol. 26, pp. 113-122, 1990.
  - [38] A. E. Siegman, *Lasers* (Oxford University Press, London, UK, 1986).