

參考文獻

1. R. Hilhorst, M. Sergeeva, D. Heering, P. Rietveld, P. Fijneman, R. B. G. Wolbert, M. Dekker, and B. H. Bijsterbosch, “Protein extraction from an aqueous phase into a reversed micellar phase : effect of water content and reversed micellar composition.” *Biotechnol. Bioeng.* 46 (1995) 375-387.
2. C. Jolivalt, M. Minier, and H. Renon, “Extraction of cytochrome c in sodium dodecylbenzenesulfonate microemulsions.” *Biotechnol. Prog.* 9 (1993) 456-461.
3. N. B. Mandava and Y. Ito, “Countercurrent Chromatography-theory and practice” *Marcel Dekker, Inc. , New York and Basel*, 44, 1988.
4. W. D. Conway, “Countercurrent chromatography-apparatus theory and applications” *VCH Publishers, Inc. ,* 1990.
5. Y. Ito and W. D. Conway, “High-Speed Countercurrent Chromatography” *John Wiley & Sons, New York*, 1995.
6. S. Helge, Y. Xiong, Z. Wang and J. Fu, “Development of a new reversed micelle liquid emulsion membrane for protein extraction.” *Biotechnol. Bioeng.* 53 (1997) 267-273.
7. S. Jarudilokkul, L. H. Poppenborg and D. C. Stuckey, “Backward extraction of reverse micellar encapsulated proteins using a counterionic surfactant.” *Biotechnol. Bioeng.* 62 (1999) 593-601.
8. D. G. Hayes, “Mechanism of protein extraction from the solid state by water-in-oil microemulsions.” *Biotechnol. Bioeng.* 53 (1997) 583-593.

9. M. Goto, T. Ono, F. Nakashio and T. A. Hatton, "Design of surfactants suitable for protein extraction by reversed micelles." *Biotechnol. Bioeng.* 54 (1997) 26-32.
10. E. P. Melo, S. M. B. Costa, J. M. S. Cabral, P. Fojan and S. B. Petersen, "Cutinase-AOT interactions in reverse micelles : the effect of 1-hexanol." *Chemistry and Physics of Lipids* 124 (2003) 37-47.
11. D. G. Hayes and C. Marchio, "Expulsion of proteins from water-in-oil microemulsions by treatment with cosurfactant." *Biotechnol. Bioeng.* 59 (1998) 557-566.
12. P. L. Luisi and L. J. Magid, "Solubilization of enzymes and nucleic acid in hydrocarbon micellar solutions." *Crit. Rev. Biochem.* 20 (1986) 409-474.
13. M. Dekker, R. Hilhorst and C. Laane, "Isolating enzymes by reversed micelles." *Anal. Biochem.* 178 (1989) 217-226.
14. E. B. Leodidis and T. A. Hatton, "Amino acids in AOT reversed micelles. 1. determination of interfacial partition coefficients using the phase-transfer method." *J. Phys. Chem.* 94 (1990) 6400-6411.
15. E. B. Leodidis and T. A. Hatton, "Amino acids in AOT reversed micelles. 2. the hydrophobic effect and hydrogen bonding as driving forces for interfacial solubilization." *J. Phys. Chem.* 94 (1990) 6411-6420.
16. P. L. Luisi, "Enzymes hosted in reverse micelles in hydrocarbon solution." *Angew. Chem. Int. Ed. Engl.* 24 (1985) 439-450.
17. M. J. Pires, M. R. Aires-Barros and J. M. S. Cabral, "Liquid-liquid

- extraction of proteins with reversed micelles.” *Biotechnol. Prog.* 12 (1996) 290-301.
- 18.K. E. Göklen and T. A. Hatton, “Liquid-liquid extraction of low molecular proteins by selective solubilization in reversed micelles.” *Sep. Sci. Technol.* 22 (1987) 831-841.
- 19.K. Naoe, O. Ura, M. Hattori, M. Kawagoe and M. Imai, “Protein extraction using non-ionic reverse micelles of Span 60.” *J. Biochem. Eng.* 2 (1998) 113-119.
- 20.T. Nishiki, K. Nakamura and D. Kato, “Forward and backward extraction rates of amino acid in reversed micellar extraction.” *J. Biochem. Eng.* 4 (2000) 189-195.
- 21.G. J. Lye, J. A. Asenjo and D. L. Pyle, “Protein extraction using reverse micelles-kinetics of protein partitioning.” *Chem. Eng. Sic.* 49 (1994) 3195-3204.
- 22.K. Naoe, M. Nishino, T. Ohsa, M. Kawagoe, and M. Imai, “Protein extraction using sugar ester reverse micelles.” *J. Chem. Technol. Biotechnol.* 74 (1999) 221-226.
- 23.M. Hentsch, P. Menoud, L. Steiner, E. Flaschel and A. Remken, “Optimization of the surfactant (AOT) concentration in a reversed micellar extraction process.” *Biotechnol. Tech.* 6 (1992) 359-364.
- 24.S. Jarudilokkul, L. H. Poppenborg, F. Valetti, G. Gilardi and D. C. Stuckey, “Separation and purification of periplasmic cytochrome c553 using reversed micelles.” *Biotechnol. Tech.* 13 No. 3 (1999) 159-163.
- 25.T. Ono, and M. Goto, “Factors affecting protein transfer into

- surfactant-isooctane solution : a case study of extraction behavior of chemically modified cytochrome c.” *Biotechnol. Prog.* 14 (1998) 903-908.
- 26.T. Nishiki, I. Sato, A. Muto, and T. Kataoka, “Mass transfer characterization in forward and back extractions of lysozyme by AOT-isooctane reverse micelles across a flat liquid-liquid interface.” *Biochemical Engineering Journal* 1 (1998) 91-97.
- 27.M. E. Leser, K. Mrkoci, and P. L. Luisi, “Reverse micelles in protein separation : the use of silica for the back-transfer process.” *Biotechnol. Bioeng.* 41 (1993) 489-492.
- 28.M. K. Khoshkbarchi and J. H. Vera, “Reverse micellar extraction and backextraction of L-lysine with three dialkyl sodium phosphinates in pentanol/isooctane mixtures.” *Separation science and technology*, 30 (11) (1995) 2301-2314.
- 29.馬遠榮，“奈米科技”，商周出版社，民國 91 年 4 月。
- 30.J. P. Cason, M. E. Miller, J. B. Thompson and C. B. Robert, “Solvent effects on copper nanoparticle growth behavior in AOT reverse micelle system.” *J. Phys. Chem. B* 105 (2001) 2297-2302.
- 31.L. Qi, J. Ma, H. Cheng and Z. Zhao, “Reverse micelle based formation of BaCO₃ nanaowires.” *J. Phys. Chem. B* 101 (1997) 3460-3463.
- 32.A. J. Hagen, T. A. Hatton and D. I. C. Wang, “Protein refolding in reversed micelles.” *Biotechnol. Bioeng.* 35 (1990) 955-965.
- 33.A. J. Hagen, T. A. Hatton and D. I. C. Wang, “Protein refolding in reversed micelles : interactions of the protein with micelle

- components.” *Biotechnol. Bioeng.* 35 (1990) 966-975.
- 34.Y. Hashimoto, T. Ono, M. Goto and T. A. Hatton, “Protein refolding by reversed micelles utilizing solid-liquid extraction technique.” *Biotechnol. Bioeng.* 57 (1998) 620-623.
- 35.M. Sakono, M. Goto and S. Furusaki, “Refolding of cytochrome c using reversed micelles.” *J. Biosci. Bioeng.* 89 (2000) 458-462.
- 36.M. Goto, Y. Hashimoto, T. -a. Fujita, T. Ono and S. Furusaki, “Important parameters affecting efficiency of protein refolding by reversed micelles.” *Biotechnol. Prog.* 16 (2000) 1079-1085.
- 37.A. P. Foucault, “Countercurrent Chromatography.” *Anal. Chem.* 63 (1991) 569-579.
- 38.Y. Ito and W. D. Conway, “Development of countercurrent chromatography.” *Anal. Chem.* 56 (1984) 534A-551A.
- 39.M. W. Kies and P. L. Davis, “A new procedure for fractionation of mixtures by solvent distribution.” *J. Biol. Chem.* 189 (1951) 637.
- 40.T. Tanimura, J. J. Pisano, Y. Ito and R. L. Bowman, “Droplet countercurrent chromatography.” *Science* 169 (1970) 54.
- 41.C. L. Criag and D. Craig, “Laboratory extraction and countercurrent distribution in technique of organic chemistry.” *A. Weissberger (ed.) , Interscience, New York, Vol. 3, Part I* (1956) 149-332.
- 42.Y. Ito, “Speculation on the mechanism of unilateral hydrodynamic distribution of two immiscible solvent phases in the rotating coil.” *J. Liq. Chromatogr.* 15 (1992) 2639-2675.
- 43.Y. Ito and R. Bhatnagar, “Improved scheme for preparative

- countercurrent chromatography with a rotating coil assembly.” *J. Liq. Chromatogr.* 7 (1984) 257-273.
- 44.Y. Ito and R. L. Bowman, “Horizontal flow-through coil planet centrifuge without rotating seals.” *Anal. Biochem.* 82 (1977) 63-68.
- 45.W. D. Conway and Y. Ito, “Pittsburgh Conference and Exposition on Analytical Chemistry and Applied Spectroscopy.” Abstract No. 475 (1984).
- 46.A. Weisz, A. L. Scher, K. Shinomiya, H. M. Fales and Y. Ito, “A new preparative-scale purification technique : pH-zone-refining countercurrent chromatography.” *J. Am. Chem. Soc.* 116 (1994) 704-708.
- 47.Y. Ma and Y. Ito, “Affinity countercurrent chromatography using ligand in the stationary phase.” *Anal. Chem.* 68 (1996) 1207-1211.
- 48.A. Rasooly and Y. Ito, “Toroidal coil countercurrent chromatography separation and analysis of staphylococcal enterotoxin a (SEA) in milk.” *J. Liq. Chromatogr. R.* 22 (1999) 1285-1293.
- 49.賴雋仁， “結合逆流層析與反微胞技術萃取及濃縮蛋白質分子” ，國立交通大學，碩士論文，民國 91 年 7 月。
- 50.S. S. Lee, B. K. Lee, J. S. Choi and J. P. Lee, “Effect of alcohol addition on back-extraction of BSA and cytochrome c using AOT reverse micellar system.” *Bull. Korean Chem. Soc.* 22 No. 8 (2001) 897-902.
- 51.蘇珮茹， “以逆向流層析儀使用反微胞進行蛋白質的萃取和濃縮” ，國立交通大學，碩士論文，民國 89 年 6 月。