

目錄

中文摘要	i
英文摘要	ii
誌謝	iii
目錄	iv
表目錄	viii
圖目錄	ix
一、苯二氮平類鎮靜安眠藥	1
1.1 引言	1
1.2 苯二氮平藥理學	1
1.3 藥物臨床表現	2
1.4 苯二氮平類藥物檢測技術回顧	3
二、毛細管電泳分離方法之介紹	6
2.1 簡介及發展歷程	6
2.2 基本分離原理	8
2.2.1 電泳分離與遷移率	8
2.2.2 電滲流	9
2.2.3 分離效率	10
2.3 常見的毛細管電泳分離模式	11
2.3.1 毛細管區間電泳	11
2.3.2 微胞電動層析法	11
2.3.3 毛細管凝膠電泳	12
2.3.4 毛細管等電聚焦電泳	13
2.3.5 毛細管等速電泳	13
三、非水相毛細管電泳簡介	16
3.1 非水相毛細管電泳之特性	16
3.2 非水相溶劑的選擇	17
3.3 非水相電泳溶劑的影響	20
3.4 非水相毛細管電泳的優點	20

四、利用非水相毛細管電泳法分離苯二氮平類藥物	24
4.1 分離原理	24
4.2 儀器裝置	25
4.3 試藥	25
4.4 實驗方法	26
4.4.1 新的毛細管調態	26
4.4.2 實驗前、後毛細管的處理	26
4.4.3 苯二氮平標準溶液之配製	27
4.4.4 水相部份酸性緩衝溶液分離測試	27
4.4.5 非水相部份甲酸系與乙酸系分離測試	27
4.4.6 非水相部分草酸系不同分離條件之測試	27
4.4.6.1 不同草酸濃度之探討	27
4.4.6.2 不同三乙胺濃度之探討	28
4.4.6.3 不同有機溶液組成之探討	28
4.4.6.4 標準濃度校正曲線之製作	28
4.4.6.5 苯二氮平真實藥片樣品之檢測	28
4.5 結果與討論	29
4.5.1 水相酸性緩衝溶液測試結果	29
4.5.2 利用弱酸性有機酸(甲酸系,乙酸系)非水相緩衝溶液測試 結果	29
4.5.3 緩衝溶液中不同草酸濃度對分離結果之影響	30
4.5.4 緩衝溶液中不同三乙胺濃度對分離結果之影響	31
4.5.5 緩衝溶液中不同比例有機溶液組成對分離結果之影響	31
4.5.6 再現性分析與定量標準校正曲線	32
4.5.7 苯二氮平真實藥片樣品之檢測	32
4.6 結論	33
五、常見毛細管電泳法線上濃縮技術介紹	51
5.1 緒論	51
5.2 電場放大樣品堆積法	52


5.3	大體積樣品線上濃縮法	52
5.4	不同酸鹼值緩衝溶液接合濃縮	54
5.5	緩衝溶液酸鹼值調整修飾濃縮	54
5.6	掃掠式線上濃縮技術	55
5.6.1	使用帶電微胞執行後樣品區帶濃縮模式	56
5.6.2	使用帶電微胞執行前樣品區帶濃縮模式	56
5.6.3	使用中性微胞執行後樣品區帶濃縮模式	57
5.7	複合型掃掠式線上濃縮技術	57
5.7.1	陽離子選擇性全注入結合掃掠式線上濃縮法	58
5.7.2	陰離子選擇性全注入結合掃掠式線上濃縮法	59
5.8	掃掠式線上濃縮法之後管柱濃縮模式數學公式	59
六、	利用掃略式線上濃縮毛細管電泳法分析苯二氮平類藥物	71
6.1	濃縮分離原理	71
6.2	儀器裝置	72
6.3	試藥	73
6.4	實驗方法	73
6.4.1	新的毛細管調態	73
6.4.2	實驗前、後毛細管的處理	74
6.4.3	苯二氮平標準溶液之配製	74
6.4.4	不同濃縮分離條件之測試	74
6.4.4.1	不同 pH 值緩衝溶液之影響	74
6.4.4.2	不同離子濃度緩衝溶液之影響	75
6.4.4.3	不同 CTAB 含量緩衝溶液之影響	75
6.4.4.4	不同甲醇含量緩衝溶液之影響	75
6.4.4.5	樣品區帶不同離子濃度緩衝溶液之影響	76
6.4.4.6	樣品注射時間	76
6.4.4.7	樣品掃集濃縮效果及放大倍率	77
6.4.4.8	再現性分析及定量校正曲線	77
6.5	結果與討論	77
6.5.1	不同 pH 值緩衝溶液之影響	77

6.5.2 不同離子濃度緩衝溶液之影響.....	78
6.5.3 不同 CTAB 含量緩衝溶液之影響.....	78
6.5.4 不同甲醇含量緩衝溶液之影響.....	79
6.5.5 樣品區帶不同離子濃度緩衝溶液之影響.....	80
6.5.6 樣品注射時間之探討.....	81
6.5.7 樣品掃集濃縮效果及放大倍率.....	81
6.5.8 再現性分析及定量校正曲線.....	82
6.6 結論.....	82
七、結論.....	100
八、參考文獻.....	101



表目錄

Table 3-1 Properties of some organic solvents used in CE.....	23
Table 4-1 pKa value of basic analytes in MeOH at 25°C	34
Table 4-2 pKa value of anionic analytes in MeOH at 25°C	35
Table 4-3 The compare of theoretical plates of Benzodiazepines separation	36
Table 4-4 Migration time、reproducibilities of Benzodiazepines for Non-Aqueous CE.....	37
Table 4-5 Regression equation、 R^2 and detection limits of Benzodiazepines for Non-Aqueous CE	38
Table 6-1 Migration time、reproducibilities of Benzodiazepines for Sweeping-MEKC	84
Table 6-2 Regression equation、 R^2 and detection limits of Benzodiazepines for Sweeping-MEKC	85



圖目錄

Fig.2-1 Chart of Electroosmotic Flow.....	15
Fig.4-1 Structure of the Benzodiazepines.....	39
Fig.4-2 Electropherogram of benzodiazepines with aqueous capillary electrophoresis	41
Fig.4-3 Electropherogram of benzodiazepines with non-aqueous capillary electrophoresis	42
Fig.4-4 Effect of concentration of Oxalic acid on separation of benzodiazepines	43
Fig.4-5 Variation of the effective mobilities of benzodiazepines as a function of Oxalic Acid concentration	44
Fig.4-6 Effect of concentration of Triethylamine on separation of benzodiazepines	45
Fig.4-7 Variation of the effective mobilities of benzodiazepines as a function of Triethylamine concentration	46
Fig.4-8 Effect of percentage of acetonitrile in buffer solvent (v/v) on separation of benzodiazepines	47
Fig.4-9 Variation of the effective mobilities of benzodiazepines as a function of percentage of acetonitrile in buffer solvent	48
Fig.4-10 Electropherogram of a standard mixture of eight benzodiazepines	49
Fig.4-11 Typical electropherogram of Benzodiazepines for medicinal tablet	50
Fig.5-1 Schematic diagram of the principle of sample stacking (FASS) in CZE (A) and MEKC (B).....	62
Fig.5-2 Schematic illustration of the matrix removal and stacking of small anions in acidic buffer	63
Fig.5-3 Schematic diagrams of a dynamic pH junction model	64
Fig.5-4 Schematic diagrams of pH-mediated stacking model	65
Fig.5-5 Schematic diagram of the principle of sweeping under acidic condition	66

Fig.5-6 Schematic diagram of the principle of sweeping under basicity condition	67
Fig.5-7 Sweeping of a charged analyte in electrokinetic chromatography with a neutral pseudostationary phase	68
Fig.5-8 Schematic diagrams of the CSEI-sweep-MEKC model	69
Fig.5-9 Schematic diagrams of the ASEI-sweeping-MEKC model	70
Fig.6-1 Schematic diagram of sweeping under CTAB micelle.....	86
Fig.6-2 Effect of buffer solution pH on separation and stacking for benzodiazepines	87
Fig.6-3 Variation of the migration time of benzodiazepines as a function of the buffer electrolyte pH	88
Fig.6-4 Effect of buffer concentration on separation and stacking for benzodiazepines	89
Fig.6-5 Variation of the migration time of benzodiazepines as a function of the buffer electrolyte concentration	90
Fig.6-6 Effect of CTAB concentration on separation and stacking for benzodiazepines	91
Fig.6-7 Variation of the migration time of benzodiazepines as a function of the buffer CTAB concentration.....	92
Fig.6-8 Effect of buffer solution methanol % (v/v) on separation and stacking for benzodiazepines.....	93
Fig.6-9 Variation of the migration time of benzodiazepines as a function of the methanol content of buffer.....	94
Fig.6-10 Effect of sample matrix concentration on separation and stacking for benzodiazepines.....	95
Fig.6-11 Effect of the conc. of sample zone buffer.....	96
Fig.6-12 Effect of sample injection time on separation and stacking for benzodiazepines.....	97
Fig.6-13 Comparison of sweeping-MEKC method with the normal hydrodynamic sample injection.....	98
Fig.6-14 Electropherogram of a standard mixture of nine benzodiazepines.....	99