

# Bibliography

- [1] I. J. Cox, M. L. Miller and J. A. Bloom, *Digital Watermarking*, Morgan Kaufmann, pp. 18-20, 2002.
- [2] N. Provos and P. Honeyman, "Hiding and seek: an introduction to steganography," *IEEE Security and Privacy Magazine*, vol. 1, no. 3, pp. 32-44, May-June 2003.
- [3] P. Moulin and J. A. O'Sullivan, "Information-theoretic analysis of watermarking," *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing*, vol. 6, pp. 3630-3633, 2000.
- [4] J. G. Proakis, *Digital Communications*, Third Edition, McGraw-Hill, 1995.
- [5] C.-F. Wu and W.-S. Hsieh , "Image refining technique using digital watermarking ", *IEEE Transactions on Consumer Electronics*, vol. 46, no.1, pp.1-5, February 2000.
- [6] J. Song and K.J.R.Liu, "A data embedding scheme for H.263 compatible video coding," *Proc. IEEE International Symposium on Circuits and Systems*, pp. 390–393, vol.4, 1999.
- [7] T. C. Wang, *Error Detection using Data Embedding Scheme for H.263 Compatible Video Coding*, M.S. Thesis, National Central University, Taiwan, June 2000.
- [8] M. D. Swanson, B. Zhu, and A. H. Tewfik, "Data Hiding for Video-in-Video," *Proc. International Conference on Image Processing*, vol. 2, pp.676-679, 1997.
- [9] D. Mukherjee, J. J. Chae, and S. K. Mitra, "A source and channel coding approach to data hiding with application to hiding speech in video," *Proc. International Conference on Image Processing*, vol. 1, pp. 348-352, October 1998.

- [10] Y. Ishibashi et al. "A video metadata application and its verification test using MPEG-7 description and watermarked content ID," *Proc. Symposium on Applications and the Internet Workshops*, pp. 400-405, January 2003.
- [11] F.-Z. Yang, X.-D. Wang, Y.-L. Chang and S. Wan, "A no-reference video quality assessment method based on digital watermark," 14<sup>th</sup> *Proc. Personal, Indoor and Mobile Radio Communications*, vol. 3, pp. 7-10, September 2003.
- [12] F. Perez-Gonzalez and J. R. Hernandez, "A Tutorial on digital watermarking," *Proceedings International Carnahan Conference on Security Technology*, pp.286-292, 1999.
- [13] F. Hartung and B. Girod, "Watermarking of uncompressed and compressed video," *Signal Processing*, vol. 66, no. 3, pp. 283-301, May 1998.
- [14] G. C. Langelaar and R. L. Lagendijk, "Optimal differential energy watermarking of DCT encoded images and video," *IEEE Trans. Image Processing*, vol. 10, no. 1, pp. 148-158, January 2001.
- [15] C.-T. Hsu and J.-L. Wu, "Hidden Digital Watermarks in Images," *IEEE Trans. Image Processing*, vol. 8, no. 1, pp.58-68, January 1999.
- [16] K. Kamijo, "Optimizing watermarking to improve the robustness without affecting the fidelity," *International Conference on Information Technology: Coding and Computing*, pp. 95-102, April 2001.
- [17] C.-Y. Lin and S.-F. Chang, "Semi-fragile watermarking for authenticating JPEG visual content," *Security and Watermarking of Multimedia Contents II, Proceedings of SPIE*, vol. 3971, 2000.
- [18] J. R. Hernández, M. Amado and F. Pérez-González, "DCT-domain watermarking techniques for still images: detector performance analysis and a new structure," *IEEE Trans. Image Processing*, vol. 9, no. 1, pp. 55-68, January 2000.

- [19] W. C. Chu, "DCT-based image watermarking using subsampling," *IEEE Trans. Multimedia*, vol. 1, no. 1, pp. 34-38, March 2003.
- [20] Y. Choi and K. Aizawa, "Digital watermarking using inter-block correlation: extension to JPEG coded domain," *Proc. International Conference on Information Technology: Coding and Computing*, pp. 133-138, March 2000.
- [21] V. Solachidis and I. Pitas, "Circularly symmetric watermark embedding in 2-D DFT domain," *IEEE Trans. Image Processing*, vol. 10, no. 11, pp. 1741-1753, November 2001.
- [22] C. Y. Lin, M. Wu, J. A. Bloom, I. J. Cox, M. L. Miller and Y. M. Lui, "Rotation, scale and translation resilient public watermarking for images," In *Security and Watermarking of Multimedia Contents II, Proceedings of SPIE*, vol. 3971, pp. 90-98, 2000.
- [23] Ó Ruanaidh and T. Pun, "Rotation, scale and translation invariant digital image watermarking," *Signal Processing*, vol. 66, no. 3, pp. 303-317, 1998.
- [24] D. Zheng, J. Zhao and A. E. Saddik, "RST-invariant digital image watermarking based on log-polar mapping and phase correlation," *IEEE Trans. Circuits and Systems for Video Technology*, vol. 13, no. 8, pp. 753-765, August, 2003.
- [25] S. Pereira, J. J. K. ÓRuanaidh, and F. Deguillaume, "Template based recovery of Fourier-based watermarks using log-polar and log-log maps," *Proc. International Conference on Multimedia Computing and Systems*, vol. 1, pp. 870-874, 1999.
- [26] S. Pereira and T. Pun, "Robust template matching for affine resistant image watermarks," *IEEE Trans. Image Processing*, vol.9, no.6, pp. 1123-1129, June 2000.
- [27] Frédéric Deguillaume et al. "Robust 3D DFT video watermark," *IS&T/SPIE's 11th Annual Symposium, Electronic Imaging '99: Security and Watermarking of Multimedia Contents*, vol. 3657, pp. 113-124, January 1999.

- [28] C.-T. Hsu and J.-L. Wu, "Multiresolution watermarking for digital images," *IEEE Trans. Circuits and Systems – II: Analog and Digital Signal Processing*, vol. 45, no. 8, pp. 1097-1101, August, 1998.
- [29] W. Zhu, Z. Xiong, and Y.-Q. Zhang, "Multiresolution watermarking for images and video," *IEEE Trans. Circuits and Systems for Video Technology*, vol. 9, no. 4, pp. 545-550, June 1999.
- [30] S. Tsekeridou and I. Pitas, "Embedding self-similar watermarks in the wavelet domain," *International Conference on Acoustics, Speech, and Signal Processing*, vol. 4, pp. 1967-1970, June 2000.
- [31] S.-H. Wang and Y.-P. Lin, "Wavelet tree quantization for copyright protection watermarking," *IEEE Trans. Image Processing*, vol. 13, no. 2, February 2004.
- [32] P. Loo and N. Kingsbury, "Digital watermarking with complex wavelets," *IEE Seminar on Secure Images and Image Authentication*, pp. 10/1-10/7, April 2000.
- [33] J.-P. Antoine and P. Vandergheynst, "Two-dimensional directional wavelets in image processing," *International Journal of Imaging and Systems and Technology*, vol. 7, pp. 152-165, 1996.
- [34] D. Marr, *Vision* (Freeman, San Francisco), pp. 54-61, 1982.
- [35] I. J. Cox, J. Kilian, F. T. Leighton and T. Shamoon, "Secure spread spectrum watermarking for multimedia," *IEEE Trans. Image Processing*, vol. 6, no. 12, pp. 1673-1687, December 1997.
- [36] S. Voloshynovskiy, A. Herrigel, N. Baumgaertner and T. Pun, "A stochastic approach to content adaptive digital image watermarking," *Proc. International Workshop on Information Hiding*, vol. LNCS 1768 of Lecture Notes in Computer Science, pp. 212-236, 1999.

- [37] C. D. Vleeschouwer, J.-F. Delaigle and B. Macq, "Invisibility and Application Functionalities in Perceptual Watermarking – An Overview," *Proc. IEEE*, vol. 90, no. 1, January 2002.
- [38] R. B. Wolfgang, C. I. Podilchuk and E. J. Delp, "Perceptual watermarks for digital images and videos," *Proc. IEEE*, vol. 87, pp. 1108-1126, July 1999.
- [39] A. B. Watson, "Visual optimization of DCT quantization matrices for individual images," *Proc. AIAA Computing in Aerospace 9*, San Diego, CA, American Institute of Aeronautics and Astronautics, pp. 286-291, 1993.
- [40] A. J. Ahumada and H. A. Peterson, "Luminance-model based DCT quantization for color image compression," *SPIE Proceedings*, 1666, 365-374, 1992.
- [41] A. B. Watson, G. Y. Yang, J. A. Solomon and J. Villasenor, "Visibility of wavelet quantization noise," *IEEE Trans. Image Processing*, vol. 6, no. 8, August 1997.
- [42] A. S. Lewis and G. Knowles, "Image compression using the 2-D wavelet transform," *IEEE Trans. Image Processing*, vol. 1, pp. 244-250, April 1992.
- [43] M. Barni, F. Bartolini and A. Piva, "Improved wavelet-based watermarking through pixel-wise masking," *IEEE Trans. Image Processing*, vol. 10, no.5, May 2001.
- [44] S. Voloshynovskiy, S. Pereira, T. Pun, J.J. Eggers and J. K. Su, "Attacks on digital watermarks: classification, estimation-based attacks and benchmarks," *IEEE Communications Magazine* (Special issue on digital watermarking for copyright protection: a communications perspective), 39, 8, pp. 118-127, 2001.
- [45] J. K. Su and B. Girod, "Power-spectrum condition for energy-efficient watermarking," *Proceedings IEEE International Conference on Image Processing*, 1999.
- [46] M. Ramkumar, A. N. Akansu and A. A. Alatan, "On the choice of transforms for data hiding in compressed video," *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing*, vol. 6, pp. 3049-3052, 1999.

- [47] R. Sugihara, "Practical capacity of digital watermark as constrained by reliability," *IEEE Proc. International Conference on Information Technology: Coding and Computing*, pp. 85-89, 2001.
- [48] C. Fei, D. Kundur and R. Kwong, "The choice of watermark domain in the presence of compression," *Proc. International Conference on Information Technology: Coding and Computing*, pp. 79-84, 2001.
- [49] C.-Y. Lin and S.-F. Chang, "Watermarking capacity of digital images based on domain-specific masking effects," *Proc. International Conference on Information Technology: Coding and Computing*, Las Vegas, NV, April 2001.
- [50] I. Donescu and E. Nguyen, "Combining visual and detection models in spread-spectrum watermarking," *Proc. International Conference on Image Processing*, vol. 3, pp. 686-689, September 2000.
- [51] C. H. Huang, *A Study of Digital Rights Management Frameworks and Related Watermarking Technologies*, Ph.D. Thesis, Department of Computer Science and Information Engineering, National Taiwan University, 2004.
- [52] D. Kundur, "Water-filling for watermarking," *Proc. International Conference on Multimedia and Expo*, New York City, New York, pp. 1287-1290, August 2000.
- [53] Peter H. W. Wong and Oscar C. Au, "A capacity estimation technique for JPEG-to-JPEG image watermarking," *IEEE Trans. Circuits and Systems for Video Technology*, vol. 13, no. 8, pp. 746-652, August, 2003.
- [54] D. Karakos and A. Papamarcou, "A relationship between quantization and watermarking rates in the presence of additive Gaussian attacks," *IEEE Trans. Information Theory*, vol. 49, no. 8, pp. 1970-1982, August 2003.
- [55] M. L. Miller, G. J. Doerr and I. J. Cox, "Applying informed coding and embedding to design a robust high-capacity watermark," *IEEE Trans. Image Processing*, vol. 13, no. 6, pp. 792-807, June 2004.

- [56] C.-S. Lu, S.-K. Huang, C.-J. Sze and H.-Y. Mark Liao, "Cocktail watermarking for digital image protection," *IEEE Trans. Multimedia*, vol. 2, no. 4, pp. 209-224, December 2000.
- [57] M. Gruber and K. Y. Hsu. "Moment-based image normalization with high noise-tolerance," *IEEE Trans. Pattern Analysis and Machine Intelligence*, vol. 19, no. 2, pp. 136-139, February 1997.
- [58] M. Alghoniemy and A. H. Tewfik, "Geometric distortion correction through image normalization," *Proc. International Conference on Multimedia and Expo*, vol. 3, pp. 1291-1294, 2000.
- [59] M. Alghoniemy and A. H. Tewfik, "Image watermarking by moment invariants," *Proc. International Conference on Image Processing*, vol. 2, pp. 73-76, January 2001.
- [60] H. S. Kim and H.-K. Lee, "Invariant image watermark using Zernike moments," *IEEE Trans. Circuits and Systems for Video Technology*, vol. 13, no. 8, pp. 766-776, August, 2003.
- [61] A. Nikolaidis and I. Pitas, "Robust watermarking of facial images based on salient geometric pattern matching," *IEEE Trans. Multimedia*, vol. 2, no. 3, pp. 172-184, September 2000.
- [62] M. Kutter, S. K. Bhattacharjee, and T. Ebrahimi. "Towards second generation watermarking schemes," *Proc. International Conference on Image Processing Proceedings*, vol. 1, pp. 320-323, 1999.
- [63] P. Bas, J-M. Chassery and B. Macq, "Robust watermarking based on the warping of pre-defined triangular patterns," In *Security and Watermarking of Multimedia Contents II, Proceedings of SPIE*, vol. 3971, pp. 99-109, 2000.
- [64] H. J. Shim and B. Jeon, "Rotation, scaling, and translation robust image watermarking using Gabor kernels," In *Security and Watermarking of Multimedia Contents II, Proceedings of SPIE*, vol. 4675, 2002.



- [65] D. Simitopoulos, D. E. Koutsonanos and M. G. Strintzis, "Robust image watermarking based on generalized Radon transformations," *IEEE Trans. Circuits and Systems for Video Technology*, vol. 13, no. 8, pp. 732-745, August, 2003.
- [66] S. Bhattacharjee and M. Kutter, "Compression tolerant image authentication," *Proc. International Conference on Image Processing*, vol. 1, pp. 435-439, 1998.
- [67] P. Dong, J. G. Brankov, N. Galatsanos and Y. Yang, "Geometric robust watermarking based on a new mesh model correction approach," *Proc. International Conference on Image Processing*, vol. 3, pp. 24-28, June 2002.
- [68] T. S. Liang and J. J. Rodriguez, "Robust watermarking using robust coefficients," *Security and Watermarking of Multimedia Contents II, Proceedings of SPIE*, vol. 3971, 2000.
- [69] B. A. Wandell, *Foundations of Vision*, Sunderland, MA: Sinauer, 1995.
- [70] Checkmark, <http://watermarking.unige.ch/Checkmark/index.html>
- [71] S. Pereira, S. Voloshynovskiy, M. Madueno, S. Archand-Maillet and T. Pun, "Second generation benchmarking and application oriented evaluation," *In Information Hiding Workshop*, Pittsburgh, PA. USA, April 2001.
- [72] I. J. Cox, M. L. Miller and A. L. Mckellips, "Watermarking as communications with side information," *Proc. IEEE*, vol. 87, no. 7, July 1999.
- [73] J. J. Eggers and B. Girod, "Watermark detection after quantization attacks," *Proc. of 3<sup>rd</sup> Workshop on Information Hiding*, Germany, September/October 1999.
- [74] J. J. Eggers and B. Girod, "Quantization effects on digital watermarks," *Signal Processing*, vol. 81, no. 2, p. 239-263, December 2000.
- [75] L. Schuchman, "Dither signals and their effect on quantization noise," *IEEE Trans. Communication Technology (COM)*, vol. 12, pp. 162-165, December 1964.



- [76] M. D. Srinath, P. K. Rajasekaran and R. Viswanathan, *Introduction to Statistical Signal Processing with Applications*, Prentice Hall Englewood Cliffs, New Jersey 07632.
- [77] K. A. Birney and T. R. Fischer, "On the modeling of DCT and subband image data for compression," *IEEE Trans. Image Processing*, vol. 4, no. 2, February 1995.
- [78] Stirmark, <http://www.cl.cam.ac.uk/~fapp2/watermarking/stirmark/>
- [79] B. E. Usevitch, "A tutorial on modern lossy wavelet image compression: foundations of JPEG 2000," *IEEE Signal Processing Magazine*, pp. 22-35, September 2001.
- [80] P. Moulin and J. A. O'Sullivan, "Information-theoretic analysis of information hiding," *IEEE Trans. Information Theory*, vol. 49, no. 3, pp. 563-593, 2003.
- [81] Q. Cheng, Y. Wang and T. S. Huang, "How to design efficient watermarks?" *International Conference on Acoustics, Speech, and Signal Processing*, vol. 3, pp. 49-52, 2003.
- [82] M. Barni, F. Bartolini, A. D. Rosa and A. Piva, "Optimum decoding and detection of multiplicative watermarks," *IEEE Trans. Signal Processing*, vol. 51, no. 4 pp. 1118-1123, 2003.
- [83] K. Fukunaga, *Introduction to Statistical Pattern Recognition*, Academic Press, 1990.
- [84] B. S. Manjunath, C. Shekhar and R. Chellappa, "A new approach to image feature detection with applications," *Pattern Recognition*, 29(4): pp. 627-640, 1996.
- [85] S. C. Pei and C. N. Lin. "Image normalization for pattern recognition," *Image and Vision Computing*, vol. 13, no. 10, pp. 711-723, December 1995.

