

第五章 參考文獻

1. 黃銘峰，“利用步進式聚合物溶液變化進行 DNA 之毛細管電泳分離”，國立台灣大學，碩士論文，88 年 7 月。
2. A. Tiselius, and T. Faraday, (1937) A new apparatus for electrophoretic analysis of colloidal mixtures, Transactions of the Faraday Society. Sec. **33**, 524.
3. 曾韋龍，“非連續態毛細管及晶片電泳之高感度生物分析”，國立台灣大學，博士論文，90 年 7 月。
4. S. Hjerten, (1967) Molecular Sieve Chromatography of Proteins. Chromatogr. Rev. **9**, 122.
5. R. Virtanen, (1981) Zone Electrophoresis in Open-Tubular Glass Capillaries. Acta. Polytech. Sand. **123**, 1298.
6. F.E.B. Mikkers, F.M. Eveeraers, and T.P.E.M. Verheggen, (1979) Concentration Distributions in Free Zone Electrophoresis. J. Chromatogr. **169**, 11.
7. J.W. Jorgenson and K.D. Lukacs, (1981) Zone Electrophoresis in Open-Tubular Glass Capillaries. Anal. Chem. **531**, 298.
8. J.W. Jorgenson and K.D. Lukacs, (1983) Capillary Zone Electrophoresis. Science. **222**, 266.
9. A.T. Woolley, and R.A. Mathies, (1994) Ultra-High-Speed DNA Fragment Separations Using Microfabricated Capillary Array Electrophoresis Chips. Proc. Natl. Acad. Sci. **91**, 11348.
10. Z.H. Fan, S. Mangru, R. Granzow, P. Heaney, W. Bo, and R. Kumar, (1999) Dynamic DNA hybridization on a chip using paramagnetic beads. Anal. Chem. **71**, 4851.
11. M. Zhu, D.L. Hansen, S. Burd, and F. Gannon, (1989) Factors

- affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis. *J. Chromatogr.* **480**, 311.
12. A.M. Chin, and J.C. Colburn, (1989) Electrophoretic migration behavior of DNA fragments in polymer solution. *Am. Biotech. Lab. News Edition.* **7**, 16.
 13. M. Chhiari, M. Nesi, and P.G. Righetti, (1994) Separation of double-stranded DNA fragments by capillary electrophoresis using polyvinylpyrrolidone and poly(*N,N*-dimethylacrylamide) transient interpenetrating network. *Electrophoresis.* **15**, 616.
 14. E. Carrilho, M.C. Ruiz-Martinez, J. Berka, I. Smirnov, W. Goetzinger, A.W. Miller, D. Brady, and B.L. Karger, (1996) Rapid DNA Sequencing of More Than 1,000 Bases Per Run by Capillary Electrophoresis Using Replaceable Linear Polyacrlamide Solutions. *Anal. Chem.* **68**, 3305.
 15. H.T. Chang, and E.S. Yeung, (1995) Poly(ethyleneoxide) for High Resolution and High Speed Separation of DNA by Capillary Electrophoresis. *J. Chormatogr. B.* **669**, 113.
 16. X. Lu, and E.S. Yeung, (1995) Optimization of Excitation and Detection Geometry for Multiplexed Capillary Array Electrophoresis of DNA Fragments. *Appl. Spectrosc.* **49**, 605.
 17. A. Chrambach, and A. Aldroubi, (1993) The relative efficiency of molecular sieving in solutions of four polymers (with A. Chrambach). *Electrophoresis.* **14**, 18.
 18. M. Strege, and A. Lagu, (1991) Separation of DNA restriction fragments by capillary electrophoresis using coated fused silica capillaries. *Anal. Chem.* **63**, 1233.
 19. P.D. Grossman, and D.S. Soane, (1991) Capillary electrophoresis of

- DNA in entangled polymer-solutions. *J. Chromatogr.* **559**, 257.
20. Y. Baba, N. Ishimaru, K. Samata, and M. Tsuhako, (1993) High-Resolution Separation of DNA Restriction Fragments by Capillary Electrophoresis in Cellulose Derivative Solutions. *J. Chromatogr.* **653**, 329.
 21. M.H. Kleemi, M.Gilges, and G. Schomburg, (1993) Capillary electrophoresis of DNA restriction fragments with solutions of entangled polymers. *Electrophoresis.* **14**, 515.
 22. S. Terabe, K. Otsuka, T. Ando, K. Ichikawa, and A. Tsuchiya, (1984) Electrokinetic Separations with Micellar Solutions and Open-Tubular Capillaries. *Anal. Chem.* **56**, 111.
 23. S. Terabe, K. Otsuka, and T. Ando, (1985) Electrokinetic chromatography with micellar solution and open-tubular capillary. *Anal. Chem.* **57**, 834.
 24. J.H. Knox, and I.H. Grant, (1987) Miniaturisation in pressure and electroosmotically driven liquid chromatography: some theoretical considerations. *Chromatographia.* **24**, 135.
 25. K. Walhagen, K.K. Unger, and M.T.W. Hearn, (2000) Capillary electroosmotic chromatography (CEC) of peptides. *J. Chromatogr.* **887**, 165.
 26. K.D. Bartle, and P. Myers, (2001) Theory of capillary electrochromatography. *J. Chromatogr.* **916**, 3.
 27. High Performance Capillary Electrophoresis-An Introduction, D.N. Heiger.
 28. D. Broseta, L. Leibler, A. Lapp, and C. Strazielle, (1986) Universal properties of semidilute polymer solutions: a comparison between experiments and theory. *Europhys. Lett.* **2**, 733.

29. P.D. Grossman, and D.S. Soane, (1991) Experimental and theoretical studies of DNA separations by capillary electrophoresis in entangled polymer solutions. *Biopolymers*. **31**, 1221.
30. P.G. De Gennes, *Scaling Concepts in polymer physics*, Cornell University Press, Ithaca, New York, (1979).
31. A.G. Ogston, Trans. (1958) The spaces in a uniform random suspension of fibres. *Trans. Faraday Soc.* **54**, 1754.
32. C.J.O.R. Morris, *Prodides of the biological Fluids*, 14th Colloquium. Elsevier, New York (1966) 531.
33. K.A. Ferguson, (1964) Starch-gel electrophoresis — application to the classification of pituitary proteins and polypeptides. *Metabolism*. **13**, 985.
34. P.G.J. De Gennes, (1971) Concept de reptation pour une chaîne polymérique. *Chem. Phys.* **55**, 572.
35. K. Kakehi, M. Kinoshita, and Y. Oda, (1999) Capillary Electrophoresis of *N*-Acetylneuraminic Acid Polymers and Hyaluronic Acid : Correlation between Migration Order Reversal and Biological Functions. *Anal. Chem.* **711**, 592.
36. H. Traitler, S.D. Vedovo, and T.F. Schewizer, (1984) Qualitative and quantitative analysis of carbohydrates in green juices (wild mix grass and alfalfa) from a green biorefinery by gas chromatography / mass spectrometry. *J. High Resol. Chromatogra. Comm.* **7**, 558.
37. R. Geyer, H. Geyer, S. Kuhnhardt, W. Mink, and S. Stirm, (1982) Capillary gas chromatography of methylhexitol acetates obtained upon methylation of N-glycosidically linked glycoprotein oligosaccharides. *Anal. Biochem.* **121**, 263.
38. H. Karlesson, and G.C. Hannson, (1988) Study of the Effect of

- Mobile Phase Additives on Retention in Reversed Phase HPLC Using Linear Solvation Energy Relationships. *J. High Resol. J. Chromatogr. Comm.* 11 820.
39. M. Tetsuo, C. Zhang, H. Matsumoto, and I. Masahiro, (1999) Gas chromatographic–mass spectrometric analysis of urinary sugar and sugar alcohols during pregnancy. *J. Chromatogr. B* **731**, 111.
40. 劉佳兒， “應用毛細管電泳分析 APTS 衍生之幾丁寡糖” ，國立交通大學，碩士論文，92 年 6 月。
41. Z.E. Rassi, (1996) Recent progress in reversed-phase and hydrophobic interaction chromatography of carbohydrate species. *J. Chromatogr.* **720**, 93.
42. J. Yu, and Z.E. Rassi, (1993) Long-Lasting Igm and Igg Reactivities Against Trypanosoma-Cruzi Antigens in Human Cases of Chagas-Disease. *J. Chromatogr.* **631**, 91.
43. A.J. Alpert, (1986) Prepn. and use of PolyPROPYL-, -ETHYL, and -METHYL A. *J. Chromatogr.* **359**, 85.
44. Z.E. Rassi, and C. Horvath, (1986) Hydrophobic Interaction Chromatography of t-RNAs and Proteins. *J. Liq. Chromatogr.* **9**, 3245.
45. H. Engelhardt, and U. Schon, (1986) *J. Liq. Chromatogr.* **9**, 3224.
46. N. Ikemoto, L.C. Lo, and K. Nakanishi, (1992) *Angew. Chem. Int. Ed. Engl.* **31**, 890.
47. W.J.B. Wannet, J.H.M. Hermans, C. van der Drift, and H.J.M. Op den Camp, (2000) *J. Agric Food Chem.* **48**, 287.
48. M. Stefansson, and D. Westerlund, (1996) Ligand-exchange chromatography of carbohydrates and glycoconjugates. *J. Chromatogr.* **720**, 127.

49. T. Akiyama, (1991) *J. Chromatogr.* **588**, 53.
50. A. Kobata, and T. Endo, (1992) Immobilized lectin columns: useful tools for the fractionation and structural analysis of oligosaccharides. *J. Chromatogr.* **597**, 111.
51. S. Iwata, T. Narui, K. Takahashi, and S. Shibata, (1984) Changes of n-hexane neurotoxicity and its urinary metabolites by long-term co-exposure with MEK or toluene. *Carbohydrate Research.* **133**, 157.
52. T.L. Chester, J.D. Pinkston, and G.D. Owens, (1989) Putting Opposites Together: Guidelines for Successful SFC/MS. *Carbohydrate Research.* **194**, 273.
53. T.L. Chester, and D.P. Innis, *J. High Resol. (1986) Chromatogr. Comm.* **9**, 209.
54. B. Herbreteau, M. Lafosse, L.M. Allory, and M. Dreux, (1990) Analysis of Sugars by Supercritical Fluid Chromatography Using Polar Packed Columns and light Scattering Detection. *J. Chromatogr.* **505**, 299.
55. Y. Leroy, J. Lemoine, G. Ricart, J.C. Michalski, J. Montreuil, and B. Fournet, (1990) *Anal. Biochem.* **184**, 235.
56. T. Soga, and D. N. Heiger, (1998) Multivariate Optical Computation for Predictive Spectroscopy. *Anal. Chem.* **261**, 73.
57. J. Kelly, H. Masoud, M.B. Perry, J.C. Richards, and P. Thibault, (1996) Separation and Characterization of O-Deacylated Lipooligosaccharides and Glycans Derived from *Moraxella catarrhalis* Using Capillary Electrophoresis–Electrospray Mass Spectrometry and Tandem Mass Spectrometry. *Anal. Biochem.* **233**, 15.
58. M. Stefansson, and M. Novotny, (1994) Modification of the

- Electrophoretic Mobility of Neutral and Charged polysaccharides. *Anal. Chem.* **66**, 1134.
59. P. Camiller, G.B. Harland, and G. Okafo, (1995) High Resolution and Rapid Analysis of Branched Oligosaccharides by Capillary Electrophoresis. *Anal. Biochem.* **230**, 115.
60. J. Charlwood, H. Birrell, A. Gribble, V. Burdes, D. Tolson, and P. Camilleri, (2000) A Probe for the Versatile Analysis and Characterization of N-Linked Oligosaccharides. *Anal. Chem.* **72**, 1453.
61. A.A. Hakim, and R.J. Linhardt, (1991) Capillary Electrophoresis for the Analysis of Chondroitin Sulfate and Dermatan Sulfate-Derived Disaccharides. *Anal. Biochem.* **195**, 68.
62. S.A. Ampofo, H.M. Wang, and R.J. Linhardt, (1991) Structure Elucidation of a Novel Acidic Tetrasaccharide and Hexasaccharide Derived From a Chemically Modified Heparin. *Anal. Biochem.* **199**, 249.
63. S.H. Kuhn, A. Paulus, E. Gassmann, and H.M. Widmer, (1991) Influence of borate complexation on the electrophoretic behavior of carbohydrates in capillary electrophoresis. *Anal. Chem.* **63**, 1541.
64. Z. Shen, C.D. Warren, and D.S. Newburg, (2000) High-Performance Capillary Electrophoresis of Sialylated Oligosaccharides of Human Milk. *Anal. Biochem.* **279**, 37.
65. N.S. Gunay, and R.J. Linhardt, (2003) Capillary electrophoresis separation of heparin oligosaccharides under conditions amenable to mass spectrometric detection. *J. Chromatogr.* **1014**, 225.
66. A. Bergholdt, J. Overgaard, A. Colding, and R.B. Frederiksen, (1993) *J. Chromatogr.* **644**, 412.

67. A.E. Vorndran, P.J. Oefner, H. Scherz, G.K. Bonn, (1992) Indirect UV-detection of carbohydrates in capillary zone electrophoresis. *J. Chromatogr.* **33**, 163.
68. P.J. Oefner, A.E. Vorndran, E. Grill, C. Huber, and G.K. Bonn, (1992) Capillary zone electrophoretic analysis of carbohydrates by direct and indirect UV-detection. *J. Chromatogr.* **34**, 308.
69. T.W. Garner, and E.S. Yeung, (1990) Indirect fluorescence detection of sugars separated by capillary zone electrophoresis with visible laser excitation. *J. Chromatogr.* **515**, 639.
70. M.D. Richmond, and E.S. Yeung, *Anal. chem.* 210 (1993) 245.
71. D.C. Johnson, and W.R. LaCourse, (1990) Long path atomic/ionic absorption spectrometry in an inductively coupled plasma. *Anal. Chem.* **62**, 589.
72. T.J. O'Shea, S.M. Lunte, and W.R. LaCourse, (1993) Detection of carbohydrates by capillary electrophoresis with pulsed amperometric detection. *Anal. Chem.* **65**, 948.
73. P. Weber, T. Kornfelt, N.K. Klausen, and S.M. Lunte, (1995) Characterization of Glycopeptides from Recombinant Coagulation Factor VIIa by High-Performance Liquid Chromatography and Capillary Zone Electrophoresis Using Ultraviolet and Pulsed Electrochemical Detection. *Anal. Biochem.* **225**, 135.
74. J. Ye, and R.P. Baldwin, (1993) Amperometric detection in capillary electrophoresis with normal size electrodes. *Anal. Chem.* **65**, 3525.
75. L.A. Colon, R. Dadoo, and R.N. Zare, (1993) Determination of carbohydrates by capillary zone electrophoresis with amperometric detection at a copper microelectrode. *Anal. Chem.* **65**, 476.
76. D.J. Bornhop, T.G. Nolan, and N.J. Dovichi, (1987) Subnanoliter

- Laser-Based Refractive-Index Detector for 0.25-MM ID Microbore Liquid-Chromatography - Reversed-Phase Separation of Nanoogram Amounts of Sugars. *J. Chromatogr.* **384**, 181.
77. D.J. Bornhop, and N.J. Dovichi, (1987) Simultaneous laser-based refractive index and absorbance determinations within micrometer diameter capillary tubes. *Anal. Chem.* **59**, 1632.
78. A.E. Bruno, B. Krattiger, F. Mayste, and H.M. Widmer, (1991) On-column laser-based refractive index detector for capillary electrophoresis. *Anal. Chem.* **63**, 2689.
79. W. Nashabeh, and Z.E. Rassi, (1990) *J. Chromatogr.* **514**, 57.
80. Y. Mechref, G.K. Ostrander, and Z.E. Rassi, (1995) Capillary electrophoresis of carboxylated carbohydrates I. Selective precolumn derivatization of gangliosides with UV absorbing and fluorescent tags. *J. Chromatogr.* **695**, 83.
81. J. Plocek, and M.V. Novotny, (1997) Capillary zone electrophoresis of oligosaccharides derivatized with N-(4-aminobenzoyl)-L-glutamic acid for ultraviolet absorbance detection. *J. Chromatogr.* **757**, 215.
82. S. Honda, T. Ueno, and K. Kakehi, (1992) Capillary electrophoresis: a superior miniaturized tool for analysis of the mono-, di-, and oligosaccharide constituents of glycan moieties in proteoglycans. *J. Chromatogr.* **608**, 289.
83. M. Ristolainen, (1999) Characterization of totally chlorine-free effluents from Kraft pulp bleaching: II. Analysis of carbohydrate-derived constituents after acid hydrolysis by capillary zone electrophoresis. *J. Chromatogr.* **832**, 203.
84. H.J. An, A.H. Franz, and C.B. Lebrilla, (2003) Improved capillary electrophoretic separation and mass spectrometric detection of

- oligosaccharides. *J. Chromatogr.* **1004**, 121.
85. V. Dolnik, and M.V. Novotny, (1993) Determination of total mercury in waters and urine by flow injection atomic absorption spectrometry procedures involving on- and off-line oxidation of organomercury species. *Anal. Chem.* **65**, 653.
86. C.M. Starr, R.I. Masada, E. Skop, and J.C. Klock, (1996) Fluorophore-assisted carbohydrate electrophoresis in the separation, analysis, and sequencing of carbohydrates. *J. Chromatogr.* **720**, 295.
87. A. Guttman, N. Cooke, and C.M. Starr, (1994) *Electrophoresis* **15**, 1518.
88. M.V. Novotny, and M. Stefansson, (1994) Separation of Complex Oligosaccharide Mixtures by Capillary Electrophoresis in the Open-Tubular Format. *Anal. Chem.* **66**, 1134.
89. Y. Zhang, E. Arriaga, P. Diedrich, O. Hindsgaul, and N.J. Dovichi, (1995) Nanomolar determination of aminated sugars by capillary electrophoresis *J. Chromatogr.* **716**, 221.
90. F. Lamari, A. Theocharis, A. Hjerpe, N.K. Karamanos, (1999) Human abdominal aortic aneurysm is closely associated with composition structural modifications at the glycosaminoglycan leve. *J. Chromatogr. B* **730**, 129.
91. Z.E. Rassi, J. Postlewait, Y. Mechref, and G.K. Ostrander, (1997) Capillary Electrophoresis of carboxylated Carbohydrates. *Anal. Biochem.* **244**, 283.
92. J.Y. Zhao, P. Diedrich, Y. Zhang, O. Hindsgaul, and N.J. Dovichi, (1994) Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection. *J. Chromatogr.* **657**, 307.

93. A. Guttman, F.A. Chen, R.A. Evangelista, and N. Cooke, (1996) High-Resolution Capillary Gel Electrophoresis of Reducing Oligosaccharides Labeled with 1-aminopyrene-3,6,8-trisulfonate. *Anal. Biochem.* **233**, 234.
94. K.R. Anumula, and P. Du, (1999) Characterization of Carbohydrates Using Highly Fluorescent 2-Aminobenzoic Acid Tag Following Gel Electrophoresis of Glycoproteins. *Anal. Biochem.* **275**, 236.
95. R.J. Linhardt, (1997) Exploration of the action pattern of *Streptomyces* hyaluronate lyase using high-resolution capillary electrophoresis. *Biochimica et Biophys. Acta.* **1337**, 217.
96. Z.E. Rassi, (1997) Capillary electrophoresis of carboxylated carbohydrates IV. Adjusting the separation selectivity of derivated carbohydrates by controlling the electrolyte ionic strength at subambient temperature and in the absence of electroosmotic flow. *J. Chromatogr.* **792**, 75.
97. M.V. Novotny, and M. Stefansson, (1998) High-Resolution Studies of Hyaluronic Acid Mixtures through Capillary Gel Electrophoresis. *Anal. Chem.* **70**, 568.
98. 王金玉， “應用毛細管電泳與晶片電泳分析三種寡糖” ，國立交通大學，博士論文，91年8月。
99. A. Rydlund, and O. Dahlman, (1996) Efficient capillary zone electrophoretic separation of wood-derived neutral and acidic mono-and oligosaccharides. *J. Chromatogr.* **738**, 129.
100. 孫亦梁， “高效毛細管電泳導論” ，102頁。
101. P. Gareil, and H. Cottet, (1997) Electrophoretic behaviour of fully sulfonated polystyrenes in capillaries filled with entangled polymer solutions. *J. Chromatogr.* **772**, 369.

- 102.J. Liu, O. Shirota, and M. Novotny, (1992) Sensitive, Laser-assisted Determination of Complex Oligosaccharide Mixtures Separated by Capillary Gel Electrophoresis at High Resolution. *Anal. Chem.* **64**, 973.
- 103.A. Klockow, R. Amado, and A. Paulus, (1995) Separation of 8-aminophthalene-1,3,6-trisulfonic acid-labelled neutral and sialylated N-linked complex oligosaccharides by capillary electrophoresis. *J. Chromatogr.* **716**, 241.
- 104.許荐恩，“在 高 分 子 溶 液 中 進 行 DNA 或 小 分 子 之 毛 細 管 電 泳 分 離”，國立台灣大學，碩士論文，88 年 7 月。

