

## 參考文獻

1. <http://www.zkty.com.cn/>, 廣州中科天元再生資源工程有限公司
2. <http://www.zkty.com.cn/technology202.htm>, 中科院廣州能源研究所
3. A. Serra, M. Poch, C. Sola, "A Survey of Separation Systems for Fermentation Ethanol Recovery" *Process Bioch.* , October (1987), 154
4. E.T. Treybal, "*Mass – Transfer Operations*" Third Ed., McGraw - Hill, New York, 1980
5. A. Guvene, "Extraction of Ethanol from Fermentation Broth with Supercritical CO<sub>2</sub>, Ph. D. Thesis", Ankara University, Tandoğan, Ankara, Turkey, (1997) 330-334
6. A. Guvene, U. Mehmetoglu, A. Calimli, "Extraction of Ethanol from Fermentation Broth Using Supercritical CO<sub>2</sub>" In : Ph.R von Rohr, Ch. Trepp (Eds.), *Proceedings of the Third International Symposium on High Pressure Chemical Engineering*, 1996, 463
7. Coenen H., "Concentration of Ethanol from Fermentation solutions by supercritical Extraction." *Energy Biomass.* , 1 (1987) 300
8. Colussi I. E., M. Fermeglia, V. Gallo, I. Kikic "Supercritical Multistaged Multicomponent Separation: Process Simulation" *Computers Chem. Engng.* , 16 (1992) 211-224
9. M. Sorner, K. H. U. Storm, "Estimation of Equation of state parameters for 1,1,1,2 -tetrafluoroe hane in a modified Benedict – Webb – Rubin equation", *Can. J. Chem. Eng.*, 73(1995), 854-861
10. J. A. Blackwell, R.W. Stringham, "Characterization of 1,1,1,2 - Tetrafluorothane and Carbon Dioxide Binary Mobile Phases with Polymeric Columns Using Linear Solvation Energy Relationships",

*Anal. Chem.*, 69, (1997), 4608-4614

- 11.A. A. Pádua, J. M. N. A. Fareleira, J. C. G. Calado, W. A. Wakeham, “Density and Viscosity Measurements of 1,1,1,2 – Tetrafluoroethane (HFC-134a) from 199K to 298K and up to 100 MPa”, *J. Chem. Eng. Data*, 41 (1996) 731-735
- 12.E. Preisegger, R. Henrici, “Refrigerant 134a E. Preisegger, R. Henrici, “Refrigerant 134a of Refrigerants”, *Int. J. Refrig.*, 15(1992)326-331
- 13.A. P. Abbott, C. A. Eardley, “Solvent Properties of Liquid and Supercritical 1,1,1,2 -Tetrafluoroethane” *J. Phys. Chem. B*, 102(1998) 8574-8578
- 14.“Aerosol Propellants-Dymel 134a“介紹資料”，美國杜邦公司提供
- 15.M. Roth, “Thermodynamic Prospects of Alternative Refrigerants as Solvent for Supercritical Fluid Extraction”, *Anal. Chem.*, 68 (1996), 447-448
- 16.G. O. Cantrell, J. A. Blackwell, “Comparison of 1,1,1,2 -Tetrafluoroethane and Carbon Dioxide of 1,1,1,2 -Tetrafluoroethane and Carbon Dioxide”, *J. Chromatography A.*, 782 (1997) 237-246
- 17.M. Sorner, K. H. U. Storm, “Estimation of equation of state parameters for 1,1,1,2-tetrafluoroethane in a modified Benedict-Webb-Rubin equation”, *Can. J. Chem. Eng.*, 73 (1995), 854-861
- 18.J. A. Blackwell, R. W. Stringham, “Characterization of 1,1,1,2-Tetrafluoroethane and Carbon Dioxide Binary Mobile Phases with Polymeric Columns Using Linear Solvation Energy Relationships”, *Anal. Chem.*, 69 (1997), 4608-4616
- 19.A. P. Abbott, C. A. Eardley, “Solvent Properties of Liquid and Supercritical 1,1,1,2-Tetrafluoroethane” *J. Phys. Chem. B*, 102(1998), 8574-8578
- 20.T. Suzuki, N. Tsuge K. Nagahama, “Supercritical Extraction of

Alcohol from Aqueous Solution Using only Carbon Dioxide”, in T. Sekine (Eds.), *Solvent Extraction*, Elsevier, New York, (1990), 1701

21.超臨界流體應用技術研討會論文集，國科會工程科技推展中心，

民國 90 年 1 月

22.J. R. Dean, B. Liu, R. Price, “Extraction of Tanshinone IIA from salvia miltiorrhiza bunge using supercritical fluid extraction and a new extraction technique, phytosol extraction”, *J. Chromatogr. A*, 799 (1998), 343-348

23.P. C. Simoes, O. J. Catchpole, “Fractionation of Lipid Mixtures by Subcritical R134a in a Packed Column”, *Ind. Eng. Chem. Res.*, 41 (2002), 267-276

24.O. J. Catchpole, K. Proells, “Solubility of Squalene, Oleic Acid, Soya oil, and Deep Sea Shark Liver Oil in Supercritical R134a from 303 to 353 K”, *Ind. Eng. Chem. Res.*, 40 (2001), 965-972

25.Y-L. Tasi, T. Yu, “Feasibility Study of Using Refrigerant 1,1,1,2-Tetrafluoroethane As the Mobile Phase in High-Speed Counter-Current Chromatography” *J. Chromatography A*, 835 (1999), 237-242

26.何靜玟, Extraction of Uranyl Complex in Refrigerant R134a, 2003

27.Bird, Stewart, Lightfoot, “Transport Phenomena”, 1960

28.Warrn L. MaCabe, Julian C. Smith, Petter Harriott, “Unit Operation”, 5<sup>th</sup> edition, 1994

29.James R. Welty, Charles E. Wicks, Robert E. Wilson, Gregory Rorrer, “Fundamentals of Momentum, Heat, and Mass Transfer”, 4<sup>th</sup> edition, 2001

30.Kujawsk W. i, “Membrane Selectivity in Pervaporation” *Sep. Sci. Tech.*

Vol.31, 1555~1571(1996)

- 31.Peterson E. S., M. L. Stone, C. J, Orme, F. F. Stewart, and R. L. Cowan “Preparation and Characterization of Membranes with Adjustable Separation Performance Using Polyphosphazene Membranes” *Sep. Sci. Tech.* Vol.32, 541~556(1997)
- 32.Feng Xianshe, Robert Y. M. Haung, “Liquid Separation by Membrane Pervaporation.” *Ind. Eng. Chem. Res.*, 36 (1997) 1048~1066
- 33.翁文爐, 廢有機溶劑回收之清潔生產—純化方法, 清潔生產雙月刊第 25 期, 88 年 8 月
- 34.Inomata H., Kondo A., Arai K., Saito S., “Phase Equilibrium Study of the Separation of Ethanol –Water solution with Supercritical CO<sub>2</sub>.” *J. Chem. Eng. Jpn.*, 23 (1990) 199-207
- 35.Hirotoshi Horizoe, Tetsuya Tanimoto, Itsuo Yamamoto, Yoshikazu Kano, “Phase Equilibrium Study for the Separation of Ethanol-Water solution Using Subcritical and Supercritical Hydrocarbon Solvent Extraction.” *Fluid Phase Equilibria*, 84 (1993) 297-320
- 36.Inomata H., Kondo A., Arai K., Saito S, “Measurement and Prediction of Phase Equilibria for the CO<sub>2</sub>-Ethanol-Water System.” *Fluid Phase Equilibria*, 53 (1989) 23-30
- 37.Furuta S., N. Ikawa, R. Fukuzato, N. Imanishi, “Extraction of Ethanol from Aqueous Solutions Using Supercritical Carbon Dioxide.” *Kagaku Kogaku Ronbunshu*, 15 (1989) 519-525
- 38.Furuta S., N. Ikawa, R. Fukuzato, “Extraction of Ethanol from Aqueous Solutions Using Compressed Carbon Dioxide.” *2<sup>nd</sup> Int. Symp. High Pressure Chemical Engineering, Erlangen (Germany)*, 24-26 (1990) 345-351
- 39.Jong Sung Lim, Youn Yong Lee, Hai Soo Chun, “Phase Equilibria for

Carbon Dioxide – Ethanol – Water System at Elevated Pressures.” *J. Supercritical Fluids*, 7 (1994) 219-230

- 40.J.S. Lim, Y.W. Lee, J.D. Kim, Y.Y. Lee, H.S. Chun, “Mass – Transfer and Hydraulic Characteristics in Spray and Packed Extraction Columns for Supercritical Carbon Dioxide – Ethanol – Water System.” *J. Supercritical Fluids*, 6 (1994), 9
- 41.N. Ikawa, Y. Nagase, T. Tada, S. Furuta, R. Fukuzato, “Separation Process of Ethanol From Aqueous Solutions Using Supercritical Carbon Dioxide.” *Fluid Phase Equilibria*, 83 (1993) 167-1740
- 42.“Swagelok 產品目錄”，美連閥門配件（股）公司提供
- 43.Inomata H., Arai. K., Saito S., “Measurement of vapor-liquid equilibria.” *Fluid Phase Equilibria*, 29 (1986) 225-232
- 44.Y. Meguro, S. Iso, T. Sasaki and Z. Yoshida, “Solubility of organophosphorous metal extractants in supercritical carbon dioxide” *Anal. Chem.*, 70 (1998) 774-779
- 45.G. Di Giacomo, V. Brandani, G. Del Re, O.E.M. Martinez, “Supercritical Extraction of Ethanol from Dilute Aqueous Solutions”, in:Second International Symposium High Pressure Chemical Engineering, 62 (1990) p.231
- 46.S. Hirohama, T. Takatsuka, S. Miyamoto, “Measurement and Correlation of Phase Equilibria for the Carbon Dioxide – Ethanol – Water System.” *J. Chem. Eng. Jpn.*, 26 (1993) 408-415
- 47.Brignole E.A., P. M. Andersen, A. Fredenslund, “Supercritical fluid Extraction of Alcohols from Water.” *Ind. Eng. Chem. Res.*, 26 (1987) 254-261
- 48.H. Inomata, K. Arai, S. Ohba, K Takeuchi, “Measurement and Prediction of Phase Equilibria for the CO<sub>2</sub> – Ethanol – Water System” *Fluid Phase Equilibria*, 53 (1989) 23

- 49.Takishima S., Saeki K., Arai K., Saito S.,“Phase equilibria for CO<sub>2</sub>-C<sub>2</sub>H<sub>5</sub>OH-H<sub>2</sub>O.” *J. Chem. Eng. Japan*, 19 (1986) 48-56
- 50.Hirohama S, Takatsuka T., Miyamoto S., Muto T., “Phase Equilibria for the Carbon Dioxide – Ethanol – Water System with Trace Amounts of Organic Components.” *J. Chem. Eng. Jpn.*, 26 (1993) 247-253
- 51.K. Suzuki, H. Sue, M. Itou, R.L. Smith, H. Inomata, K. Arai, S. Saito, “Isothermal Vapor – Liquid Equilibrium Data for Binary Systems at High Pressures:Carbon Dioxide–Methanol, Carbon Dioxide–Ethanol, Carbon Dioxide–1-Propanol, Methane–Ethanol, Methane– 1-Propanol, Ethane–Ethanol, and Ethane–1-Propanol Systems” *J. Chem. Eng. Data*, 35 (1990) p.63
- 52.Inomata H., K. Atai, S. Saito, S. Oba, K. Takeuchi, “Measurement and Correlation of Phase Equilibria for the CO<sub>2</sub> Ethanol Water System.” *Proc. 5<sup>th</sup> Int. Conf. on Fluid Properties & Phase Equilibria for Chemical Process Design*, (1989) April 30-May 5
- 53.Kander, R. G., and M. E. Paulaitis, “Alcohol-Water Separations Using Supercritical Fluid Solvents” Paper Presented at the Annual AIChE Meeting, San Francisco, C. A. November, (1984)
- 54.Paulaitis, M. E., R. G. Kander, and J. R. Diandreh, “Phase Equilibria Related to Supercritical Fluid Solvent Extractions” *Ber. Bunsenges Phys. Chem.*, Vol.88 p.869 (1990)
- 55.L. Bernad, A. Keller, D. Barth, M. Perrut, “Separation of Ethanol from Aqueous Solutions by Supercritical Carbon Dioxide – Comparison between simulations and Experiments.” *J. Supercritical Fluids*, 6 (1993) p.127
- 56.Paulaitis, M. E., M. L. Gilbert, and C. A. Nash, “Separation of Ethanol-Water Mixtures with Supercritical Fluids” Paper Presented at the 2nd World Congress of Chemical Engineers, Montreal, Canada, October (1981)

- 57.Nagase, Y., T. Tada, N. Ikawa, and R. Fukuzato, “Development of New Process of Purification and Concentration of Ethanol Solution Using Supercritical Carbon Dioxide” *The 4th International Symposium on Supercritical Fluids*, May, Sendai, Japan (1997)
- 58.Bernad G., A. Keller, D. Barth, M. Perrut, “Separation of Ethanol from Aqueous Solutions by Supercritical Carbon Dioxide:Comparison between Simulations and Experiments.” *2<sup>nd</sup> Int. Symp. On Supercritical Fluids, BOSTON (USA)*, (1991) 394-397
- 59.Kuk M.S., Montagna J.C., “Solubility of oxygenated hydrocarbons in supercritical carbon dioxide.” In “*Chemical Engineering at supercritical fluid condition.*“Ed (1983)
- 60.M.S. Kuk, J.C. Montagna, “Solubility of Oxygenated Hydrocarbon in Supercritical Carbon Dioxide, in:M.E. Paulaitis , J.M.L. Penninger , Jr. R.D. Gray. P. Davidson (Eds.).” *Chemical Engineering at Supercritical Fluid Conditions*, Ann Arbor Science, UK (1983) P.101
- 61.Kuk M. S., J. C. Montagna, M. E. Paulaitis, “Solubility of Oxygenated Hydrocarbons in Supercritical Carbon Dioxide.” *Chemical Engineering at supercritical Fluid Conditions Chap.4*, Ann Arbor Science, 101-112
- 62.R. Wiebe and V. L. Gaddy, “The Solubility of Carbon Dioxide in Water at Various Temp. From 12 to 40°C and at Pressures to 500 Atmospheres. Critical Phenomena\*” *J. Am. Chem. Soc.*, 62 (1940) 815-817
- 63.R. Wiebe and V. L. Gaddy, “The Solubility in Water of Carbon Dioxide at 50,75and 100°C, at Pressures to 700 Atmospheres.” *J. Am. Chem. Soc.*, 61 (1939) 315-318
- 64.U. Kurnaz (Mehmetoglu), “Investigation of the Ethanol Production Using the Free and Immobilized *S. Cerevisiae* in the Batch Stirred Tank Reactor and the Tubular Reactor”, Ph. D. Thesis, Hacettepe University, Beytepe, Ankara, Turkey, 1984

- 65.M. Perrut, "Aromas from Fermented and Distilled Beverages by Liquid – Fluid Fractionation."in: *Proceedings of the Forth International Symposium on Supercritical Fluids*, (1997) p.845
- 66.Nagahama K., Suzuki J, Suzuki T., "High Pressure Vapour-Liquid Equilibria for the Supercritical CO<sub>2</sub>+Ethanol+Water System." *International Symposium on Supercritical Fluids*, Nice, France (1988) p.14
- 67.Diandrehth, J., and M. E. Paulaitis, "Three Phase Liquid-Liquid-Gas Behavior in Alcohol-Water-Supercritical Fluid Systems" Paper Presented at the *Annual AIChE Meeting*, San Francisco, C. A. November, (1984)
- 68.J. Thibault, A. LeDuy, F. Cote, "Production of Ethanol by *Saccharomyces Cerevisiae* under High – Pressure conditions." *Biotechnol. Bioeng.* , 30 (1987) p.74
- 69.Y. L'Italian, J. Thibault, A. Leduy, "Improvement of Ethanol Fermentation under Hyperbaric Comditions." *Biotechnol. Bioeng.* , 33 (1987) p.471

