

參考資料

References

- Alias|Wavefront, I. (2003). *MAYA 5.0 manual*, Alias|Wavefront Inc, Toronto, Canada.
<http://www.alias.com>.
- Anders, P. (1998). *Envisioning Cyberspace: Designing 3D Electronic Spaces*, McGraw-Hill Professional Inc., New York, United States.
- Anderson, L., Esser, J., and Interrante, V. (2003). "A virtual environment for conceptual design in architecture." Proceedings of the workshop on Virtual environments 2003, ACM Press, Zurich, Switzerland, 57 - 63.
- Bimber, O. (1999). "Rudiments for a 3D freehand sketch based human-computer interface for immersive virtual environments." Proceedings of the ACM symposium on Virtual reality software and technology 99, ACM Press, London, United Kingdom, 182-183.
- Bodker, S. (1991). *Through the Interface: A Human Activity Approach to User Interface Design*, Lawrence Erlbaum Associates, New Jersey, United States.
- Bolt, R. A. (1984). "Put That There: Voice and Gesture at the Graphics Interface." the 7th annual conference on Computer Graphics and Interactive Techniques, ACM Press, Seattle, Washington, United States, 262-270.
- Boyse, J. W. (1979). "Interference detection among solids and surfaces." Communications of the ACM, ACM Press, New York, United States, 3-9.
- Burdea, G., and Richardand, P. (1996). "Multimodal Virtual Reality: Input-Output Devices, System Integration, and Human Factors." International Journal of Human-Computer Interaction (IJHCI), Lawrence Erlbaum Associates, Inc., Maryland, United States, 5-24.
- Buxton, W., and Myers, B. (1986). "A Study in Two-Handed Input." the ACM's Special Interest Group on Computer-Human Interaction 86, ACM Press, Massachusetts, United States, 321-326.
- Cassidy, A., Hook, D., and Baliga, A. (2002). "Hand Tracking Using Spatial Gesture Modeling and Visual Feedback for a Virtual DJ System." *the 4th IEEE International Conference on Multimodal Interfaces*, 197-205.
- Corel, I. (2003). *painter 8.0 manual*, Corel, Inc., Ottawa, Ontario, Canada.
<http://www.corel.com/>.
- Discreet, I. (2003). *3DSMAX 6.0 manual*, Discreet, Inc., Montreal, Quebec, Canada.
<http://www.discreet.com/>.
- Donath, D. (1999). "Using Immersive Virtual Reality Systems for Spatial Design in Architecture." the Added Value of Computer Aided Architectural Design(AVCAAD), AVOCAAD Conference, Brussels, Belgium, 307-318.
- Foley, J. D. (1987). "Interfaces for Advanced Computing." Scientific American, 126-135.

- Gross, M. D., and Kemp, A. (2001). "Gesture Modelling-Using Video to Capture Freehand Modeling Commands." CAAD Futures, Eindhoven, Netherlands, 271-284.
- Hoskins, E. M. (1979). "Design development and description using 3D box geometries." Computer Aided Design 11(6), 329-336.
- Huang, T. S., and Pavlovic, V. I. (1995). "Hand gesture modeling, analysis, and synthesis." International Workshop on Automatic Face- and Gesture-Recognition (IWAFGR), Zurich, Switzerland, 77-89.
- Joseph, G., and Stuart, K. (1998). "Three dimensional software modelling." Proceedings of the 20th international conference on Software engineering, IEEE Computer Society, Kyoto, Japan, 105 - 114.
- Kalawsky, R. S. (1993). *The Science of Virtual Reality and Virtual Environments: A Technical, Scientific and Engineering Reference on Virtual Environments*, Addison Welsey, Massachusetts, United States.
- Lai, I.-C., and Chang, T.-W. (2003). "Companying physical space with virtual space a co-existence approach." Computer-Aided Architectural Design Research in Asia(CAADRIA), Bangkok, Thailand, 359-370.
- Lee, C., Ghyme, S., Park, C., and Wohn, K. (1998). "The control of avatar motion using hand gesture." the ACM symposium on Virtual reality software and technology, ACM Press, Taipei, ROC, 59 - 65.
- Liang, J.-H. (1997). *A Real-time Continuous Gesture Recognition System for Taiwanese Sign Language*, Institute of Information & Computing Machinery, Taipei, ROC.
- Melianthe, K. (2000). *Planning and Directing Motion Capture for Games*, CMP Media Inc., London, the United Kingdom.
- Nemeth, C. (1984). *Maestro: A Gesture Recognition System*, Institute of Design, Chicago, Illinois, United States.
- Ohbuko, R. (1999). "JoyToKey V3.96." Ryo Ohbuko, Tokyo, Japan.
- Ouyang, M. (1996). *The Technical Nucleus and Future Develop of Virtual reality*, Institute of Information & Computing Machinery, Taipei, ROC.
- RadioZity, I. (2003). "Form.Z 4.0 manual." RadioZity, Inc., Columbus, Ohio, USA.
- Raskin, J. (1999). *The Humane Interface:New Directions for Designing Interactive Systems*, Addison-Wesley Professional, San Francisco, United States.
- Regenbrecht, H., Kruijff, E., Donath, D., Seichter, H., and Beetz, J. (1993). "VRAM - A Virtual Reality Aided Modeller, In Promise and Reality: State of the Art versus State of Practice in Computing for the Design and Planning Process." Education in Computer Aided Architectural Design in Europe (eCAADe), Eindhoven, the United Kingdom, 235-237.
- Siegfried, T. (1994). *User Interface Design: A Structured Approach (Languages and Information Systems)*, Plenum Publishing Corporation, New York, United States.
- Simeon, K., and Peter, R. (1998). "The use of gestures in multimodal input." the third international

- ACM conference on Assistive technologies, ACM Press, California, United States, 35 - 42.
- Sturman, D. J., Zeltzer, D., and Pieper, S. (1989). "Hands-on interaction with virtual environments." *the 2nd annual ACM SIGGRAPH symposium on User interface software and technology*, 19 - 24.
- Tamotsu, M., and Naomasa, N. (1994). "Direct and intuitive input device for 3-D shape deformation." *Proceedings of the SIGCHI conference on Human factors in computing systems: celebrating interdependence*, ACM Press, Boston, Massachusetts, United States, 465 - 470.
- Vince, J. (1995). *Virtual Reality System*, Addison Wesley, Massachusetts.
- William, R. S., and Craig, A. B. (2002). *Understanding Virtual Reality: Interface, Application, and Design*, Morgan Kaufmann Publishers Inc, San Francisco, California, United States.
- Zimmerman, T. G., Lanier, J., Blanchard, C., Bryson, S., and Harvill, Y. (1986). "A hand gesture interface device." *Proceedings of the SIGCHI/GI conference on Human factors in computing systems and graphics interface*, 189 - 192.

