


References

A

1. Ajayan, P. M., "Handbook of Nanostructured Materials and Nanotechnology", Ed. by H. S. Nalwa, Vol. 5, Academic Press, San Diego (2000) p. 377.
2. Alvarez, L., T. Guillard, J.L. Sauvajol, G. Flamant and D. Laplaze, "Growth mechanisms and diameter evolution of single wall carbon nanotubes", Chem. Phys. Lett. 342 (2001) 7-14.
3. Ando, Y., X. L. Zhao, K. Hirahara, K. Suenaga, S. Bandow and S. Iijima, "Mass production of single-wall carbon nanotubes by the arc plasma jet method", Chem. Phys. Lett. 323 (2000) 580-585.
4. Ando, Y., X. L. Zhao, H. Kataura, Y. Achiba, K. Kaneto, M. Tsuruta, S. Uemura and S. Iijima, "Multiwalled carbon nanotubes prepared by hydrogen arc", Dia. Relat. Mater. 9 (2000) 847-851.
5. Ando, Y., X. L. Zhao, S. Inoue and S. Iijima, "Mass production of multiwalled carbon nanotubes by hydrogen arc discharge", J. Cryst. Grow. 237-239 (2002) 1926-1930.
6. Ando, Y., X. L. Zhao, K. Hirahara, K. Suenaga, S. Bandow and S. Iijima, "Arc plasma jet method producing single-wall carbon nanotubes", Dia. Relat. Mater. 10 (2001) 1185-1189.
7. Andreyev, P., "垂直磁記錄技術使硬碟容量進入10倍成長時代", 電子工程專輯 11 (2005).




B

8. Bacsa, R. R., Ch. Laurent, A. Peigney, W. S. Basca, Th. Vaugien, A. Rousset, Chem. Phys. Lett. 323 (2000) 566.
9. Bae, J. C., Y. J. Yoon, S-J Lee, K. M. Song and H. K. Baik, "Diameter control of single-walled carbon nanotubes by plasma rotating electrode process", Carbon 40 (2002) 2905-2911.
10. Baker, R. T. K., M. A. Barber, P. S. Harris, F. S. Feates and R. J. Waite, "Nucleation and growth of carbon deposits from the nickel catalyzed decomposition of acetylene", J. Catal. 26 (1972) 51-62.
11. Baker, R. T. K., "Catalytic growth of carbon filaments", Carbon 27 (1989) 315-323.
12. Bernholc, J., C. Brabec, M. B. Nardelli, A. Maiti, C. Roland and B. I. Yakobson, "Theory of growth and mechanical properties of nanotubes", Appl. Phys. A 67 (1998) 39-46.
13. Bethune, D. S., C. H. Kiang, M. S. deVries, G. Gorman, R. Savoy, J. Vazquez and R.

Beyes, "Cobalt-catalyzed growth of carbon nanotubes with single-atomic layer walls" Nature 363 (1993) 605-607.

14. Birkett, P. R., A. J. Cheetham, B. R. Eggen, J. P. Hare, H. W. Kroto and D. R. M. Walton, "Transition metal surface decorated fullerenes as possible catalytic agents for the creation of single walled nanotubes of uniform diameter", Chem. Phys. Lett. 281 (1997) 111-114.
15. Blazek, J., P. Spatenka, F. Pacal, Ch. Taschner, A. Leonhardt, "Computations of local electric field and electric forces acting on carbon nanotubes in a direct current plasma sheath", Thin Solid Films 489 (2005) 291-295.
16. Bond, G. C., "The role of carbon deposits in metal-catalysed reactions of hydrocarbons", Appl. Catal. A: General 149 (1997) 3-25.
17. Bower, C., W. Zhu, S. Jin and O. Zhou, "Plasma-induced alignment of carbon nanotubes", Appl. Phys. Lett. 77 (2000) 830-832.
18. Bower, C. and O. Zhou, "Nucleation and growth of carbon nanotubes by microwave plasma chemical vapor deposition", Appl. Phys. Lett. 77 (2000) 2767-2769.
19. Burstein, E., "A major milestone in nanoscale material science: the 2002 Benjamin Franklin Medal in Physics presented to Sumio Iijima", J. Franklin Insti. 340 (2003) 221-242.
20. Chang, H. L., C. H. Lin and C.T. Kuo, "Iron and cobalt silicide catalysts-assisted carbon nanostructures on the patterned Si substrates" , Thin Solid Films 420-421 (2002) 219-224.
21. Chen, C. F., C. L. Tsai and C. L. Lin., "Study of carbon nanoemitters using CO₂-CH₄ gas mixtures in triode-type field emission arrays", Dia. Relat. Mater. 11 (2002) 788-792.
22. Chen, X. H., R. M. Wang, J. Xu and D. P. Yu, "TEM investigation on the growth mechanism of carbon nanotubes synthesized by hot-filament chemical vapor deposition", Micron 35 (2004) 455-460.
23. Chhowalla, M., K. B. K. Teo, C. Ducati, N. L. Rupesinghe, G. A. J. Amaratunga, A. C. Ferrari, D. Roy, J. Robertson and W. I. Milne., "Growth process conditions of vertically aligned carbon nanotubes using plasma enhanced chemical vapor deposition", J. Appl. Phys. 90 (2001) 5308-5317.
24. Chuang, P. K., I. J. Teng, W. H. Wang and C. T. Kuo, "Growth mechanism and properties of the well-aligned-carbon-coated Si nanocones by MPCVD", Dia. Relat. Mater. 14 (2005) 1911-1915.
25. Chung, S. J., H. S. Kim, J. Jang, S. H. Lim, C. H. Lee, B. Y. Moon, SID 01 DIGEST, Society of Information Display, San Jose (2001) p. 92.

26. Chung, S., J. Hwang and J. Lee, "Conductivity of single-walled carbon nanotubes deposited by composite electric-field guided assembly (CEGA) method", Current Appl. Phys. (2006) (in press).
27. Coey, J. M. D., "Magnetism in future", J. Magn. Magn. Mater. 226-230 (2001) 2107-2112.
28. Cojocaru, C. S. , D. Y. Kim, D. Pribat, J. E. Bouré, "Synthesis of multi-walled carbon nanotubes by combining hot-wire and dc plasma-enhanced chemical vapor deposition", Thin Solid Films 501 (2006) 227-232.
29. Colbert, D. T. and R. E. Smally, "Electric effects in nanotube growth", Carbon 33 (1995) 921-924.
30. Collins, P. G. and P. Avouris, "Nanotubes for electronics", Sci. Amer., 12 (2000) 62-69.
31. Cooper, C. A. and R. J. Young, "Science and Application of Nanotubes", Ed. by D. Tomanek and R. J. Enbody, Kluwer Academic, New York (2000) p. 93.
32. Cui, H., O. Zhou and B. R. Stoner, "Deposition of aligned bamboo-like carbon nanotubes via microwave plasma enhanced chemical vapor deposition", J. Appl. Phys. 88 (2000) 6072-6074.
- 
33. Dai, H., A. G. Rinzler, P. Nikolaev, A. Thess, D. T. Colbert and R. E. Smalley, "Single-walled nanotubes produced by metal-catalyzed disproportionation of carbon monoxide", Chem. Phys. Lett. 260 (1996) 471-475.
34. Diener, M. D., N. Nichelson and J. M. Alford, "Synthesis of single-walled carbon nanotubes in flames", J. Phys. Chem. B 104 (2000) 9615-9620.
35. Dresselhaus, M.S., G. Dresselhaus, A. Jorio, A.G. S. Filho, R. Saito, "Raman spectroscopy on isolated single wall carbon nanotubes", Carbon 40 (2002) 2043-2061.
36. Ding, F., A. Rosén and K. Bolton, "Dependence of SWNT growth mechanism on temperature and catalyst particle size: Bulk versus surface diffusion", Carbon 43 (2005) 2215-2234.
37. Dittmer, S., J. Svensson and E. E. B. Campbell, "Electric field aligned growth of single-walled carbon nanotubes", Current Appl. Phys. 4 (2004) 595-598.

F

38. Fowler, R. H. and L. W. Nordheim, "Electron emission in intense electric fields", Proc. Roy. Soc., Ser. A 119 (1928) 173.


G

39. Gamaly, E.G., A.V. Rode, W. K. Maser, E. Muñoz, A. M. Benito, M. T. Martínez, G. F. de la Fuente, “Single-walled carbon nanotubes formation with a continuous CO₂-laser: experiments and theory”, *Appl. Phys. A* 70 (2000) 161-168.
40. Guo, T., P. Nikolaev, A. Thess, D. T. Colbert and R. E. Smalley, “Catalytic growth of single-walled nanotubes by laser vaporization”, *Chem. Phys. Lett.* 243 (1995) 49-54.
41. Gavillet, J., A. Loiseau, C. Journet, F. Willaime, F. Ducastelle and J. C. Charlier, “Root-growth mechanisms for single-wall carbon nanotubes”, *Phys. Rev. Lett.* 87 (2001) 275504-1~4.
42. Gavillet, J., A. Loiseau , F. Ducastelle , S. Thair , P. Bernier , O. Stephan , J. Thibault , J. C. Charlier, “Microscopic mechanisms for the catalyst assisted growth of single-wall carbon nanotubes”, *Carbon* 40 (2002) 1649-1663.
43. Gohier, A., T. M. Minea1, A. M. Djouadi, A. Granier and M. Dubosc, “Limits of the PECVD process for single wall carbon nanotubes growth”, *Chem. Phys. Lett.* 421 (2006) 242-245.
44. Gorbunov, A., O. Jost, W. Pompe and A. Graff, “Solid–liquid–solid growth mechanism of single-wall carbon nanotubes”, *Carbon* 40 (2002) 113-118.
45. Guillard, T., G. Flamant, J. F. Robert, B. Rivoire, J. Glral and D. Laplaze, “Scale up of a solar reactor for fullerene and nanotube synthesis”, *J. Sol. Energy Eng.* 124 (2002) 22-27.
46. Guillorn, M. A., G. J. Bordonaro, V. I. Merkulov, L. R. Baylor, D. H. Lowndes and M. L. Simpson, “ Fabrication of gated cathode structures using an in situ grown vertically aligned carbon nanofiber as a field emission element”, *J. Vac. Sci. Tech. B* 19 (2) (2001) 573-578.

H

47. Harris, P. J. F. (Ed.), “Carbon nanotubes and related structures”, Cambridge university press (1999) p. 16-24.
48. Height, M. J., J. B. Howard, J. W. Tester and J. B. V. Sande, “Flame synthesis of single-walled carbon nanotubes ”, *Carbon* 42 (2004) 2295-2307.
49. Helveg, S., C. Lo’pez-Cartes, J. Sehested, P. L. Hansen, B. S. Clausen, J. R. Rostrup-Nielsen, F. Abild-Pedersen and J. K. Nørskov, “Atomic-scale imaging of carbon nanofibre growth”, *Nature* 427, 29 (2004) 426-429.
50. Hiramatsu, M. , C. H. Lau, A. Bennett and J. S. Foord, “Formation of diamond and nanocrystalline diamond films by microwave plasma CVD ”, *Thin Solid Films* 407 (2002) 18-25.
51. Hsu,C. M., C. H. Lin, H. L. Chang, C. T. Kuo, “Growth of the large area

- horizontally-aligned carbon nanotubes by ECR-CVD”, Thin Solid Films 420 (2002) 225-229.
52. Hsu, C. M., C. H. Lin, H. J. Lai and C. T. Kuo, “Root growth of multi-wall carbon nanotubes by MPCVD”, Thin Solid Films 471 (2005) 140-144.
 53. Hutchison, J. L., N. A. Kiselev, E. P. Krinichnaya, A. V. Krestinin, R. O. Loutfy, A. P. Morawsky, V. E. Muradyan, E. D. Obraztsova, J. Sloan, S. V. Terekhov, D. N. Zakharov, “Double-walled carbon nanotubes fabricated by a hydrogen arc discharge method”, Carbon 39 (2001) 761-770.
 54. <http://www.applied-nanotech.com/cntproperties.htm>
 55. <http://www.flex.ee.uec.ac.jp/japanese/diamond/english/nirimcvdanim.gif>
 56. http://www.irm.umn.edu/hg2m/hg2m_d/hg2m_d.html
 57. http://www.nanocenter.nchu.edu.tw/afm/afm_1.html
 58. <http://www.plamica.snu.ac.kr/cold.htm>
- 
59. Iijima. S., “Helical microtubules of graphitic carbon”, Nature 354 (1991) 56-58.
 60. Iijima, S., P. M. Ajayan and T. Ichihashi, “Growth model for carbon nanotubes”, Phys. Rev. Lett. 69 (1992) 3100-3103.
 61. Iijima, S., and T. Ichihashi, “Single-shell carbon nanotubes of 1-nm diameter”, Nature 363 (1993) 603.
 62. Iijima, S., “Growth of carbon nanotubes”, Mat. Sci. Eng. B19 (1993) 172-180.
 63. Ikuno, T., J. T. Ryu, T. Oyama, S. Ohkura, Y. G. Baek, S. Honda, M. Katayama, T. Hirao and K. Oura, “Characterization of low temperature growth carbon nanofibers synthesized by using plasma enhanced chemical vapor deposition ”, Vacuum 66 (2002) 341-345.
 64. Iwasaki, S. and Y. Nakamura, “An analysis for the magnetization mode for high density magnetic recording”, IEEE Trans. Magn. 13 (1997) 1272–1277.
- J**
65. Jang, Y. T., J. H. Ahn, B. K. Ju, Y. H. Lee, “Lateral growth of aligned multilwalled carbon nanotubes under electric field ”, Solid State Comm. 126 (2003) 305-308.
 66. Jourdain, V., H. Kanzow, M. Castignolles, A. Loiseau, P. Bernier, “Sequential catalytic growth of carbon nanotubes”, Chem. Phys. Lett. 364 (2002) 27-33.
 67. Journet, C., L. Alvarez, V. Micholet, T. Guillard, M. L. de la Chapelle, E. Anglaret, J.

- L. Sauvajol, S. Lefrant, P. Bemier, D. Laplaze, G. Flamant, A. Loiseau, "Single wall carbon nanotubes: two ways of production ", Synthetic Metals. 103 (1999) 2488-2489.
68. Jiang, J., T. Feng, X. H. Cheng, L. Dai, G. Cao, B. Jiang, X. Wang, X. Liu, S. Zou, "Synthesis and growth mechanism of Fe-catalyzed carbon nanotubes by plasma-enhanced chemical vapor deposition", Nuclear Inst. Meth. Phys. Res. B 224 (2006) 327-332.
69. Juang, Z.Y., I. P. Chien, J. F. Lai , T. S. Lai , C. H. Tsai, " The effects of ammonia on the growth of large-scale patterned aligned carbon nanotubes using thermal chemical vapor deposition method", Dia. Relat. Mater. 13 (2004) 1203-1209.
70. Juang, Z.Y., J. F. Lai, C. H. Weng, J. H. Lee, H. J. Lai, T. S. Lai, C. H. Tsai, "On the kinetics of carbon nanotube growth by thermal CVD method", Dia. Relat. Mater. 13 (2004) 2140-2146.
71. Jung, M., K. Y. Eun, Y. J. Baik, K. R. Lee, J. K. Shin, S. T. Kim, "Effect of NH_3 environmental gas on the growth of aligned carbon nanotube in catalytically pyrolyzing C_2H_2 ", Thin Solid Films 398-399 (2001) 150-155.
72. Jung,Y. S., D. Y. Jeon, "Surface structure and field emission property of carbon nanotubes grown by radio-frequency plasma-enhanced chemical vapor deposition", Appl. Surf. Sci. 193 (2002) 129-137.
- 
73. Kaneko, T., H. Matsuoka, T. Hirata, R. Hatakeyama, K. Tohji, "Effects of strong magnetic field on carbon nanotube formation using rf glow-discharge plasma", Thin Solid Films 506-507 (2006) 259-262.
74. Kato, T., G. H. Jeong, T. Hirata, R. Hatakeyama, K. Tohji , K. Motomiya, "Single-walled carbon nanotubes produced by plasma-enhanced chemical vapor deposition", Chem. Phys. Lett. 381 (2003) 422-426.
75. Kim, H. J., J. H. Han, W. S. Yang, J. B. Yoo, C. Y. Park, I. T. Han, Y. J. Park, Y. W Jin, J. E. Jung, N. S. Lee, J. M. Kim, "Fabrication of field emission triode using carbon nanotubes ", Mater. Sci. Eng. C 16 (2001) 27-30.
76. Kim, J. M., W. B. Choi, N. S. Lee, J. E. Jung, Dia. Relat. Mater. 9 (2000) 1184.
77. Krätschmer, W., L. D. Lamb, K. Fostiropoulos and D. R. Huffman, "Solid C₆₀ : a new form of carbon", Nature 1990 (347) 354-357.
78. Kroto, H. W., J. R. Heath, S. C. O'Brien, R. F. Curl and R. E. Smally, "C₆₀: Buckminsterfullerene", Nature 318 (1985) 162-163.
79. Kumar, M. S., S. H. Lee, T. Y. Kim, T. H. Kim, S. M. Song, J. W. Yang, K. S. Nahm, E. K. Suh, "DC electric field assisted alignment of carbon nanotubes on metal electrodes", Solid-State Electro. 47 (2003) 2075-2080.

80. Kuo, C. T., C. H. Lin, A. Y. Lo, "Feasibility studies of magnetic particle-embedded carbon nanotubes for perpendicular recording media", *Dia. Relat. Mater.* 12 (2003) 799-805.

L

81. Lair, S. L., W. C. Herndon, L. E. Murr, S. A. Quinones, "End cap nucleation of carbon nanotubes", *Carbon* 44 (2006) 447-455.
82. Laplaze, D., L. Alvarez, T. Guillard, J. M. Badie, G. Flamant, "Carbon nanotubes: dynamics of synthesis processes", *Carbon* 40 (2002) 1621-1634.
83. Lee, C. J. and J. Park, "Growth model of bamboo-shaped carbon nanotube by thermal chemical vapor deposition", *Appl. Phys. Lett.* 77 (2000) 3397-3399.
84. Lee, C. J., J. Park, S. Y. Kang, J. H. Lee, "Growth of well-aligned carbon nanotubes on a large area of Co–Ni co-deposited silicon oxide substrate by thermal chemical vapor deposition", *Chem. Phys. Lett.* 323 (2000) 554-559.
85. Lee, C. J., J. H. Park, J. Park, "Synthesis of bamboo-shaped multiwalled carbon nanotubes using thermal chemical vapor deposition", *Chem. Phys. Lett.* 323 (2000) 560-565.
86. Li, W., S. Xie, W. Liu, R. Zhao, Y. Zhang, W. Zhou, G. Wang and L. Qian, "A structure model and growth mechanism for novel carbon nanotubes", *J. Mater. Sci.* 34 (1999) 2745-2749.
87. Lin, C. H., H. L. Chang, M. H. Tsai, C. T. Kuo, "Growth mechanism and properties of the large area well-aligned carbon nano-structures deposited by microwave plasma electron cyclotron resonance chemical vapor deposition", *Dia. Relat. Mater.* 11 (2002) 922-926.
88. Lin, C. H., H. L. Chang, C. M. Hsu, A. Y. Lo, C. T. Kuo, "The role of nitrogen in carbon nanotube formation", *Dia. Relat. Mater.* 12 (2003) 1851-1857.
89. Lin, C. H., S. H. Lee, C. M. Hsu, M. H. Tsai and C. T. Kuo, "Electric field induced carbon nanostructures for electronics and high surface area applications", *MRS Symp. Proc.* 766 (2003) Q11.11.1-Q11.11.6.
90. Lin, C. H., S. H. Lee, C. M. Hsu and C. T. Kuo, "Comparisons on properties and growth mechanisms of carbon nanotubes fabricated by high-pressure and low-pressure plasma-enhanced chemical vapor deposition", *Dia. Relat. Mater.* 13 (2004) 2147-2151.
91. Liu, X.W., L. H. Chan, K. H. Hong, H. C. Shih, "Effect of bias voltage on the formation of a-C:N nanostructures in ECR plasmas", *Thin Solid Films* 420-421 (2002) 212-218.
92. Liu, X., J. L. Spencer, A. B. Kaiser, W. M. Arnold, "Electric-field oriented carbon

nanotubes in different dielectric solvents”, Current Appl. Phys. 4 (2004) 125-128.

93. Liu,K., K. Jiang, C. Feng, Z. Chen, S. Fan, “A growth mark method for studying growth mechanism of carbon nanotube arrays”, Carbon 43 (2005) 2850-2856.
94. Louchev, O. A. and Y. Saito, “Nanotube self-organization: Formation by step-flow growth”, Appl. Phys. Lett. 74 (1999) 194-196.

M

95. Maiti, A., C. J. Brabec and J. Bernholc, “Kinetics of metal-catalyzed growth of single-walled carbon nanotubes”, Phys. Rev. B 55 (1997) R6097-R6100.
96. Merchan-Merchan, W., A. V. Saveliev, L. A. Kennedy, “High-rate flame synthesis of vertically aligned carbon nanotubes using electric field control”, Carbon 42 (2004) 599-608.
97. Merkulov, V. I., A. V. Melechko, M. A. Guillorn, D. H. Lowndes and M. L. Simpson, “Alignment mechanism of carbon nanofibers produced by plasma-enhanced chemical vapor deposition ”, Appl. Phys. Lett. 79 (2001) 2970-2972.
98. Merkulov, V. I., A. V. Melechko, M. A. Guillorn, D. H. Lowndes and M. L. Simpson, “Effects of spatial separation on the growth of vertically aligned carbon nanofibers produced by plasma-enhanced chemical vapor deposition”, Appl. Phys. Lett. 80 (2002) 476-478.
99. Menon, A. K. and B. K. Gupta, “Nanotechnology: A data storage perspective”, Nano. Mater. 11, 8 (1999) 965-986.

N

100. Nishide, D., H. Kataura, S. Suzuki, K. Tsukagoshi, Y. Aoyagi, Y. Achiba, “High-yield production of single-wall carbon nanotubes in nitrogen gas”, Chem. Phys. Lett. 372 (2003) 45-50.

O

101. Oberlin, A., M. Endo and T. Koyama, “Filamentous growth of carbon through benzene decomposition”, J. Crys. Grow. 32 (1976) 335-349.

P

102. Pan, C., Y. Liu, F. Cao, J. Wang, Y. Ren, “Synthesis and growth mechanism of carbon nanotubes and nanofibers from ethanol flames”, Micron 35 (2004) 461-468.
103. Park, Y. S., K. S. Kim, H. J. Jeong, W. S. Kim, J. M. Moon, K. H. An, D. J. Bae, Y. S. Lee, G. S. Park, Y. H. Lee, “Low pressure synthesis of single-walled carbon nanotubes by arc discharge”, Synthetic Metals 126 (2002) 245-251.
104. Puretzky, A. A., D. B. Geohegan, X. Fan and S. J. Pennycook, “Dynamics of

single-wall carbon nanotube synthesis by laser vaporization”, Appl. Phys. A 70 (2000) 153-160.

Q

105. Qin, L. U. and S. Iijima, “Structure and formation of raft-like bundles of single-walled helical carbon nanotubes produced by laser evaporation”, Chem. Phys. Lett. 269 (1997) 65-71.

R

106. Rao, C. N. R., B. C. Satishkumar, A. Govindaraj and M. Nath, “Nanotubes”, Chemphyschem 2 (2001) 78-105.
107. Rinzler, A. G., J. Liu, H. Dai, P. Nikolaev, C. B. Huffman, F. J. Rodriguez-Macias, P. J. Boul, A. H. Lu, D. Heymann, D. T. Colbert, R. S. Lee, J. E. Fischer, A. M. Rao, P. C. Eklund, R. E. Smalley, “Large-scale purification of single-wall carbon nanotubes: process, product, and characterization”, Appl. Phys. A 67 (1998) 29-37.

S

108. Saito, R., M. Fujita, G. Dresselhaus and M. S. Dresselhaus, “Electronic structure of chiral graphene tubules”, Appl. Phys. Lett. 60 (1992) 2204-2206.
109. Saito, Y., M. Qkuda, N. Fujimoto, T. Yoshikawa, M. Tomita and T. Hayashi, “Single-wall carbon nanotubes growing radially from Ni fine particles formed by arc evaporation”, Jpn. J. Appl. Phys. 33 (1994) L526-L529.
110. Saito, Y., K. Nishikubo, K. Kawabata and T. Matsumoto, “Carbon nanocapsules and single-layered nanotubes produced with platinum-group metals (Ru, Rh, Pd, Os, Ir, Pt) by arc discharge”, J. Appl. Phys. 80, 5 (1996) 3062-3067
111. Saito, R., G. Dresselhaus and M. S. Dresselhaus, “Physical properties of carbon nanotubes”, Imperial college press (1998) p. 35-58.
112. Scott, C. D., S. Arepalli, P. Nikolaev, R. E. Smalley, “Growth mechanisms for single-wall carbon nanotubes in a laser-ablation process”, Appl. Phys. A 72 (2001) 573-580.
113. Sen, R., Y. Ohtsuka, T. Ishigaki, D. Kasuya, S. Suzuki, H. Kataura, Y. Achiba, “Time period for the growth of single-wall carbon nanotubes in the laser ablation process: evidence from gas dynamic studies and time resolved imaging”, Chem. Phys. Lett. 332 (2000) 467-473.
114. Shi, Z., Y. Lian, X. Zhou, Z. Gu, Y. Zhang, S. Iijima, L. Zhou, K. T. Yue and S. Zhang, “Mass-production of single-wall carbon nanotubes by arc discharge method”, Carbon 37 (1999) 1449-1453.
115. Shiratori, Y., H. Hiraoka, M. Yamamoto, “Vertically aligned carbon nanotubes produced by radio-frequency plasma-enhanced chemical vapor deposition at low

- temperature and their growth mechanism”, Mater. Chem. Phys. 87 (2004) 31-38.
116. Siegel, R. W., “Nanostructure science and technology”, WTEC press, USA (1999) p16.
117. Smith, D. L., “Thin-film deposition principles & practice”, McGraw-Hill (1995) p.453-555.
118. Speliotis, D. E., “Magnetic recording beyond the first 100 years”, J. Magn. Magn. Mater. 193 (1999) 29-35.
119. Srivastava, A., A. K. Srivastava and O. K. Srivastava, “Curious aligned growth of carbon nanotubes under applied electric field”, Carbon 39 (2001) 201-206.
120. Sturrock, P. A., “Plasma physics”, Cambridge university press (1994) pp. 6-17.
121. Sung, S. L., S. H. Tsai, C. H. Tseng, F. K. Chiang, X. W. Liu, and H. C. Shih, “Well-aligned carbon nitride nanotubes synthesized in anodic alumina by electron cyclotron resonance chemical vapor deposition”, Appl. Phys. Lett. 74 (1999) 197-199.
- T**
122. Tanaka, Y., and T. Hikosaka, “Perpendicular recording with high squareness CoPtCrO media”, J. Magn. Magn. Mater. 235 (2001) 253-258.
123. Teo, K. B. K., M. Chhowalla, G. A. J. Amaratunga, W. I. Milne, G. Pirio, P. Legagneux, F. Wyczisk, D. Pribat and D. G. Hasko, “Field emission from dense, sparse, and patterned arrays of carbon nanofibers”, Appl. Phys. Lett. 80 (2002) 2011-2013.
124. Tsai, S. H., C. W. Chao, C. L. Lee and H. C. Shih, “Bias-enhanced nucleation and growth of the aligned carbon nanotubes with open ends under microwave plasma synthesis ”, Appl. Phys. Lett. 74 (1999) 3462-3464.
125. Tsai, S. H., F. K. Chiang, T. G. Tasi, F. S. Shieh and H. C. Shih, “Synthesis and characterization of the aligned hydrogenated amorphous carbon nanotubes by electron cyclotron resonance excitation”, Thin Solid Films 366 (2000) 11-15.
126. Tuinstra, F. and J. L. Koenig, “Raman Spectrum on Graphite”, J. Chem. Phys. 53 (1970) 1126-1130.
- W**
127. Vander, W. R. L., T. M. Ticich and V. E. Curtis, “Flame synthesis of metal-catalyzed single-wall carbon nanotubes”, J. Phys. Chem. A104 (2000) 7209-7217.
128. Wang, X. W., H. Y. Lin, C. Long, Y. Xu, S. Zhou, D. Zhu and L. Dai, “Bamboo-like carbon nanotube produced by pyrolysis of iron (II) phthalocyanine”, Carbon 39 (2001) 1533-1536.
129. Wang, Y., Z. Zhang, H. Liu, X. Xu, G. Pan, Z. Guo, Y. Liu, X. Han and G. Lan, “The

effect of catalyst concentration on the synthesis of single-wall carbon nanotubes”, Spectro. Acta Part A 58 (2002) 2089-2095.

130. Wang, Y. Y., G. Y. Tang, F. A. M. Koeck, B. Brown, J. M. Gargilo and R. J. Nemanich, “Experimental studies of the formation process and morphologies of carbon nanotubes with bamboo mode structures”, Dia. Relat. Mater. 13 (2004) 1287-1291.
131. Wang, Y. Y., S. Gupta and R. J. Nemanich, “Role of thin Fe catalyst in the synthesis of double- and single-wall carbon nanotubes via microwave chemical vapor deposition”, Appl. Phys. Lett. 85 (2004) 2601-2603.
132. Wang, W. H., Y. R. Peng and C. T. Kuo, “Effects of buffer layer materials and process conditions on growth mechanisms of forming networks of SWNTs by microwave plasma chemical vapor deposition”, Dia. Relat. Mater. 14 (2005) 1906-1910.
133. Wei, Y. Y., G. Eres, V. I. Merkulov and D. H. Lowndes, “Effect of catalyst film thickness on carbon nanotube growth by selective area chemical vapor deposition”, Appl. Phys. Lett. 78 (2001) 1394-1396.
134. White, R. L., “The physical boundaries to high-density magnetic recording”, J. Magn. Magn. Mater. 209 (2000) 1-5.
135. Wildoer, J. W. G., L. C. Venema, A. G. Rinzler, R. E. Smalley and C. Dekker, “Electronic structure of atomically resolved carbon nanotubes”, Nature 391 (1998) 59-62.
136. Woo, Y. S., D. Y. Jeon, I. T. Han, Y. J. Park, H. J. Kim, J. E. Jung, J. M. Kim and N. S. Lee, “Structural characteristics of carbon nanorods and nanotubes grown using electron cyclotron resonance chemical vapor deposition”, J. Appl. Phys. 94 (2003) 6789-6795.
137. Woo, Y. S., D. Y. Jeon, I. T. Han, Y. J. Park, H. J. Kim, J. E. Jung, J. M. Kim and N. S. Lee, “Field emission characteristics of multiwalled carbon nanotubes grown at low temperatures using electron cyclotron resonance chemical vapor deposition”, J. Vac. Sci. Tech. B 21 (2003) 1660-1664.

Y

138. Yang, Q., C. Xiao, W. Chen, A. K. Singh1, T. Asai and A. Hirose, “Growth mechanism and orientation control of well-aligned carbon nanotubes”, Dia. Relat. Mater. 12 (2003) 1482-1487.
139. Yoon, Y. J., H. K. Baik, “Catalytic growth mechanism of carbon nanofibers through chemical vapor deposition”, Dia. Relat. Mater. 10 (2001) 1214-1217.
140. Yoon, H. J., H. S. Kang, J. S. Shin, J. S. Kim, K. J. Son, C. H. Lee, C. O. Kim, J. P. Hong, S. N. Cha, B. G. Song, J. M. Kim and N. S. Lee, “External-grid induced well-aligned carbon nanotubes grown on corning glass at extremely low temperature of about 400 °C”, Physica B 323 (2002) 344-346.

141. Yuan, L., T. Li, K. Saito, "Growth mechanism of carbon nanotubes in methane diffusion flames", Carbon 41 (2003) 1889-1896.
142. Yudasaka, M., M. Zhang, S. Iijima, "Porous target enhances production of single-wall carbon nanotubes by laser ablation", Chem. Phys. Lett. 323 (2000) 549-553.

Z

143. Zhang, Y., H. Gu and S. Iijima, "Single-wall carbon nanotubes synthesized by laser ablation in a nitrogen atmosphere", Appl. Phys. Lett. 73 (1998) 3827-3829.
144. Zhang, H., K. Chen, Y. He, Y. Zhu, Y. Chen, C. Wu, J. Wang, J. H. Liao and S.H. Liu, "Formation and Raman spectroscopy of single wall carbon nanotubes synthesized by CO₂ continuous laser vaporization", J. Phys. Chem. Solids 62 (2001) 2007-2010.
145. Zhang, H., Y. Ding, C. Wu, Y. Chen, Y. Zhu, Y. He and S. Zhong, "The effect of laser power on the formation of carbon nanotubes prepared in CO₂ continuous wave laser ablation at room temperature", Physica B 325 (2003) 224-229.
146. Zhao,X., M. Ohkohchi, H. Shimoyama, Y. Ando, "Morphology of carbon allotropes prepared by hydrogen arc discharge", J. Crys. Grow. 198-199 (1999) 934-938.
147. Zhu, H. W., X. S. Li, B. Jiang, C. L. Xu, Y. F. Zhu, D. H. Wu and X. H. Chen, "Formation of carbon nanotubes in water by the electric-arc technique", Chem. Phys.Lett. 366 (2002) 664-669.
148. 郭正次及朝春光, “奈米結構材料科學”, 全華 (2004) p. 9-20。
149. 郭正次, 林兆煮及駱安亞, “鑲埋磁性顆粒之碳奈米管在垂直磁記錄媒體應用之可行性”, 粉末冶金會刊 27, 3 (2002) 148-157。
150. 郭正次, 駱安亞, 駱伯遠及林兆煮-台灣 發明專利 193587號, 發明專利公報: 568883 號。
151. 許智明, “方向性碳奈米管之製程控制及其鈷觸媒與矽基材界面反應”, 國立交通大學材料科學與工程研究所, 碩士論文, (2002) p.43。
152. 張惠林, “含Si, N之碳基晶體及奈米結構材料之合成及其鑑定”, 國立交通大學材料科學與工程研究所, 博士論文(2002) p.121。
153. 楊志信, “垂直記錄原理”,台灣資訊儲存技術協會會刊 (2005) 1。
154. 潘扶民, “二次離子質譜術與超淺接面分析”, 奈米通訊, 第五卷第三期 (1998) 8。
155. 蔡明和, “大面積定向性奈米碳管之成長機制及性質-觸媒輔助化學氣相沉積法”, 國立交通大學材料科學與工程研究所, 碩士論文, (2001) p.48, p.68。

156. 駱安亞，“包覆磁性合金之碳奈米結構及其性質”，國立交通大學材料科學與工程研究所，碩士論文 (2002) p. 40, p.104。
157. 鄧伊茹，“用MPCVD法合成碳奈米尖錐及其他奈米結構之製程開發和場效發射性質”，國立交通大學材料科學與工程學研究所，碩士論文，(2005)。

