

References

Chapter 1

- [1.1] Wei Zhu, "Vacuum Microelectronics," John Wiley & Sons, New York, 2001
- [1.2] S. M. Sze, "Physics of semiconductor devices", 2nd ed., John-Wiley & Sons publisher, New York, p. 648, 1981.
- [1.3] R. H. Fowler and L. W. Nordheim, "Electron emission in intense field," Proc. R. SOC. A229, p. 173, 1928.
- [1.4] C. A. Spindt, I. Brodie, L. Humprey, and E. R. Westerberg, "Electrical properties of thin-film field emission cathodes with molybdenum cones," J. Appl. Phys., Vol. 47, p. 5248, 1976.
- [1.5] R. Meyer, "Recent development on microtips display at LETI," IVMC'91 Technical Digest, p. 6, 1991.
- [1.6] N. E. McGruer and K. Warner, "Oxidation-sharpened gated field emitter array process," IEEE Trans. Electron Devices, Vol. 38, No. 10, p. 488, 1991.
- [1.7] S. E. Huq and L. Chen, "Fabrication of sub-10 nm silicon tips: a new approach," J. Vac. Sci. & Technol. B, Vol. 13, No. 6, p. 2718, 1995.
- [1.8] D. W. Branston and D. Stephani, "Field emission from metal-coated Silicon tips," IEEE Trans. Electron Devices, Vol. 38, No. 10, p. 2329, 1991.
- [1.9] V. V. Zhirnov and E. I. Givargizov, "Field emission from silicon spikes with diamond coating," J. Vac. Sci. & Technol. B, Vol. 13, No. 2, p. 418, 1995.
- [1.10] J. H. Jung and B. K. Ju, "Enhancement of electron emission efficiency and stability of molybdenum field emitter array by diamond-like carbon coating," IEEE IEDM'96, p. 293, 1996.
- [1.11] P. Vaudaine and R. Meyer, "Microtips fluorescent display," IEEE IEDM'91, p. 197,

1991.

- [1.12] C. Curtin, "The field emission display," International Display Research Conference p. 12, 1991.
- [1.13] C. A. Spindt, C. E. Holland, I. Brodie, J. B. Mooney, and E. R. Westerberg, "Field-emitter array applied to vacuum fluorescent displays," IEEE Trans. Electron Devices, Vol. 36, No. 1, p. 225, 1989.
- [1.14] David A. Cathey, "Field emission displays," Information Display, p. 16, Oct., 1995.
- [1.15] "Pixtech to produce color FEDs from November," News reported in Nikkei Electronics ASIA, p. 42, Nov., 1995.
- [1.16] H. G. Kosmahl, "A wide-bandwidth high-gain small size distributed amplifier with field-emission triodes (FETRODE's) for the 10 to 300 GHz frequency range," IEEE Trans. Electron Devices, Vol. 36, No.11, p. 2715, 1989.
- [1.17] P. M. Larry, E. A. Netteshiem, Y. Goren, C. A. Spindt, and A. Rosengreen, "10 GHz turned amplifier based on the SRI thin film field emission cathode," IEEE IEDM'88, p. 522, 1988.
- [1.18] C. A. Spindt, C. E. Hollard, A. Rosengreen, and I. Brodie, "Field emitter array development for high frequency operation," J. Vac. Sci. & Technol. B, Vol. 11, p. 486, 1993.
- [1.19] C. A. Spindt, "Microfabricated field emission and field ionization sources," Surface Science, Vol. 266, p. 145, 1992.
- [1.20] T. H. P. Chang, D. P. Kern, "A scanning tunneling microscope controlled field emission micro probe system," J. Vac. Sci. & Technol. B, Vol. 9, p. 438, 1991.
- [1.21] H. H. Busta, J. E. Pogemiller, and B. J. Zimmerman, "The field emission triode as a displacement/process sensor," J. Micromech. Microeng., p. 45, 1993.
- [1.22] H. C. Lee and R. S. Huang, "A novel field emission array pressure sensor," IEEE Transducers- International Solid-State Sensors and Actuators, p. 126, 1991.

- [1.23] S. Iijima, "Helical microtubules of graphitic carbon," *Nature*, Vol. 354, p. 56, 1991.
- [1.24] D. G. Fink and D. Christiansen, *Electronic Engineering Handbook*, McGraw-Hill, New York, 1989.
- [1.25] H. Imura, S. Tsuida, M. Takahasi, A. Okamoto, H. Makishima, and S. Miyano, "Electron gun design for traveling wave tubes (TWTs) using a field emitter array (FEA) cathode," *IEEE IEDM'97*, p. 721, 1997.
- [1.26] H. Murakami, M. Hirakawa, C. Tanaka, and H. Yamakawa, "Field emission from well-aligned, patterned, carbon nanotube emitters," *Appl. Phys. Lett.*, Vol. 76, p. 1176, 2000.
- [1.27] A. M. Rao, D. Jacques, and R. C. Haddon, "In situ-grown carbon nanotube arrays with excellent field emission characteristics," *Appl. Phys. Lett.*, Vol. 76, p. 3813, 2000.
- [1.28] D. L. Carroll, X. Blasé, J. C. Charlier, S. Curran, P. Redlich, P. M. Ajayan, S. Roth, and M. Ruhle, "Effects of nanodomain formation on the electronic structure of doped carbon nanotubes," *Phys. Rev. Lett.*, Vol. 81, p. 2332, 1998.
- [1.29] W. Zhu, C. Bower, O. Zhou, G. Kochanski, and S. Jin, "Large current density from carbon nanotubes field emitters" *Appl. Phys. Lett.* 75, 873 (1999)
- [1.30] H. Murakami, M. Hirakawa, C. Tanaka, and H. Yamakawa, "Field emission from well-aligned, patterned, carbon nanotube emitters," *Appl. Phys. Lett.*, Vol. 76, p. 1176, 2000.
- [1.31] Y. M. Wang, S. Wei, W. P. Kang, J. L. Davidson, W. Hofmeister, J.H. Huang, and Y. Cui, "Carbon nanotubes field emission devices grown by thermal CVD with palladium as catalysts" *Diamond & Related Materials* 13 2004 2105– 211

Chapter 2

- [2.1] S. Iijima, "Helical microtubules of graphitic carbon," *Nature*, Vol. 354, p. 56, 1991
- [2.2] A.G. Rinzler, J.H. Hafner, P. Nikolaev, L. Lou, S.G. Kim, D. Tomanek, P. Nordlander, D.T. Colbert, R.E. Smalley, "Unraveling nanotubes: Field emission from an atomic wire," *Science* 269(1995) 1550.
- [2.3] M. M. Treacy, T. W. Ebbesen, and J. M. Gibson, "Exceptionally high Young's modulus observed for individual carbon nanotubes," *Nature (London)* **381**, 678 (1996).
- [2.4] C. Liu, Y. Y. Fan, M. Liu, H. T. Cong, H. M. Chen, and M. S. Dresselhaus, "Hydrogen Storage in Single-Walled Carbon Nanotubes at Room Temperature," *Science* **286**, 1127 (1999).
- [2.5] W. B. Choi, D. S. Chung, J. H. Kang, H. Y. Kim, Y. W. Lee, J. E. Jung, N. S. Lee, G. S. Park, and J. M. Kim, "Fully sealed, high-brightness carbon-nanotube field-emission display" *Appl. Phys. Lett.* **75**,3129 (1999)
- [2.6] S. J. Tans, A. R. M. Verschueren, and C. Dekker, "Room-temperature transistor based on a single nanotube," *Nature (London)* **393** 49 (1998)
- [2.7] Y. C. Choi, Y. M. Shin, Y.H. Lee, G. S. Park, W. B. Choi, N. S. Lee, and J. M. Kim, "Controlling the diameter, growth rate, and density of vertically aligned carbon nanotubes synthesized by microwave plasma-enhanced chemical vapor deposition," *Appl. Phys. Lett.* 76, 2367 (2000).
- [2.8] Y. Saito, K. Nishikubo, K. Kawabata, and T. Matsumoto, "Carbon nanocapsules and single-layered nanotubes produced with platinum-group metals (Ru, Rh, Pd, Os, Ir, Pt) by arc discharge.," *J. Appl. Phys.* 80, 3062 (1996)
- [2.9] J. Jiao, S. Scraphin, X. Wang, and J. C. Withers, "Preparation and properties of

- ferromagnetic carbon-coated Fe, Co, and Ni nanoparticles,” *J. Appl.* 80, 103 (1996)
- [2.10] J. M. Bonard, J.P. Salvetat, T. Stochi, W.A. de Heer, L. Forro, A. Chatelain, “Field emission from single-wall carbon nanotube films,” *Appl. Phys. Lett.* 73 (1998) 918.
- [2.11] M. P. Siegal, D. L. Overmyer, and F. H. Kaatz, “Controlling the site density of multiwall carbon nanotubes via growth condition,” *Appl. Phys. Lett.* 84 (2004) 5156
- [2.12] J. Gavillet, A. Loiseau, C. Journet, F. Willaime, F. Ducastelle, J. C. Charlier, “Root-Growth Mechanism for Single-Wall Carbon Nanotubes,” *Phys. Rev. Lett.* 87 (2001) 275504
- [2.13] M. H. Kuang, Z. L. Wang, X. D. Bai, J. D. Guo, E. G. Wang, “Catalytically active nickel {110} surfaces in growth of carbon tubular structures,” *Appl. Phys. Lett.* 76 (2000) 1225
- [2.14] M. Okai, T. Yaguchi, S. Sasaki, “Structure of carbon nanotubes grown by microwave-plasma-enhanced chemical vapor deposition,” *Appl. Phys. Lett.* 77 (2000) 3468
- [2.15] T.-Y. Kim, K.-R. Lee, K. Y. Eun, and K.-H. Oh, “Carbon nanotube growth enhanced by nitrogen incorporation,” *Chem. Phys. Lett.* 372 (2003) 603-607
- [2.16] M. Jung, K. Y. Eun, J.-K. Lee, Y.-J. Baik, K.-R. Lee, J.-K. Shin, S.-T. Kim, “Effect of NH_3 environmental gas on the growth of aligned carbon nanotube in catalytically pyrolyzing C_2H_2 ,” *Thin solid films* 398-399 (2001) 150.
- [2.17] C. J. Lee, K. H. Son, J. Park, J. E. Yoo, Y. Huh, J. Y. Lee, “Low temperature growth of vertically aligned carbon nanotubes by thermal chemical vapor deposition,” *Chem. Phys. Lett.* 338 (2001) 113
- [2.18] V. Kayastha, Y. K. Yap, S. Dimovski and Y. Gogotsi, “Controlling dissociative adsorption for effective growth of carbon nanotubes,” *Appl. Phys. Lett.* 85 (2004) 3265
- [2.19] E. I. Givargizov, in *Current Topics In Materials Science*, edited by E. Kaldis

(North-Holland, Amsterdam 1978), Vol. I, Chap. 3.

- [2.20] W. Lei, B. P. Wang, H. C. Yin, Y. X. Wu, and C. Z. Chang, "Influence of the fringe field and the field interaction on the emission performance of a diode emitter array," Nuclear Ins. and Methods in Phys. Research A, Vol. 451, p. 389, 2000.
- [2.21] N. V. Egorov, and A. A. Almazov, "Optimization of multi-tip field emission electron source," Vacuum, Vol. 52, p. 295, 1999.
- [2.22] O. Groning, O. M. Kuttel, C. Emmenegger, P. Groning, and L. Schlapbach, "Field emission properties of carbon nanotubes," J. Vac. Sci. & Technol. B, Vol. 18, No. 2, p. 665, 2000.
- [2.23] L. Delzeit, C. V. Nguyen, B. Chen, R. Stevens, A. Cassel, Jie Han, and M. Meyyappan, "Multiwalled Carbon Nanotubes by Chemical Vapor Deposition Using Multilayered Metal Catalysts," J. Phys. Chem. B 2002, 106, 5629-5635
- [2.24] K. M. Lee, H. J. Han, S. Choi, K. H. Park, S. Oh, S. Lee, and Ken Ha Koh, "Effects of metal buffer layers on the hot filament chemical vapor deposition of nanostructure carbon films," J. Vac. Sci. Technol. B 21(1) 623 (2003)
- [2.25] Y. H. Wang, J. Lin, C. H. A. Huan, "Macroscopic field emission properties of aligned carbon nanotubes array and randomly oriented carbon nanotubes layer," Thin Solid Films 405 (2002) 243-247
- [2.26] G. S. Choi, Y. S. Cho, S. Y. Hong, J. B. Park, K. H. Son, D. J. Kim, "Carbon nanotubes synthesized by Ni-assisted atmospheric pressure thermal chemical vapor deposition," J. Appl. Phys. 91 (2002) 3847

Chapter 3

- [3.1] Wei Zhu, "Vacuum Microelectronics," Jihn Wiley & Sons, New York, 2001
- [3.2] C. Bower, D. Shalom, W. Zhu, "A micromachined vacuum triode using a carbon nanotube cold cathode," IEEE Transactions on Electron Devices, Vol. 49, No. 8, August 2002.
- [3.3] M.Meyyappan, "Carbon Nanotubes Science And Applications" CRC PRESS, 2005.
- [3.4] P. G. Collins and A. Zettl, "A simple and robust electron beam source from carbon nanotubes" Appl. Phys. Lett. Vol. 69, p.1969, 1996.
- [3.5] Q. H. Wang, T. D. Corrigan, J. Y. Dai and R. P. H. Chang, "Field emission from nanotube bundle emitters at low fields" Appl. Phys. Lett. Vol. 70, p.3308, 1997.
- [3.6] Z. F. Ren, Z. P. Huang, J. W. Xu, J. H. Wang, P. Bush, M. P. Siegal, and P. N. Provencio, "Synthesis of Large Arrays of Well-Aligned Carbon Nanotubes on Glass" Science vol. 282, p.1105, 1998.
- [3.7] J. M. Bonard, J. P. Salvetat, T. Stockli, W. A. de Heer, L. Forro, and A. Chatelain," Field emission from single-wall carbon nanotube films" Appl. Phys. Lett. Vol. 73, p.918, 1998.
- [3.8] A. G. Rinzler, J. H. Hafner, P. Nikolaev, L. Lou, S. G. Kim, D. Tomanek, P. Nordlander, D. T. Colbert, and R. E. Smalley, "Unraveling nanotubes: field

emission from an atomic wire,” *Science*, Vol. 269, p. 1550, 1995.

- [3.9] S. Dimitrijevic, J. C. Withers, V. P. Mammana, O. R. Monteiro, J. W. Ager III, and I. G. Brown , “Electron emission from films of carbon nanotubes and ta-c coated nanotubes,” *Appl. Phys. Lett.*, Vol. 75, p. 2680, 1999.
- [3.10] A. N. Obraztsov, I. Pavlovsky, A. P. Volkov, E. D. Obraztsova, A. L. Chuvilin, and V. L. Kuznetsov, “Aligned carbon nanotube films for cold cathode applications,” *J. Vac. Sci. & Tech. B*, Vol. 18, No. 2, p. 1059, 2000.
- [3.11] O. Groning, O. M. Kuttel, Ch. Emmenegger, P. Groning, and L. Schlapbach, “Field emission properties of carbon nanotubes,” *J. Vac. Sci. & Tech. B*, Vol. 18, No. 2, p. 665, 2000.
- [3.12] Y. J. Yoon and H. K. Baik, “Synthesis of carbon nanotubes by chemical vapor deposition for field emitters” *J. Vac. Sci. & Tech. B*, Vol. 19, No. 1, p. 27, 2001.
- [3.13] M. R. Chiang, K. S. Liu, T. S. Lai, C. H. Tsai, H. F. Cheng, and I. N. Lin, “Electron field emission properties of pulsed laser deposited carbon films containing carbon nanotubes,” *J. Vac. Sci. & Tech. B*, Vol. 19, No. 3, p. 1034, 2001.
- [3.14] Q. H. Wang, T. D. Corrigan, J. Y. Dai, and R. P. H. Chang, “Field emission from nanotube bundle emitters at low fields,” *Appl. Phys. Lett.*, Vol. 70, p. 3308, 1997.
- [3.15] J. I. Sohn, S. Lee, Y. H. Song, and K. S. Nam, “Patterned selective growth of carbon nanotubes and large field emission from vertically well-aligned carbon nanotube

field emitter arrays,” Appl. Phys. Lett., Vol. 78, p. 901, 2001.

- [3.16] C. C. Tsai, “Study of Lateral Field Emission Devices Based on Carbon Nanotubes” NCTU, degree of master, 2003.



簡 歷

姓 名: 張 耀 仁

性 別: 男

生 日: 民國七十年四月二十日

籍 貫: 台南市

地 址: 台南市安平區建平六街九十巷 11 弄 9 號

學 歷: 台南市立第一高級中學

(85 年 9 月~88 年 6 月)

私立長庚大學電子工程學系

(88 年 9 月~92 年 6 月)

國立交通大學電子工程研究所碩士班

(92 年 9 月~94 年 7 月)


論文題目: 藉由密度控制以提高真空微電子用之奈米碳管之場發射特性

**Improvement of the Field Emission Characteristics of the
Carbon Nanotubes via the Density Control for Micro Electronics
Applications**

Publication Lists

International and Local Conferences:

- [1] Rui-Ling Lai, **Yao-Ren Chang**, Chuan-Ping Juan, Tsung-Ying Chuang, Kao-Chao Lin, Jiun-Lai Shiu, Han-Chung Tai, Kuei-Hsien Chen, Li-Chyong Chen and Huang-Chung Cheng, “Improvement of Breakdown Field of Carbon Nanotubes by a Ti-Capping Layer on Catalyst Nanoparticles”, in *International Conference on Solid State Devices and materials (SSDM)* , 2005 (*post*)
- [2] Chuan-Ping Juan, Chun-Chien Tsai, Chen-Yu Hsieh, **Yao-Ren Chang**, Tsung-Ying Chuang, Kao-Chao Lin, Rui-Ling Lai, Kuei-Hsien CHEN, Li-Chyong. CHEN and Huang-Chung CHENG “Fabrication and Characterization of Lateral Field Emission Device Based On Carbon Nanotubes”, in *International Conference on Solid State Devices and materials (SSDM)* , 2004 (*oral*)



專利申請

- [1] “改善奈米材料之場發射電性應用於真空微電子元件與顯示設備上” 申請中