

# References

## Chapter 1

- [1.1] J. Bardeen and W. H. Brattain, *Phys. Rev.* **74**, 230 (1948)
- [1.2] R. N. Noyce, US Patent 2,981,877 (1959)
- [1.3] S. M. Sze, "Physics of semiconductor devices", 2nd ed., John-Wiley & Sons publisher, New York, p. 648, 1991.
- [1.4] R. H. Fowler and L. W. Nordheim, "Electron emission in intense field," *Proc. R. SOC. A* **229**, p. 173, 1928.
- [1.5] C. A. Spindt, I. Brodie, L. Humpnrey, and E. R. Westerberg, "Electrical properties of thin-film field emission cathodes with molybdenum cones," *J. Appl. Phys.*, Vol. 47, p. 5248, 1976.
- [1.6] R. Meyer, "Recent development on microtips display at LETI," *IVMC'91 Technical Digest*, p. 6, 1991.
- [1.7] N. E. McGruer and K. Warner, "Oxidation-sharpened gated field emitter array process," *IEEE Trans. Electron Devices*, Vol. 38, No. 10, p. 488, 1991.
- [1.8] S. E. Huq and L. Chen, "Fabrication of sub-10 nm silicon tips: a new approach," *J. Vac. Sci. & Technol. B*, Vol. 13(6), p. 2718, 1995.
- [1.9] D. W. Branston and D. Stephani, "Field emission from metal-coated Silicon tips," *IEEE Trans. Electron Devices*, Vol. 38, No. 10, p. 2329, 1991.
- [1.10] V. V. Zhirnov and E. I. Givargizov, "Field emission from silicon spikes with diamond coating," *J. Vac. Sci. & Technol. B*, Vol. 13(2), p. 418, 1995.
- [1.11] J. H. Jung and B. K. Ju, "Enhancement of electron emission efficiency and stability of molybdenum field emitter array by diamond-like carbon coating," *IEEE IEDM'96*, p. 293, 1996.

- [1.12] P. Vaudaine and R. Meyer, "Microtips fluorescent display," IEEE IEDM'91, p. 197, 1991.
- [1.13] C. Curtin, "The field emission display," International Display Research Conference p. 12, 1991.
- [1.14] C. A. Spindt, C. E. Holland, I. Brodie, J. B. Mooney, and E. R. Westerberg, "Field-emitter array applied to vacuum fluorescent displays," IEEE Trans. Electron Devices, Vol. 36, No. 1, p. 225, 1989.
- [1.15] David A. Cathey, "Field emission displays," Information Display, p. 16, Oct., 1995.
- [1.16] "Pixtech to produce color FEDs from November," News reported in Nikkei Electronics ASIA, p. 42, Nov., 1995.
- [1.17] H. G. Kosmahl, "A wide-bandwidth high-gain small size distributed amplifier with field-emission triodes (FETRODE's) for the 10 to 300 GHz frequency range," IEEE Trans. Electron Devices, Vol. 36, No.11, p. 2715, 1989.
- [1.18] P. M. Larry, E. A. Netteshiem, Y. Goren, C. A. Spindt, and A. Rosengreen, "10 GHz turned amplifier based on the SRI thin film field emission cathode," IEEE IEDM'88, p. 522, 1988.
- [1.19] C. A. Spindt, C. E. Hollard, A. Rosengreen, and I. Brodie, "Field emitter array development for high frequency operation," J. Vac. Sci. & Technol. B,



Vol. 11, p. 486, Mar./Apr., 1993.

- [1.20] C. A. Spindt, "Microfabricated field emission and field ionization sources,"  
Surface Science, Vol. 266, p. 145, 1992.
- [1.21] T. H. P. Chang, D. P. Kern, et al., "A scanning tunneling microscope  
controlled field emission micro probe system," J. Vac. Sci. & Technol. B,  
Vol. 9, p. 438, Mar./Apr., 1991.
- [1.22] H. H. Busta, J. E. Pogemiller, and B. J. Zimmerman, "The field emission  
triode as a displacement/process sensor," J. Micromech. Microeng., p. 45,  
1993.
- [1.23] H. C. Lee and R. S. Huang, "A novel field emission array pressure sensor,"  
IEEE Transducers- International Solid-State Sensors and Actuators, p. 126,  
1991.
- [1.24] D.G. Fink and D. Christiansen, Electronic Engineering Handbook,  
Mcgraw-Hill, New York, 1989.
- [1.25] H. Imura, S. Tsuida, M. Takahasi, A. Okamoto, H. Makishima, and S. Miyano,  
"Electron gun design for traveling wave tubes (TWTs) using a field emitter  
array (FEA) cathode," IEEE IEDM'97, p. 721, 1997.
- [1.26] R. E. Burgess, H. Kroemer, and J. M. Honston, "Corrected value of  
Fowler-Norheim field emission function  $v(y)$  and  $s(y)$ ," Phys. Rev., Vol. 1,  
No. 4, p. 515, May, 1953.
- [1.27] R. B. Marcus, T. S. Ravi, T. Gmitter, H. H. Busta, J. T. Niccum, K. K. Chin,

and D. Liu, "Atomically sharp silicon and metal field emitters," IEEE Trans. Electron Devices, Vol. 38, p. 2289, 1991.

[1.28] S. Itoh, T. Watanabe, T. Yamaura, and K. Yano, "A challenge to field emission displays," in Proc. Asia Display, Oct. 1995, pp. 617–620.

[1.29] C. A. Spindt, I. Brodie, L. Humphrey, and E. R. Westerberg, "Physical properties of thin-film field emission cathodes with molybdenum cones," J. Appl. Phys., vol. 47, no. 12, pp. 5248–5263, 1976.

[1.30] R. Meyer, A. Ghis, P. Rambaud, and F. Muller, "Microtips fluorescent display," in Proc. Japan Display, Sept./Oct. 1986, pp. 512–515.

[1.31] S. Itoh AND M. Tanaka, "Current Status of Field-Emission Displays",  
PROCEEDINGS OF THE IEEE, VOL. 90, NO. 4, APRIL 2002

[1.32] M. Ding, H. Kim, and A. I. Akinwande" Highly Uniform and Low Turn-On Voltage Si Field Emitter Arrays Fabricated Using Chemical Mechanical Polishing", IEEE ELECTRON DEVICE LETTERS, VOL. 21, NO. 2, FEBRUARY 2000

[1.33] X. Xu and G. R. Brandes, "A method for fabricating large-area, patterned, carbon nanotube field emitters," Appl. Phys. Lett., Vol. 74, p. 2549, 1999.

[1.34] A. M. Rao, D. Jacques, and R. C. Haddon, "In situ-grown carbon nanotube arrays with excellent field emission characteristics," Appl. Phys. Lett., Vol. 76, p. 3813, 2000.

- [1.35] H. Murakami, M. Hirakawa, C. Tanaka, and H. Yamakawa, "Field emission from well-aligned, patterned, carbon nanotube emitters," *Appl. Phys. Lett.*, Vol. 76, p. 1176, 2000.
- [1.36] W. B. Choi, D. S. Chung, J. H. Kang, H. Y. Kim, Y. W. Jin, I. T. Han, Y. H. Lee, J. E. Jung, N. S. Lee, G. S. Park, and J. M. Kim, "Fully sealed, high-brightness carbon-nanotube field-emission display," *Appl. Phys. Lett.*, Vol. 75, p. 3129, 1999
- [1.37] Tetsuya Shiroishi, Takao Sawada, and Shuhei Nakata, "Low-temperature growth of carbon nanotubes by thermal chemical vapor deposition with FeZrN catalyst," *J. Vac. Sci. Technol. B*22(4), Jul/Aug 2004
- [1.38] Z. Y. Chuang, "The study of growth mechanism of carbon nanotubes using thermal pyrolysis chemical vapor deposition method," NTHU, doctor thesis, 2004
- [1.39] Hyung Soo Uh and Sang Sik Park, "Hydrogen plasma pretreatment on field emission properties of multi-walled carbon nanotubes grown by MPECVD," *Journal of The Electrochemical Society*, 151 (7) H164-H168 (2004)

## Chapter 2

- [2.1] Tetsuya Shiroishi, Takao Sawada, and Shuhei Nakata, "Low-temperature growth of carbon nanotubes by thermal chemical vapor deposition with FeZrN catalyst," *J. Vac. Sci. Technol. B* 22(4), Jul/Aug 2004
- [2.2] J.H. Yen, I.C. Leu, C.C. Lin, M.H. Hon, "Effect of catalyst pretreatment on the growth of carbon nanotube," *Diamond and Related materials* 13 (2004) 1237-1241
- [2.3] Hyung Soo Uh, Soo Myun Lee, Pil Goo JEon, "Slective growth of carbon nanotubes and their application to triode-type field emitter arrays," *Thin Solid Films* 462-463 (2004) 19-23
- [2.4] M. Perez-Cabero, E. Romeo, C. Royo, "Growing mechanism of CNTs: a kinetic approach," *Journal of Catalysis* 224 (2004) 197-205
- [2.5] T. J. Vink, M. Gillies, J. C. Kriege, "Enhanced field emission from printed carbon nanotubes by mechanical surface modification," *Appl. Phys. Lett.*, Vol. 83, No. 17, 27 October 2003
- [2.6] Li YuKui, Zhu Changchun, Liu Xinghui, "Field emission display with carbon nanotubes cathode: prepared by a screen-printing process," *Diamond and Related Materials* 11 (2002) 1845-1847
- [2.7] Tetsuya Shiroishi, Takao Sawada, and Shuhei Nakata, "Low-temperature growth of carbon nanotubes by thermal chemical vapor deposition with FeZrN catalyst," *J. Vac. Sci. Technol. B* 22(4), Jul/Aug 2004
- [2.8] Y. J. Li, Z. Sun, S. P. Lau, "Carbon nanotube films prepared by thermal chemical vapor deposition at low temperature for field emission applications," *Appl. Phys. Lett.*, Vol 79, No. 11, 10 September 2001
- [2.9] Y. J. Park, I. T. Han, H. J. Kim, "Effect of catalytic layer thickness on growth and field emission characteristics of carbon nanotubes synthesized at low

- temperature using thermal chemical vapor deposition,” Jpn. J. Appl. Phys. Vol. 41 (2002) 4679-4685
- [2.10] K. Kamada, T. Ikuno, S. Takahashi, “Surface morphology and field emission characteristics of carbon nanofiber films by chemical vapor deposition on alloy catalyst,” Applied Surface Science 212-213 (2003) 383-387
- [2.11] C. J. Lee, K.H. Son, J.Park, “Low temperature growth of vertically aligned carbon nanotubes by thermal chemical vapor deposition,” Chemical Physics Letters 338 (2001) 113-117
- [2.12] M. P. Siegal, D. L. Overmyer, F. H. Kaatz, “Controlling the site density of multiwalled carbon nanotubes via growth conditions,” Appl. Phys. Lett., Vol. 84, No. 25, 21 June 2004
- [2.13] Y. C. Lan, C. T. Lee, Y. Hu, “Simulation study of carbon nanotube field emission display with under-gate and planar-gate structures,” J. Vac. Sci. Technol. B 22 (3), May/June 2004
- [2.14] Y. S. Choi, J. H. Kang, H. Y. Kim, “A simple structure and fabrication of carbon-nanotube field emission display,” Applied Surface Science 221 (2004) 370-374
- [2.15] H. S. Uh, S. M. Lee, P. G. Jeon, “Selective growth of carbon nanotubes and their application to triode-type field emitter arrays,” Thin Solid Films 462-463 (2004) 19-23
- [2.16] S. G. Yu, W. Yi, J. Lee, “Energy distribution for undergate-type triode carbon nanotube field emitters,” Appl. Phys. Lett., Vol. 80, No. 21, 27 May 2002
- [2.17] W. B. Choi, D. S. Chung, J.H. Kang, “Fully sealed, high-brightness carbon-nanotube field-emission display,” Appl. Phys. Lett., 75 (1999) 3129-3131
- [2.18] Y. S. Choi, J. H. Kang, Y. J. Park, “An under-gate triode structure field

emission display with carbon nanotube emitters,” *Diamond and Related Materials* 10 (2001) 1705-1708

[2.19] J. E. Jung, Y. W. Jin, J. H. Choi, “Fabrication of triode-type field emission displays with high-density carbon-nanotube emitter arrays,” *Physica B* 323 (2002) 71-77

[2.20] Massalski, Thaddeus B., Murray, Joanne L., Baker, Hugh, Kacprzak, Linda ed., “Binary alloy phase diagrams,” Metals Park, Ohio/American Society for Metals/1986

[2.21] Y. Huh, J. Y. Lee, C. J. Lee, “Growth of vertically carbon nanotube emitters on patterned silicon trenches for field emission applications,” *Thin Solid Films* 475 (2005) 267-270





## Chapter 4

- [4.1] J. H. Yen, I. C. Leu, C. C. Lin, "Effect of catalyst pretreatment on the growth of carbon nanotube," *Diamond and Related materials* 13 (2004) 1237-1241
- [4.2] F. A Lindemann, *Z. Phys.* 11, (1910) 609
- [4.3] Q. Jiang, N. Aya, F. G. Shi, "Nanotube size-dependent melting of single crystals in carbon nanotubes," *Appl. Phys. A* 64, (1997) 627
- [4.4] J. H. Huang, C. C. Chung, C. H. Tsai, "Effect of nickel thickness and microwave power on the growth of carbon nanotubes by microwave-heated chemical vapor deposition," *Microelectronic Engineering* 66 (2003) 10-16
- [4.5] Y. J. Park, I. T. Han, H. J. Kim, "Effect of catalytic layer thickness on growth and field emission characteristics of carbon nanotubes synthesized at low temperature using thermal chemical vapor deposition," *Jpn. J. Appl. Phys.* Vol. 41 (2002) 4679-4685 Part 1, No. 7A, July 2002
- [4.6] M. Perez-Cabero, E. Romeo, C. Royo, "Growing mechanism of CNTs: a kinetic approach," *Journal of Catalyst* 224 (2004) 197-205
- [4.7] C. Ducati, I. Alexandrou, M. Chhowalla, "Temperature selective growth of carbon nanotubes by chemical vapor deposition," *J. Appl. Phys.* Vol. 92, No. 6 15 September 2002
- [4.8] J. S. Kim, K. S. Ahm, C. O. Kim, "Ultraviolet laser treatment of multiwall carbon nanotubes grown at low temperature," *Appl. Phys. Lett.* 82 (2003) 1607
- [4.9] Y. C. Choi, D. W. Kim, T. J. Lee, "Growth mechanism of vertically aligned carbon nanotubes on silicon substrates," *Synthetic Metals* 117 (2001) 81-86
- [4.10] Y. T. Jang, C. H. Choi, B. K. Ju, "Fabrication and characteristics of field emitter using carbon nanotubes directly grown by thermal chemical vapor

- deposition,” *Thin Solid Films* 436 (2003) 298-302
- [4.11] J. M. Ting, K. H. Liao, “Low-temperature, nonlinear rapid growth of aligned carbon nanotubes,” *Chemical Physics Letters* 396 (2004) 496-472
- [4.12] H. S. Uh, S. M. Lee, P. G. Jeon, “Selective growth of carbon nanotubes and their application to triode-type field emitter arrays,” *Thin Solid Films* 462-463 (2004) 19-23
- [4.13] J. S. Suh, K. S. Jeong, J. S. Lee, “Study of the field-screening effect of highly ordered carbon nanotube arrays,” *Appl. Phys. Lett.*, Vol. 80, No. 13, 1 April 2002

