

# Reference

- [1] M.K. Leung and Y.H. Yang,"Human body motion segmentation in a complex scene", Pattern Recognition ,20:55-64,1987
- [2] C. Wren, A Azarbayejani, T. Darrel, and A. Pentland,“ Pfinder, real time tracking of the human body”,IEEE Trans. on PAMI, 19(7), Aug 1997.
- [3] C.Stauffer and W.E.L. Grimson,“Learning patterns of activity using real-time tracking”, IEEE Trans. on PAMI,22(8):747-757,Aug 2000.
- [4] X. Gao, T.E. Boult, F. Coetzee, and V. Ramesh,“Error analysis of background subtraction”, In Proceedings of International Conference on Computer Vision and Pattern Recognition, 2000.
- [5] Y.-H. Yang and M. D. Levine,“The background primal sketch: An approach for tracking moving objects” ,Machine Vision Applicat., vol. 5, pp. 17–34, 1992.
- [6] S. Jabri, Z. Duric, H. Wechsler, and A. Rosenfeld, “Detection and location of people in video images using adaptive fusion of color and edge information,” presented at the Int. Conf. Pattern Recognition, Barcelona, Spain, 2000.
- [7] Elgammal, A., Duraiswami, R., Harwood, D., Davis, L.S., “Background and foreground modeling using nonparametric kernel density estimation for visual surveillance”,Proceedings of the IEEE , Volume: 90 , Issue: 7 , pp.1151 – 1163, July 2002.
- [8] Klaus-Peter Karmann and Achim von Brandt. V Cappellini(ed.),”Time Varying Image Processing and Moving Object Recognition”,volume 2, chapter Moving Object Recognition Using an Adaptive Background Memory. Elsevier, Amsterdam,The Netherlands, 1990.

- [9] Dieter Koller, Joseph Weber, and Jitendra Malik,"Robust multiple car tracking with occlusion reasoning",In *ECCV*, pp.189–196, Stockholm, Sweden, May 1994.
- [10] K. Toyama, J. Krumm, B. Brumitt, and B. Meyers,"Wallflower: Principles and practice of background maintenance",In *ICCV*, pp. 255–261, Kerkyra, Greece, September 1999.
- [11] J. Zhong and S. Sclaroff,"Segmenting foreground objects from a dynamic, textured background via a robust kalman filter",In *ICCV*, pp. 44–50, Nice, France, October 2003.
- [12] Y. Hsu, H. H. Nagel, and G. Rekers, "New likelihood test methods for change detection in image sequences," *Comput. Vision Image Process.*, vol. 26, pp. 73–106, 1984.
- [13] M. D. Levine,"Vision in Man and Machine",McGraw-Hill Book Company, 1985.
- [14] Jr T.G. Stockham,"Image processing in the context of a visual model",*Proceedings of the IEEE*,60 pp.828-842,July 1972
- [15] P.L. Rosin, and T. Ellis,"Image difference threshold strategies and shadow detection", *Proceedings of the sixth British Machine Vision Conference*, 1994.
- [16] Friedman,N.and Russell, S., "Image segmentation in video sequences: probabilistic approach",In *Proceedings 13. Conf. on Uncertainty in Articial Intelligence*,1997.
- [17] Henry Stark 、 John W. Woods, Probability and Random Processes with Applications to Signal Processing, 3th Edition , 2002
- [18] Omar Javed, Khurram Shafique and Mubarak Shah,"A Hierarchical Approach to Robust Background Subtraction using Color and Gradient

Information”,

- [19] Linda G. Shapiro,George C. Stockman, Computer Vision,Prentice Hall, 2001
- [20] R.Cucchiara,C.Grana, M. Piccardi, and A. Prati, “Detecting objects, shadows and ghosts in video streams by exploiting color and motion information ”,in Proceedings of the IEEE Int'l Conference on Image Analysis and Processing, to appear, 2001
- [21] T. Hoprasert, D. Harwood, and L.S. Davis, “A statistical approach for real-time robust background subtraction and shadow detection”, in Proceedings of IEEE ICCV'99 FRAME-RATE Workshop, 1999

