

Reference

- [1] T. Sziranyi, P. Barczikay, T. Kovacs, "Measurement theory of laser-beam diameter of about 1 μm by moving CCD sensor," *International J. of Optoelectronics*, Vol. 3, no.2, pp. 187-194, 1988.
- [2] D. Courjon, *Near-Field Microscopy and Near-Field Optics*, Imperial College Press, 2003.
- [3] S. W. Lee, S. J. Park, D. D. Cho, "Why is $\langle 111 \rangle$ Si a better mechanical material for MEMS?," in *Proc. Transducer'01*, Vol. 1, pp. 662-665, 2001.
- [4] R.E. Oosterbroek, J.W. Berenschot, H. V. Jansen, A. J. Nijdam, Gregory Pandraud, A. van der Berg, and M. C. Elwenspoek, "Etching methodologies in $\langle 111 \rangle$ -oriented silicon wafers," *J. Microelectromech Syst.*, Vol. 9, No. 3, pp. 390-398, 2000.
- [5] B. C. S. Chou, C. N. Chen, J. S. Shie, "Micromachining on $\langle 111 \rangle$ -oriented silicon," *Sens. Actuators A, Phys.*, Vol. 75, pp. 271-277, 1999.
- [6] H. H. Hu, H. Y. Lin, W. L. Fang, B. C. S. Chou, "the diagnostic micromachined beams on $\langle 111 \rangle$ substrate," *Sens. Actuators A, Phys.*, Vol. A93, No. 3, pp. 258-265, 2001.
- [7] M. C. Wu, L. Y. Lin, S. S. Lee, K. S. J. Pister, "Micromachined free-space integrated micro-optics," *Sens. Actuators A, Phys.*, Vol. 50(1-2), pp. 127-134, 1995.
- [8] H. L. Kung, S. R. Bhalotra, J. D. Mansell, D. A. B. Miller, and J. S. Harris, Jr., "Standing-wave transform spectrometer based on integrated MEMS mirror and thin-film photodetector," *IEEE J. Sel. Topics Quantum Electron.*, Vol. 8, No.1, pp.98-105, 2002.

- [9] S. Ura, T. Suhara, H. Nishihara, and J. Koyama, "An integrated-optic disc pickup device," *Trans. IECE of Japan*, J39-C, 609, 1986.
- [10] J. H. Correia, G. de Graaf, S. H. Kong, M. Bartek, and R. F. Wolffenbuttel, "Single-chip CMOS optical microspectrometer," *Sens. Actuators A, Phys.*, Vol. 82, pp. 191-197, 2000.
- [11] M. Sasaki, K. Tanaka, and K. Hane, "Cantilever probe integrated with light-emitting diode, waveguide, aperture, and photodiode for scanning near-field optical microscope," *Jpn. J. Appl. Phys.*, Vol. 39, pp. 7150-7153, 2000.
- [12] J. Hsieh and W. Fang, "A boron etch-stop assisted lateral silicon etching process for improved high-aspect-ratio silicon micromachining and its applications," *J. Micromech. Microeng.*, Vol. 12, No.5, pp. 574-581, 2002.
- [13] S. W. Lee, S. J. Park, D. D. Cho, "The Surface/Bulk Micromachining (SBM) Process : A New Method for Fabricating Released MEMS in Single Crystal Silicon," *J. Microelectromech Syst.*, Vol. 8, pp. 409-416, 1999.
- [14] T. R. Hsu, *MEMS & MICROSYSTEMS Design and Manufacture*, MacGRAW-Hill, 2002.
- [15] R. Legtenberg, A. W. Groeneveld, M. Elwenspoek, "Comb-drive actuators for large displacement," *J. Micromech. Microeng.*, Vol. 6, pp. 320-329, 1996.
- [16] R. J. Gupta, "Electronically probed measurements of MEMS geometries," *J. Microelectromech Syst.*, Vol. 9, No. 3, pp. 380-389, 2000.
- [17] T. K. Woodward, A. V. Krishnamoorthy, "1-Gb/s integrated optical detectors and receivers in commercial CMOS technologies," *IEEE J. Sel. Topics Quantum Electron.*, Vol. 5, pp. 146-156, 1999.
- [18] S. M. Sze, *The Physics of Semiconductor Devices*, New York, 1981.
- [19] R. F. Pierret, *Semiconductor Devices fundamentals*, Addison-Wesley, 1996.
- [20] A. B. Marchant, *Optical Recording, A Technical Overview*, Addison-Wesley,

1990.

- [21] D. Koester, A. Cowen, R. Mahadevan, M. Stonefield, B. Hardy, *PolyMUMPs Design Handbook*, Rev9.0, 2003.
- [22] G. Z. Yan, Philip C. H. Chang, I. M. Hsing, R. K. Sharma, K. O. Sin, "An improved TMAH Si-etching solution without attacking exposed aluminum," in *Proc. MEMS'00*, pp. 562-567, 2000.
- [23] S. Wolf, R. N. Tauber, *Silicon Processing For The VLSI Era: Volume 1 Process Technology*, LATTICE Press, 1986.
- [24] H. H. Hu, "Design Fabrication and Testing of a Novel <111> Single-Crystal-Silicon Accelerometer," Ph.D. Dissertation, Tsing Hwa University, Hsing-Chu, R.O.C., 2003.
- [25] K. A. Shaw, Z. L. Chang, N. C. MacDonald, "SCREAM I: a single mask, single crystal silicon, reactive ion etching process for microelectromechanical structures," *Sens. Actuators A, Phys.*, Vol. 40, pp. 201-213, 1994.
- [26] F. A. Jenkins, H. E. White, *Fundamentals of Optics*, MacGRAW-Hill, 1981.
- [27] M. C. Wu, W. L. Fang, "Design and fabrication of MEMS devices using the integration of MUMPs, trench-refilled modeling, DRIE and bulk silicon etching process," *J. Micromech. Microeng.*, Vol. 15, No.3, pp. 535-542, 2005.
- [28] T. N. Swe, K. S. Yeo, K. W. Chew, "Design and optimization of new high performance silicon photodiodes," in *Proc. IEEE Asia-Pacific Microwave*, pp. 685-688, 2000.