

## Reference

- [1] J.M. Rabaey, M.J. Ammer, J.L. da.Silva, Jr, D. Patel, S. Roundy, “PicoRadio Supports Ad Hoc Ultra-Low Power Wireless Networking”, IEEE Computer, Vol. 33, No. 7, pp.42-48, July 2000
- [2] A.P. Chandrakasan, R. Amirtharajah., “Self-Powered Signal Processing Using Vibration- based Power Generation”, Journal of Solid-State Circuits, Vol. 33, No. 5, pp.687-695, May 1998
- [3] R. Tashiro, N. Kabel, K. Katayama, Y. Ishizuka, F. Tsuboi, K. Tsuchiya, “Development of an Electrostatic Generator that Harnesses the Motion of a Living Body: (use of a resonant phenomenon)”, JSME International Journal Series C-Mechanical Systems Machine Elements & Manufacturing, Vol. 43, No. 4, pp.916-922, Dec. 2000
- [4] S. Roundy, P.K. Wright, K. S. J. Pister, “Micro-Electrostatic Vibration-to-Electricity Converters”, ASME IMECE 2002
- [5] R. Duggirala, H. Li, A.M. Pappu, Z. Fu, A. Apsel, A. Lal, “Radioisotope Micropower Generator for CMOS Self-powered Sensor Microsystems”, PowerMEMS, Technical Digest, pp.133-136, 2004
- [6] T. Douseki, Y. Yoshida, F. Utsunomiya, N. Itoh, N. Hama, “ A Batteryless Wireless System Uses Ambient Heat with A Reversible-power-source Compatible CMOS/SOI DC-DC Converter”, IEEE International Solid-State Circuits Conference, Digest of Technical Papers, pp.388-501, 2003
- [7] S.H. Lee, “Development of High-Efficiency Silicon Solar Cells for Commercialization”, Journal of Korean Physical Society, Vol. 39, No. 2, pp.369~373, Aug 2001

- [8] M. Stordeur, I Stark, "Low Power Thermoelectric Generator-self-sufficient Energy Supply for Micro Systems", Proceeding ICT, 16th International Conference on Thermoelectrics, pp.575-577, 1997
- [9] N.S. Shenck, J.A. Paradiso, "Energy Scavenging with Shoe-Mounted Piezoelectrics", IEEE Micro, Vol. 21, No. 3, pp.30-42, May 2001
- [10] T. Starner, "Human-powered Wearable Computing", IBM Systems Journal, Vol. 35, No. 3-4, pp.618~629, 1996
- [11] S. Roundy, "Energy Scavenging for Wireless Sensor Nodes with a Focus on Vibration to Electricity Conversion", Ph.D. Dissertation, UC Berkeley, 2000
- [12] S. Roundy, P.K.Wright, J. Rabaey, "A Study of Low Level Vibrations as a Power Source for Wireless Sensor Nodes", Computer Communications Vol. 26 No. 11, pp.1131-1144, July 2003
- [13] C.B.Williams, R.B. Yates, "Analysis of a micro-electric generator for Microsystems", 8th International Conference on Solid-State Sensors and Actuators and Eurosensors IX. Digest of Technical Papers, Vol 1, pp.369-372, 1995
- [14] C.B Williams, C.Shearwood, M.A. Harradine, P.H. Mellor, T.S. Birch, R.B. Yeats, "Development of an Electromagnetic Micro-generator", IEEE Proceedings-Circuits, Devices and Systems, Vol. 148, No. 6, pp.337-342, 2001
- [15] C. Shearwood, R.B. Yates, "Development of an Electromagnetic Micro-generator", Electronics Letters, Vol. 33, No. 22, P.1883-4, Oct. 1997
- [16] S. Meninger, J.O. Mur-Miranda., R. Amirtharajah, A. Chandrakasan, J.H. Lang, "Vibration-to-Electric Conversion", Proceedings. International Symposium on Low Power Electronics and Design, pp. 48-53, 1999

- [17] S. Meninger, J.O. Mur-Miranda., R. Amirtharajah, A. Chandrakasan, J.H. Lang, “Vibration-to-Electric Conversion”, IEEE Transactions on Very Large Scale Integration (Vlsi) Systems, Vol. 9, No. 1, pp.64-76
- [18] G. K. Ottman, H.F. Hofmann, G.A. Lesieutre, “Optimized Piezoelectric Energy Harvesting Circuit using Step-down Converter in Discontinuous Conduction Mode”, IEEE Transactions on Power Electronics, Vol. 18, No. 2, pp.696-703, 2003
- [19] G. K. Ottman, H.F. Hofmann, A.C. Bhatt, G.A. Lesieutre, “Adaptive Piezoelectric Energy Harvesting Circuit for Wireless Remote Power Supply”, IEEE Transactions on Power Electronics, Vol. 17, No. 5, pp.669-76, 2002
- [20] W.C. Tang, C. Tu, H. Nguyen, R.T. Howe, “Laterally Driven Polysilicon Resonant Microstructures”, Sensors & Actuators, Vol. 20, No.1-2, pp. 25–32, 1989
- [21] J.B. Starr, “Squeeze-film Damping In Solid\_state Accelerometers”, IEEE Solid-State Sensor and Actuator Workshop Technical Digest, pp.44-47, 1990
- [22] M. Andres, I. Harris, G. Turner, “A Comparison of Squeeze-film Theory with Measurements on a Microstructure”, Sensor and Actuators A-Physical, Vol. 36, No. 1, pp.79-87, 1993
- [23] J. J. Blech, “On Isothermal Squeeze Films”, Journal of Lubrication Technology Vol. 105, pp.615-620, 1983
- [24] S.D. Senturia, “MICROSYSTEM DESIGN”, Kluwer Academic, pp.336-337 (2001)
- [25] R. Legtenberg. A.W. Groeneveld, M Elwenspoek, “Comb-drive Actuators for Large Displacements”, Journal of Micromechanics & Microengineering, Vol. 6 No. 3, pp.320-329, 1996

- [26] Ivo W. Rangelow, "Critical Tasks in High Aspect Ratio Silicon Dry Etching for Microelectromechanical Systems", *Journal of Vacuum Science & Technology A-Vacuum Surfaces & Films*, Vol. 21, No. 4, pp.1550-1562, 2003
- [27] E.H. Klaassen, K. Petersen, J.M. Noworolski, J Logan, N.I. Maluf, J. Brown, C Storment, W McCulley, G.T.A. Kovacs, "Silicon Fusion Bonding And Deep Reactive Ion Etching: A New Technology For Microstructures", *Sensor & Actuators A-Physical*, Vol. 52, No. 1-3, pp.132-139, March 1996
- [28] T. Stern, P Fiorini, K Baert, R. Puers, G. Borghs, "An Electret-Based Electrostatic  $\mu$ -Generator", *Transducers '03, 12th International Conference on Solid-State Sensors, Actuators and Microsystems. Digest of Technical Papers*, Vol. 2, pp.1291-1294, 2003



# Appendix Detailed Simulink model

