

# Contents

---

<b>Chinese Abstract</b>	<b>i</b>
<b>English Abstract</b>	<b>ii</b>
<b>Acknowledgment</b>	<b>iii</b>
<b>Contents</b>	<b>iv</b>
<b>Index of Figures</b>	<b>vi</b>
<b>Index of Tables</b>	<b>xiv</b>

CHAPTER 1 INTRODUCTION .....	1
1.1 RESEARCH BACKGROUND.....	1
1.2 RECENT DEVELOPMENT.....	3
1.3 THESIS ORGANIZATION.....	6
CHAPTER 2 THE MATHEMATICAL MODEL OF A BLDC MOTOR.....	7
2.1 DYNAMIC EQUATIONS OF BLDC MOTORS IN VECTOR SPACE .....	7
2.2 THE COORDINATE TRANSITION PROCESS.....	12
2.3 THE STATE SPACE EQUATION IN D-Q COORDINATE .....	16
CHAPTER 3 SENSORLESS CONTROL METHODS OF BLDC MOTOR .....	19
3.1 THE TYPICAL DRIVER OF BLDC MOTOR .....	20
3.2 REVIEW OF SENSORLESS CONTROL METHODS FOR BLDC MOTOR.....	23
3.2.1 Back-EMF based position estimation method .....	24
3.2.2 Third-harmonics voltage based position estimation method .....	25

3.3 Sliding mode estimator for BLDC Motor's Angular Velocity .....	28
CHAPTER 4 SIMULATION AND EXPERIMENTAL DESCRIPTION .....	33
4.1 SYSTEM DESCRIPTIONS AND BLOCK DIAGRAM.....	33
4.2 SETUP A HARDWARE EXPERIMENT .....	40
CHAPTER 5 SIMULATION AND EXPERIMENTAL RESULTS .....	45
5.1 SIMULATION RESULTS.....	45
5.2 HARDWARE EXPERIMENT RESULTS .....	73
CHAPTER 6 DISCUSSIONS AND CONCLUSIONS .....	79
6.1 DISCUSSIONS OF THE SIMULATION RESULTS.....	79
6.2 DISCUSSIONS OF THE HARDWARE EXPERIMENTAL RESULTS .....	82
6.3 CONCLUSIONS .....	83
REFERENCE.....	84



# List of Figures

---

Figure 1.1 The motor selection procedure.....	2
Figure 2.1 The Clarke transformation.....	13
Figure 2.2 The Park transformation.....	13
Figure 3.1 Schematic of the inverter and equivalent modeling for a BLDC motor.....	20
Figure 3.2 The procedure of the six-step drive.....	22
Figure 3.3 Hall-effect sensors signals of position distribution.....	23
Figure 3.4 The back-EMF, third-harmonic, and third-harmonic rotor flux of the phase $a$ based on the rotor position in electrical degree.....	27
Figure 4.1 The PMAC motor drive system.....	33
Figure 4.2 The block diagram of the sensorless speed control system.....	35
Figure 4.3 The ideal trapezoidal back-EMFs and torque production in a Y-connected three phase BLDC motor.....	36
Figure 4.4 The flow chart of the commutation sequence.....	37
Figure 4.5 The block diagram of the hysteresis current control.....	39
Figure 4.6 The hysteresis controlled current waveform.....	39
Figure 4.7 The mechanical instrument of experiment plant.....	41

Figure 4.8 The implementation of a PC-based control system.....	41
Figure 4.9 The block diagram of the xPC Target environment.....	42
Figure 4.10 The photo of NI-PCI6024E.....	43
Figure 4.11 The photo of measurement board.....	44
Figure 5.1 The simulated block diagram of testing estimator.....	46
Figure 5.2 The simulated block diagram of sensorless control.....	47
Figure 5.3 The phase voltage, current and back-EMF of phase $a$ in testing estimator of case (1).....	48
Figure 5.4 The information of the $\alpha$ -axis current in testing estimator of case (1).....	48
Figure 5.5 The information of the $\beta$ -axis current in testing estimator of case (1).....	49
Figure 5.6 The information of the $\alpha$ -axis back-EMF in testing estimator of case (1).....	49
Figure 5.7 The information of the $\beta$ -axis back-EMF in testing estimator of case (1).....	50
Figure 5.8 The information of the electrical torque in testing estimator of case (1).....	50
Figure 5.9 The electrical angular velocity of the BLDC motor	

in testing estimator of case (1).....	51
Figure 5.10 The angular position of the BLDC motor	
in testing estimator of case (1).....	51
Figure 5.11 The phase voltage, current and back-EMF	
of phase $a$ in sensorless control of case (1).....	52
Figure 5.12 The information of the $\alpha$ -axis current in	
sensorless control of case (1).....	52
Figure 5.13 The information of the $\beta$ -axis current in	
sensorless control of case (1).....	53
Figure 5.14 The information of the $\alpha$ -axis back-EMF in	
sensorless control of case (1).....	53
Figure 5.15 The information of the $\beta$ -axis back-EMF in	
sensorless control of case (1).....	54
Figure 5.16 The information of the electrical torque in	
sensorless control of case (1).....	54
Figure 5.17 The electrical angular velocity of the BLDC motor	
in sensorless control of case (1).....	55
Figure 5.18 The angular position of the BLDC motor in	
sensorless control of case (1).....	55





Figure 5.19 The phase voltage, current and back-EMF of phase $a$ in testing estimator of case (2).....	56
Figure 5.20 The information of the $\alpha$ -axis current in testing estimator of case (2).....	56
Figure 5.21 The information of the $\beta$ -axis current in testing estimator of case (2).....	57
Figure 5.22 The information of the $\alpha$ -axis back-EMF in testing estimator of case (2).....	57
Figure 5.23 The information of the $\beta$ -axis back-EMF in testing estimator of case (2).....	58
Figure 5.24 The information of the electrical torque in testing estimator of case (2).....	58
Figure 5.25 The electrical angular velocity of the BLDC motor in testing estimator of case (2).....	59
Figure 5.26 The angular position of the BLDC motor in testing estimator of case (2).....	59
Figure 5.27 The phase voltage, current and back-EMF of phase $a$ in sensorless control of case (2).....	60
Figure 5.28 The information of the $\alpha$ -axis current in	



sensorless control of case (2).....	60
Figure 5.29 The information of the $\beta$ -axis current in sensorless control of case (2).....	61
Figure 5.30 The information of the $\alpha$ -axis back-EMF in sensorless control of case (2).....	61
Figure 5.31 The information of the $\beta$ -axis back-EMF in sensorless control of case (2).....	62
Figure 5.32 The information of the electrical torque in sensorless control of case (2).....	62
Figure 5.33 The angular position velocity of the BLDC motor in sensorless control of case (2).....	63
Figure 5.34 The electrical angle of the BLDC motor in sensorless control of case (2).....	63
Figure 5.35 The phase voltage, current and back-EMF of phase $a$ in testing estimator of case (3).....	64
Figure 5.36 The information of the $\alpha$ -axis current in testing estimator of case (3).....	64
Figure 5.37 The information of the $\beta$ -axis current in testing estimator of case (3).....	65




Figure 5.38 The information of the $\alpha$ -axis back-EMF in testing estimator of case (3).....	65
Figure 5.39 The information of the $\beta$ -axis back-EMF in testing estimator of case (3).....	66
Figure 5.40 The information of the electrical torque in testing estimator of case (3).....	66
Figure 5.41 The electrical angular velocity of the BLDC motor in testing estimator of case (3).....	67
Figure 5.42 The angular position of the BLDC motor in testing estimator of case (3).....	67
Figure 5.43 The phase voltage, current and back-EMF of phase $a$ in sensorless control of case (3).....	68
Figure 5.44 The information of the $\alpha$ -axis current in sensorless control of case (3).....	68
Figure 5.45 The information of the $\beta$ -axis current in sensorless control of case (3).....	69
Figure 5.46 The information of the $\alpha$ -axis back-EMF in sensorless control of case (3).....	69
Figure 5.47 The information of the $\beta$ -axis back-EMF in	



sensorless control of case (3).....	70
Figure 5.48 The information of the electrical torque in sensorless control of case (3).....	70
Figure 5.49 The electrical angular velocity of the BLDC motor in sensorless control of case (3).....	71
Figure 5.50 The angular position of the BLDC motor in sensorless control of case (3).....	71
Figure 5.51 The electrical angular velocity of the BLDC motor in failure case.....	72
Figure 5.52 The angular position of the BLDC motor in failure case.....	72
Figure 5.53 The three terminal phase currents in a high angular velocity.....	73
Figure 5.54 The three terminal-ground voltages in a high angular velocity.....	74
Figure 5.55 The actual and estimated currents of $\alpha\beta$ axis in a high angular velocity.....	74
Figure 5.56 The actual and estimated back-EMFs of $\alpha\beta$ axis in a high angular velocity.....	75
Figure 5.57 The actual and estimated angular velocity in a high angular velocity. ....	75




Figure 5.58 The three terminal currents in a low angular velocity..... 76

Figure 5.59 The three terminal-ground voltages in  
a low angular velocity..... 76

Figure 5.60 The actual and estimated currents of  $\alpha\beta$  axis in  
a low angular velocity..... 77

Figure 5.61 The actual and estimated back-EMFs of  $\alpha\beta$  axis  
in a low angular velocity..... 77

Figure 5.62 The actual and estimated angular velocity in  
a low angular velocity..... 78



# List of Tables

---

Table. 3.1 Position based of six segments.....21

Table 4.1 The variation of the three phase voltages depended on electrical angle... 38

Table 4.2 The specification of the BLDC motor.....40

Table 5.1 The determination values of the simulations..... 46

