

參考文獻

- [1] E. Angel, *Interactive computer graphics: a top-down approach with OpenGL*, Addison-Wesley, 2000.
- [2] Y. Adachi, T. Kumano, K. Ogino, “Intermediate representation for stiff virtual objects,” *Virtual Reality Annual International Symposium Proceedings*, pp. 203–210, 1995.
- [3] F. Chatzinkkos, *A 3D case study using OpenGL*, Version 1.0, 2000.
- [4] H. Delingette, “Toward realistic soft-tissue modeling in medical simulation,” *Proceedings of the IEEE*, Vol. 86, No. 3, pp. 512-523, 1998.
- [5] E. Dijkstra, “A note on two problems in connection with graphs,” *Numerical Mathematics*, Vol. 1, pp. 269–271, 1959.
- [6] R. C. Goertz and R. Thompson, “Electronically controlled manipulator”, *Nucleonics*, pp. 46-47, 1954.
- [7] M. Hernando, E. Gambao, M. Hernando, and A. Barrientos, “Collision control in teleoperation by virtual force reflection. An application to the ROBTET system,” *IEEE International Conference on Robotics & Automation*, Vol. 1, pp. 565-570, 1999.
- [8] C. H. Ho, C. Basdogan, and M. A. Srinivasan, “Efficient point-based rendering techniques for haptic display of virtual objects,” *Teleoperators & Virtual*

- Environments*, Vol. 8, No. 5, pp. 477-491, 1999.
- [9] P. E. Hart, N. J. Nilsson, and B. Raphael, "A formal basis for the heuristic determination of minimum cost paths," *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. 4, No. 2, pp. 100-107, 1968.
- [10] O. Igarashi, K. Sato, S. Okada, H. Hozumi, H. Shimada, H. Okano, and O. Ozaki, "Hierarchical autonomous mobile control system of a patrol robot for nuclear power plants," *IEEE International Conference on Robotics and Automation*, Vol. 1, pp. 837 - 842, 1995.
- [11] A. J. Johansson and J. Linde, "Using simple force feedback mechanisms as haptic visualization tools," *16th IEEE Instrumentation and Measurement Technology Conference*, Vol. 2, pp.820 – 824, 1999.
- [12] C. P. Kuan and K. Y. Young, "Challenges in VR-based robot teleoperation", *International Journal Of Electrical Engineering*, Vol.11, No.1, pp. 1-9, 2004.
- [13] R. C. Luo, C. Y. Hu, T. M. Chen, and M. H. Lin, "Force reflective feedback control for intelligent wheelchairs," *IEEE International Conference on Intelligent Robots and Systems*, Vol. 2, pp. 918 - 923, 1999
- [14] J. C. Latombe, *Robot Motion Planning*, Kluwer Academic Publishers, 1991.
- [15] W. R. Mark, S. C. Randolph, M. Finch, J. M. Van Verth, and R. M. Taylor, "Adding force feedback to graphics systems: Issues and solutions," *ACM SIGGRAPH*, pp. 447-452, 1996.
- [16] Y. Mezouar, F. Chaumette, "Path planning for robust image-based control," *IEEE Transactions on Robotics and Automation*, Vol. 18, pp. 534 – 549, 2002.
- [17] N. J. Nilsson, *Principles of Artificial Intelligence*, Morgan Kaufmann, Los Altos, CA, 1980.
- [18] B. J. Nelson and P. K. Khosla, "Integrating force and vision feedback within virtual environments for Telerobotic System," *IEEE International Conference on Robotics*

and Automation, Vol. 2, pp. 1588-1593, 1997.

- [19] J. Pearl. *Heuristics: Intelligent Search Strategies for Computer Problem Solving*, Addison-Wesley, Reading, MA, 1984
- [20] M. Pique, M. Ouh-Young, J. Hughes, N. Srinivasan, F.P. Brooks, “Using a manipulator for force display in molecular docking,” *IEEE International Conference on Robotics and Automation*, Vol. 3, pp.1824 – 1829, 1988
- [21] L. Piegl and W. Tiller, *The NURBS Book*, 2nd Edition, Springer Press, 1997.
- [22] M. A. Srinivasan and C. Basdogan, “Haptics in virtual environments: Taxonomy research status and challenges”, *Computers & Graphics*, Vol. 21, No 4, pp. 393-404, 1997.
- [23] M. Segal and K. Akeley, *The OpenGL graphics system: a specification*, Version 1.2.1, 1999.
- [24] C. S. Tzafestas, “Teleplanning by human demonstration for VR-based teleoperation of a mobile robotic assistant,” *10th IEEE International Workshop on Robot and Human Interactive Communication*, pp.18-21, 2001
- [25] M. Tarokh, “Fast path planning for robot manipulators by formation-posture decomposition,” *IEEE International Conference on Intelligent Robots and Systems*, Vol. 2, pp.138 – 143, 1995.
- [26] J. G. Webster and D. G. Hanger, “Telepresence for touch and proprioception in teleoperator system,” *IEEE Trans. On System, Man and Cybernetics*, Vol. 18, No. 6, pp. 1020-1023, 1989.
- [27] A. Watt, *3D Computer Graphics*, 3rd Edition, Addison-Wesley, 2000.
- [28] M. S. Yoh, “The reality of virtual reality,” *7th International Conference on Virtual Systems and Multimedia*, pp. 666-674, 2001.
- [29] Y. Yokokihji, R. L. Hollis, and T. Kanade, “What you can see is what you can feel – development of a visual/haptic interface to virtual environment,” *IEEE*

- Virtual Reality Annual International Symposium*, pp. 46-54,1996.
- [30] K. Yamada, “Arm path planning for a space robot,” *IEEE International Conference on Intelligent Robots and Systems*, Vol. 3, pp. 2049-2055, 1993.
- [31] T. Yoshioka, T. Hamaguchi, H. Noborio, “An online bridge between model-based and sensor-based path-planning under some self-positioning error,” *IEEE International Conference on Intelligent Robots and Systems*, Vol. 2, pp. 496 – 503, 1995
- [32] Immersion Co., Laparoscopic impulse engine, impulse engine 2000, and impulse stick software development kit, release 5.0, September 2000.
- [33] 謝馥圭編, *PC 虛擬實境*, 儒林圖書有限公司, 1996.

