


## 參考文獻

- [1] S. Yanagi, H. Sato, Y. Shuto, M. Ohno, and S. Tohno, “Optical Characteristics of Injection Molded Plastic Ferrules for Single-Mode Optical Fiber Applications”, MicroSystem Technologies, Vol.4, pp. 122-124, 1998.
- [2] B. S. Lombardo, H. Keskkula, and D. R. Paul, “Influence of ABS Type on Morphology and Mechanical Properties of PC/ABS blends”, Journal of Applied Polymer Science, pp. 1697-1720, 1994.
- [3] S. Kalpakjian, Manufacturing engineering and technology, Addison-Wesley, 1995.
- [4] V. Piotter, W. Bauer, T. Benzler, and A. “Emde,Injection Molding of Components for Microsystems”, MicroSystem Technologies, Vol.7, pp. 99-102, 2001.
- [5] Cunha, S. Fakirov, “Structure Development During Polymer Processing”, Kluwer Academic Publisher, 1999.
- [6] M. Fujiyama, “Polypropylene: Structure, Blends and Composites”, ed. J. Karger-Kocsis. Chapman and Hall, London, pp. 174, 1995.
- [7] J. Varga, “Review Supermolecular structure of isotactic polypropylene”, Journal of Materials Science, pp. 2557-2579, 1992.
- [8] G. Liu, P. Zhu, and Graham Edward, “Morphology Distribution and Process History of Injection Moulded Polypropylenes” Macromolecular Symposia, pp. 327-340, 2002.
- [9] J. C. Viana and A. M. Cunha, “The Tensile Behavior of an Injection-Moulded Propylene-Ethylene Copolymer: the Effect of the Local Thermomechanical Processing Conditions”, Polymer International, pp. 159-166, 1997.

- [10] J. C. Viana and A. M. Cunha, “Prediction of the Tensile Impact Behavior of Injection Molded Samples From Quasi-Static Data”, *Polymer Engineering and Science*, pp. 1463-1472, 1999.
- [11] J. C. Viana, N. Billon, and A. M. Cunha, “The Thermomechanical Environment and the Mechanical Properties of Injection Moldings”, *Polymer Engineering and Science*, pp. 1522-1533, 2004.
- [12] V. Flaris and Z. H. Stachurski, “The mechanical behavior of blends of polyethylene, polypropylene, and an ethylene-propylene block copolymer at -20°C”, *Journal of Applied Polymer Science*, pp. 1789-1798, 1992.
- [13] H. P. Blom, J. W. Teh, and A. Rudin, “iPP/HDPE blends: Interactions at lower HDPE contents”, *Journal of Applied Polymer Science*, pp. 995-1006, 1995.
- [14] S. Joseph and S. Thomas, “Morphology, morphology development and mechanical properties of polystyrene/polybutadiene blends”, *European Polymer Journal*, pp. 115-125, 1995.
- [15] M. Fujiyama, “Structure and Properties of Injection Moldings of Polypropylene/Polystyrene Blends”, *Journal of Applied Polymer Science*, pp. 1015-1027, 1997.
- [16] Y. Wang, Y. Xiao, Q. Zhang, X. L. Gao, and Q. Fu, “The morphology and mechanical properties of dynamic packing injection molded PP/PS blends”, *Polymer*, pp. 1469-1480, 2003.
- [17] C. Li, G. Tian, and Y. Zhang “Three-dimensional phase morphologies in HDPE/EVA blends obtained via dynamic injection packing molding”, *Polymer*, pp. 5737–5747, 2003.
- [18] B. Fisa, B. D. Favis, and S. Bourgeois, “Injection Molding of Polypropylene/Polycarbonate Blends”, *Polymer Engineering and Science*, pp. 1051-1055, 1990.

- [19] C. Li, G. Tian, Y. Zhang, and Y. Zhang, “Crystallization behavior of polypropylene/polycarbonate blends”, Polymer Testing, pp. 919-926, 2002.
- [20] Z. Yin, X. Zhang, Y. Zhang, and Jinghua Yin, “Morphological, Thermal, and Mechanical Properties of Polypropylene/Polycarbonate Blend”, Journal of Applied Polymer Science, pp. 1857-1863, 1997.
- [21] K. R. Srinivasan and A. K. Gupta, “Mechanical Properties and Morphology of PP/SEBS/PC Blends”, Journal of Applied Polymer Science, pp. 1-17, 1994.
- [22] Y. S. Chun, Y. J. Kyung, H. C. Jung, and W. N. Kim, “Thermal and rheological properties of poly( $\epsilon$ -caprolactone) and polystyrene blends”, Polymer, pp. 8729-8733, 2000.
- [23] R. J. Young and P. A. Lovell, “Introduction to Polymers”, Chapman & Hall, 1991.
- [24] L. H. Sperling, “Introduction to Physical Polymer Science”, third edition, John Wiley & Sons, New York, 2001.
- [25] 蔡信行編著，聚合物化學，文京圖書有限公司，台北，民國七十三年八月。
- [26] 賴耿陽著，聚丙烯樹脂 PP 原理與應用，復漢出版社，台南，民國八十八年三月。
- [27] 洪伯達，莊偉綜，周哲民，「高分子材料之相分離與結晶化」，化工技術，第十一卷第九期，156~171 頁，民國九十二年九月。
- [28] 塑膠材料成形與加工技術手冊，塑膠世界雜誌社出版，台北，民國八十七年六月。
- [29] S. L. Rosen, “Fundamental Principles of Polymeric Materials”, Wiley-Interscience, 1993.
- [30] M. J. Folkes and P. S. Hope, “Polymer Blend and Alloys”, Blackie Academic & Professional, pp. 46-74, 1993.

- [31] G. Zhang, Q. Fu, K. Shen, L. Jian, and Y. Wang, “Studies on Blends of High-Density Polyethylene and Polypropylene Produced by Oscillating Shear Stress Field”, *Journal of Applied Polymer Science*, pp. 58-63, 2002.
- [32] Y. Wand, H. Zou, Q. Fu, G. Zhang, and K. Shen, “Super Polyolefin Blends Achieved Via Dynamic Packing Injection Molding: Tensile Strength”, *Journal of Applied Polymer Science*, pp. 236-243, 2002.
- [33] C. D. Han, “Rheology in Polymer Processing”, Academic Press, New York, 1976.
- [34] ASTM, “Standard Test Method for Tensile Properties of Plastics”, D 638, 1990.
- [35] Q. Guan, K. Shen, J. Ji, and J. Zhu, “Structure and properties of self-reinforced polyethylene prepared by oscillating packing injection molding under low pressure”, *Journal of Applied Polymer Science*, pp. 1797-1804, 1995.



## 附錄

### 附錄一 模具設計圖

