


第七章 參考文獻

Abernethy, S., Bobra, A.M., Shiu, W.Y., Wells, P.G., Mackay, D., 1986. Acute Lethal Toxicity of Hydrocarbons and Chlorinated Hydrocarbons to Two Planktonic Crustaceans: The Key Role of Organism-Water Partitioning. *Aquat. Toxicol.* 8, 163-174.

Adema, D.M.M., Canton, J.H., Slooff, W., Hanstveit, A.O., 1981. Research for a Useful Combination of Test Methods to Determine the Aquatic Toxicity of Environmentally Dangerous Chemicals. Rep.No.CL81/100, Natl.Inst.Public Health Environ.Hyg. 107.

Ahmed, A.E., Soliman, S., Loh, J., Hussein, G.I., 1989. Studies on the mechanism of haloacetonitriles toxicity: Inhibition of rat hepatic glutathione S-transferases in-vitro. *Toxicol. Appl. Pharmacol.* 100, 271.

Akers, K.S., Sinks, G.D., Schultz, T.W., Structure-toxicity relationships for selected halogenated aliphatic chemicals., 1999. *Enviro. Toxicol. Phar.* 7, 33-39.



Alexander, H.C., McCarty, W.M., Bartlett, E.A., 1978. Toxicity of Perchloroethylene, Trichloroethylene, 1,1,1-Trichloroethane, and Methylene Chloride to Fathead Minnows. *Bull. Environ Contam. Tox.* 20, 344-352.

American Public Health Association (APHA), American Water Works Association and Water Pollution Control Federation, 1995. Toxicity testing with phytoplankton, in Standard Methods for Examination of Water and Wastewater, 19th edn, APHA, Washington, DC.

American Society for Testing and Materials(ASTM), 1994. Standard Guide for Conducting Static 96h Toxicity Tests with Microalgae. Annual Book of ASTM Standards. ASTM E1218-90. Philadelphia, PA.

Atkins, P.W., 1994. Physical chemistry. Oxford University Press. 497.

Bailey, H.C., Spanggord, R.J., 1983. The Relationship between the Toxicity and Structure of Nitroaromatic Chemicals. In: W.E.Bishop, R.D.Cardwell, and


B.B.Heidolph (Eds.), Aquatic Toxicology and Hazard Assessment, 6th Symposium, ASTM STP 802, Philadelphia, PA. 98-107.

Bentley, R.E., Heitmuller, T., Sleight III, B.H., Parrish, P.R., 1979. Acute Toxicity of Chloroform to Bluegill (*Lepomis macrochirus*), Rainbow Trout (*Salmo gairdneri*), and Pink Shrimp (*Penaeus duorarum*). U.S.EPA, Criteria Branch, WA-6-99-1414-B, Washington, D.C. 13.

Bearden, A.P., Schultz, T.W., 1997. Structure-activity relationships for *Pimephales* and *Tetrahymena*: a mechanism of action approach. Environ. Toxicol. Chem. 16, 1311-1317.

Bills, T.D., Marking, L.L., 1981. Polychlorinated Biphenyl (Aroclor 1254) Residues in Rainbow Trout: Effects on Sensitivity to Nine Fishery Chemicals. N.Am.J.Fish.Manage. 1, 200-203.

Blum, D.J.W., Speece, R.E., 1990. Determining chemical toxicity to aquatic species. Environ. Sci. Tec. 24, 3, 284-293.



Blum, D.J.W., Speece, R.E., 1991. A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. J. WPCF. 63, 198-207.

Brack, W., Rottlern, H., 1994. Toxicity testing of highly volatile chemicals with green algae. ESPR. 4, 23-228.

Bradbury, S.P., 1995. Quantitative-activity relationship and ecological risk assessment: an overview of predictive aquatic toxicology research. Toxicol. Lett. 79, 229-237.

Bringmami, G., Kuchn, R., 1980. Comparison of the Toxicity Thresholds of water pollutants to bacteria, Algae, and protozoa in the cell multiplication inhibition test. Water Res. 14, 231-241.

Broderius, S.J., Michael, D.K., Marilynn, D.H., 1995. Use of joint response to define the primary modes of toxic action for diverse industrial organic chemicals. Environ. Toxicol. Chem. 14, 1591-1605.

Broderius, S.J., Kahl, M.D., Hoglund, M.D., 1995. Use of Joint Toxic Response to Define the Primary Mode of Toxic Action for Diverse Industrial Organic Chemicals. Environ. Toxicol. Chem. 14, 1591-1605.

Brooke, L.T., 1987. Report of the Flow-Through and Static Acute Test Comparisons with Fathead Minnows and Acute Tests with an Amphipod and a Cladoceran. Center for Lake Superior Environ. Stud., Univ. of Wisconsin-Superior, Superior, WI. 24.

Brooke, L.T., 1991. Results of Freshwater Exposures with the Chemicals Atrazine, Biphenyl, Butachlor, Carbaryl, Carbazole, Dibenzofuran, 3,3'-Dichlorobenzidine, Dichlorvos 1,2-Epoxyethylbenzene (Styrene Oxide), Isophorone, Isopropalin, Oxy. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI. 110.

Brooke, L.T., Call, D.J., Geiger, D.L., Northcott, C.E., 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales promelas*), Vol. 1. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI. 414.

Canton, J.H., Adema, D.M.M., 1978. Reproducibility of Short-Term and Reproduction Toxicity Experiments with *Daphnia magna* and Comparison of the Sensitivity of *Daphnia magna* with *Daphnia pulex* and *Daphnia cucullata* in Short-Term Experiments. Hydrobiologia. 59, 135-140.

Chen, C.Y., Chao, M.R., 2000. No-observed-effect concentrations in batch and continuous algal toxicity tests. Environ. Toxicol. Chem. 19, 1589-1596.

Chen, C.Y., Lin, K.C., 1997. Optimization and performance evaluation of the continuous algal toxicity test. Environ. Toxicol. Chem. 16, 1337-1344.

Cowgill, U.M., Milazzo, D.P., 1991. The Sensitivity of *Ceriodaphnia dubia* and *Daphnia magna* to Seven Chemicals Utilizing the Three-Brood Test. Arch. Environ. Contam. Toxicol. 20, 211-217.

Cronin, M.T.D., Dearden, J.C., 1995. Review: QSAR in toxicology, 1. Prediction of aquatic toxicity. Quant. Struct. Act. Relat. 14, 1-7.

Curtis, M.W., Ward, C.H., 1981. Aquatic Toxicity of Forty Industrial Chemicals: Testing in Support of Hazardous Substance Spill Prevention Regulation. *J. Hydro.* 51, 359-367.

Davies, J., Ward, R.S., Hodges, G., Roberts, D.W., 2004. Quantitative structure-activity relationship modeling of acute toxicity of quaternary alkylammonium sulfobetaines to *Daphnia magna*. *Environm. Toxicol. Chem.* 23, 2111-2115.

Dearden, J.C., Cronin, M.T.D., Schultz, T.M., 1995. QSAR study of the toxicity of nitrobenzenes of *Tetrahymena pyriformis*. *Quant. Struct. Act. Relat.* 14, 427-432.

Dearden, J.C., Cronin, M.T.D., Zhao, Y.H., 2000. QSAR studies of Compounds Acting by Polar and Nonpolar Narcosis: an Examination of the role of Polarisability and H ydrogen Bonding. *Quant. Struct. Act. Relat.* 19, 3-9.

Dill, D.C., Murphy, P.G., Mayes, M.A., 1987. Toxicity of Methylene Chloride to Life Stages of the Fathead Minnow, *Pimephales promelas* Rafinesque. *Bull. Environ. Contam. Tox.* 39, 869-876.



Di Marizo, W., and Saenz, M.E., 2004. Quantitative structure-activity relationship for aromatic hydrocarbons on freshwater fish. *Ecotox. Environ. Safe.* 59, 256-262.

Di Marizo, W.D., Galassi, S., Todeschini, R., Consolaro, S., 2001. Traditional versus whim molecular descriptors in QSAR approaches applied to fish toxicity studies. *Chemosphere.* 44, 401-406.

Dimitrov, S., Koleva, Y., Schultz, T.W., Walker, J.D., Mekenyan, O., 2004. Interspecies quantitative structure-activity relationship model for aldehydes: aquatic toxicity, *Environ. Toxicol. Chem.* 23, 2, 463-470.

Dodard, S.G., Renoux, A.Y., Hawari, J., Ampleman, G., Thiboutot, S., Sunahara, G.I., 1999. Ecotoxicity Characterization of Dinitrotoluenes and Some of Their Reduced Metabolites. *Chemosphere.* 38, 2071-2079.

Ensley, -H.E., Sharma, -H.A., Barber, J.T., Polito, -M.A., 1997. Metabolism of

chlorinated phenols by *Lemna gibba*, duckweed. In Phytoremediation of Soil and Water Contaminants. American Chemical Society, Washington, DC. 238-253.

Calamari, D., Galassi, S., Setti, F., Vighi, M., 1983. Toxicity of selected chlorobenzenes to aquatic organisms. Chemosphere. 12, 253-262.

Galassi, S., Vighi, M., 1981. Testing toxicity of volatile substances with algae. Chemosphere. 10, 1123-1126.

Feng, L., Han, S., Zhao, Y., Wang, L., Chen, J., 1996. Toxicity of organic chemicals to fathead minnow: a united quantitative structure-activity relationship model and its application. Chem. Res. Toxicol. 9, 610-613.

Fogels, A., Sprague, J.B., 1977. Comparative Short-Term Tolerance of Zebrafish, Flagfish, and Rainbow Trout to Five Poisons Including Potential Reference Toxicants. Water Res. 11, 811-817.

Galassi, S., Mingazzini, M., Vigano, L., Cesareo, D., Tosato, M.L., 1988. Approaches to Modeling Toxic Responses of Aquatic Organisms to Aromatic Hydrocarbons. Ecotox. Environ. Safe. 16, 158-169.

Call, D.J., Brooke, L.T., Ahmad, N., 1979. Toxicity, Bioconcentration and Metabolism of Selected Chemicals in Aquatic Organisms. Third Quarterly Progress Report to EPA, EPA Cooperative Agreement No. CR 806864020, University of Wisconsin, Superior, W I. 38.

Call, D.J., Brooke, L.T., Ahmad, N., Richter, J.E., 1983. Toxicity and Metabolism Studies with EPA Priority Pollutants and Related Chemicals in Freshwater Organisms. EPA 600/3-83-095, U.S.EPA, Duluth, MN. 120.

Carlson, A.R., Kosian, P.A., 1987. Toxicity of Chlorinated Benzenes to Fathead Minnows (*Pimephales promelas*). Arch. Environ. Contam. Toxicol. 16, 129-135.

Castano, A., Cantarino, M.J., Castillo, P., Tarazona, J.V., 1996. Correlations Between the RTG-2 Cytotoxicity Test EC50 and In Vivo LC50 Rainbow Trout Bioassay. Chemosphere. 32, 2141-2157.

Crossland, N.O., Wolff, C.J.M., 1985. Fate and Biological Effects of Pentachlorophenol in Outdoor Ponds. Environ.Toxicol. Chem. 4, 73-86.

Curtis, M.W., Copeland, T.L., Ward, C.H., 1979. Acute Toxicity of 12 Industrial Chemicals to Freshwater and Saltwater Organisms. Water Res. 13, 137-141.

Douglas, M.T., Chanter, D.O., Pell, I.B., Burney, G.M., 1986. A Proposal for the Reduction of Animal Numbers Required for the Acute Toxicityto Fish Test (LC50 Determination). Aquat. Toxicol. 8, 243-249.

Galassi, S., Mingazzini, M., Vigano, L., Cesareo, D., Tosato, M.L., 1988. Approaches to Modeling Toxic Responses of Aquatic Organisms to Aromatic Hydrocarbons. Ecotoxicol. Environ Safe. 16, 158-169.

Geiger, D.L., Poirier, S.H., Brooke, L.T., Call, D.J., 1986. Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales promelas*), Vol. 3. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI I. 328.

Geiger, D.L., Brooke, L.T., Call, D.J., 1990. Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales promelas*), Vol. 5. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI I. 332.

Guilhermino, L., Lopes, M.C., Carvalho, A.P., Soares, A.M.V.M., 1996. Inhibition of Acetylcholinesterase Activity as Effect Criterion in Acute Tests with Juvenile *Daphnia magna*. Chemosphere. 32, 727-738.

Guilhermino, L., Diamantino, T., Silva, M.C., Soares, A.M.V.M., 2000. Acute Toxicity Test with *Daphnia magna*: An Alternative to Mammals in the Prescreening of Chemical Toxicity?. Ecotoxicol. Environ. Safe. 46, 357-362.

Gunatilleka, A.D., Poole, C.F., 1999. Models for estimating the non-specific aquatic toxicity of organic compounds. Anyl. Commun. 36, 235-242

Hansch, C., Muir, R., Fujita, T., Peyton, P., Maloney, P., Geiger, F., Streich, M., 1963. The correlation of biological activity of plant growth regulators and

chloromycetin derivates with Hammett constants and partition coefficients. Journal of American Chemistry Society. 85, 2817-2824.

Heath, A.G., 1995. Water pollution and fish physiology. Lewis Publish Boca Raton. 359.

Henderson, C., Pickering, Q.H., Lemke, A.E., 1961. The Effect of Some Organic Cyanides (Nitriles) on Fish. Proc. 15th Ind. Waste Conf., Eng. Bull. Purdue Univ. 106, 65(2), 120-130.

Herman D. C. ,Inniss W. E. and Mayfield C. I. 1990. Impact of volatile aromatic hydrocarbons, alone and in combination, on growth of the freshwater alga *Selenastrum Capricornutum*. Aquat. Toxicol. 18, 87-100.

Hedtke, S.F., West, C.W., Allen, K.N., Norberg-King, T.J., Mount, D.I., 1986. Toxicity of Pentachlorophenol to Aquatic Organisms Under Naturally Varying and Controlled Environmental Conditions. Environ. Toxicol. Chem. 5, 531-542.

Hermens, J.L.M., Bradbury, S.P., Broderius, S.J., 1990. Influence of Cytochrome P450 Mixed-Function Oxidase Induction on the Acute Toxicity to Rainbow Trout (*Salmo gairdneri*) of Primary Aromatic Amines. Ecotox. Environ. Safe. 20, 156-166.

Hodson, P.V., 1985. A Comparison of the Acute Toxicity of Chemicals to Fish, Rats and Mice. J. Appl. Toxicol. 5, 220-226.

Hodson, P.V., Dixon, D.G., Kaiser, K.L.E., 1984. Measurement of Median Lethal Dose As a Rapid Indication of Contaminant Toxicity to Fish. Environ. Toxicol. Chem. 3, 243-254.

Holcombe, G., Phipps, G., 1987. Memorandum to N.Thomas, C. Stephan, B. Spehar and S. Broderius, U.S. EPA. March 2, 1987. 2,4-Dimethylphenol and Methyl Parathion Multiple Species Acute Test Results for Criteria Document Development. Memo to N.Thomas, C.Stephan, B.Spehar, and S.Broderius, U.S.EPA, Duluth, MN.

Holcombe, G.W., Phipps, G.L., Sulaiman, A.H., Hoffman, A.D., 1987. Simultaneous Multiple Species Testing: Acute Toxicity of 13 Chemicals to 12

Diverse Freshwater Amphibian, Fish, and Invertebrate Families. Arch. Environ. Contam. Toxicol. 16, 697-710.

Hostetter, H.P., 1976. A rapid bioassay for algal nutrients and toxins. J. Phycol. 12, 10.

Holcombe, G., and Phipps G., 1987. Memorandum to N.Thomas, C. Stephan, B. Spehar and S. Broderius, U.S. EPA. March 2, 1987. 2,4-Dimethylphenol and Methyl Parathion Multiple Species Acute Test Results for Criteria Document Development. Memo to N.Thomas, C.Stephan, B.Spehar, and S.Broderius, U.S.EPA, Duluth, MN.

Holcombe, G.W., Phipps, G.L., Sulaiman, A.H., Hoffman, A.D., 1987. Simultaneous Multiple Species Testing: Acute Toxicity of 13 Chemicals to 12 Diverse Freshwater Amphibian, Fish, and Invertebrate Families. Arch. Environ. Contam. Toxicol. 16, 697-710.

Howe, G.E., Marking, L.L., Bills, T.D., Rach, J.J., Mayer Jr., F.L., 1994. Effects of Water Temperature and pH on Toxicity of Terbufos, Trichlorfon, 4-Nitrophenol and 2,4-Dinitrophenol to the Amphipod Gammarus pseudolimnaeus and Rainbow Trout (*Oncorhynchus mykiss*). Environ. Toxicol. Chem. 13, 51-66.

Hsieh, S.H., 2004. A closed-system algal test for evaluating the mixture toxicity of industrial non-polar narcosis chemicals. A Thesis of Institute of Environmental Engineering of National Chiao Tung University.

Hsu, C.H., 2002. Toxicity assessment of non-polar narcotic chemicals using a close-system algal test. A Thesis of Institute of Environmental Engineering of National Chiai Tung University.

Huang, H.J., 2000. Experimental design of the algal toxicity test based on photosynthetic response. A Thesis of Institute of Environmental Engineering of National Chiao Tung University.

International Organization for Standardization (ISO), 1987. Water quality-Algal growth inhibition test. Draft International Standard ISO/DIS 8692. Geneva, Switzerland.

Janssen, C.R., Persoone, G., 1993. Rapid Toxicity Screening Tests for Aquatic Biota. 1. Methodology and Experiments with *Daphnia magna*. Environ. Toxicol. Chem. 12, 711-717.

Kamlet, M.J., Doherty, R.M., Veith, G.D., Taft, R.W., Abraham, M.H., 1986. Solubility properties in polymers and biological media, 7. An analysis of toxicant properties that influence inhibition of bioluminescence in *Photobacterium phosphoreum* (the Microtox Test). Environ. Sci. Tech. 20, 690-695.

Kaiser, K.L.E., Esterby, S.R., 1991. Regression and cluster analysis of the acute toxicity of 267 chemicals to six species of biota and the octanol/water partition coefficient. Sci. Total. Environ. 109, 110, 499-514.

Kao, W.C., 2001. A comparison of the results of several freshwater aquatic toxicity testing on synthetic and real wastewaters. A Thesis of Institute of Environmental Engineering of National Chiao Tung University.

Kennedy, C.J., 1990. Toxicokinetic Studies of Chlorinated Phenols and Polycyclic Aromatic Hydrocarbons in Rainbow Trout (*Oncorhynchus mykiss*). Ph.D.Thesis, Simon Fraser University, Canada:188 p.; Diss.Abstr.Int.B Sci.Eng.53(1):18 (1992)

Keen, R., Baillod, C.R., 1985. Toxicity to Daphnia of the End Products of Wet Oxidation of Phenol and Substituted Phenols. Water Res. 19, 767-772.

Kuhn, R., Pattard, M., 1990. Results of the harmful effects of water pollutants to green algae (*Scenedesmus subspicatus*) in the cell multiplication inhibition test. Watet Res. 24, 31-38.

Kuhn, R., Pattard, M., Pernak, K., Winter, A., 1989. Results of the Harmful Effects of Selected Water Pollutants (Anilines, Phenols, Aliphatic Compounds) to *Daphnia magna*. Water Res. 23, 495-499.

Knie, J., Halke, A., Juhnke, I., Schiller, W., 1983. Results of Studies on Chemical Substances with Four Biotests. (Ergebnisse Der Untersuch-Ungen Von Chemischen Stoffen Mit Vier Biotests). Dtsch.Gewaesserkd.Mitt. 27, 77-79.

LeBlanc, G.A., 1980. Acute Toxicity of Priority Pollutants to Water Flea (*Daphnia magna*). Bull. Environ. Contam. Toxicol. 24, 684-691.

Lin, J.H., 2001. Experimental design of the algal toxicity test based on BOD bottle. A Thesis of Institute of Environmental Engineering of National Chiao Tung University.

Lin, J.H., Kao, W.C., Tsai, K.P., Chen, C.Y., 2005. A novel algal toxicity testing technique for assessing the toxicity of both metallic and organic toxicants. Water Res. 39, 1869-1877.

Lipick, R.L., 1991. Outliers: their origin and use in the classification of molecular mechanisms of toxicity. Sci. Total. Environ. 109, 110, 131-153.

Lipnick, R.L., Watson, K.R., Strausz, K.A., 1987. A QSAR study of the acute toxicity of some industrial organic chemicals to gold fish, Narcosis, electrophile, and proelectrophilic mechanism. Xenobiotica. 17, 1011-1025.

Lu, G.H., Yuan, X., Zhao Y.H., 2001. QSAR study on the toxicity of substituted benzenes to the algae. Chemosphere. 44, 437-440.



Maas-Diepeveen, J.L., Van Leeuwen, C.J., 1986. Aquatic Toxicity of Aromatic Nitro Compounds and Anilines to Several Freshwater Species. Laboratory for Ecotoxicology, Institute for Inland Water Management and Waste Water Treatment, Report. 86-42.

Marchini, S., Tosato, M.L., Norberg-King, T.J., Hammermeister, D.E., Hoglund, M.D., 1992. Lethal and Sublethal Toxicity of Benzene Derivatives to the Fathead Minnow, Using a Short-Term Test. Environ. Toxicol. Chem. 11, 187-195.

Masten, L.W., Boeri, R.L., Walker, J.D., 1994. Strategies Employed to Determine the Acute Aquatic Toxicity of Ethyl Benzene, a Highly Volatile, Poorly Water-Soluble Chemical. Ecotox. Environ. Safe. 27, 335-348.

Mayer, M., Nyholm N., Verbruggen E.M.J., Hermens, J.M.L., Toll, J., 2000. Algal growth inhibition test in filled, closed bottles for volatile and sorptive materials. Environ. Toxicol. Chem. 19, 2551-2556.

Mayer, F.L.J., Ellersieck, M.R., 1986. Manual of Acute Toxicity: Interpretation and Data Base for 410 Chemicals and 66 Species of Freshwater Animals. Resour.Publ.No.160, U.S.Dep.Interior, Fish Wildl.Serv., Washington, DC, 505.

Mayer, P., Frickmann, J., Christensen, E.R., Nyholm, N., 1998. Influence of Growth Conditions on the Results Obtained in Algal Toxicity Tests. Environ. Toxicol. Chem. 17, 1091-1098.

Mayes, M.A., Alexander, H.C., Dill, D.C., 1983. A Study to Assess the Influence of Age on the Response of Fathead Minnows in Static Acute Toxicity Tests. Bull. Environ. Contam. Toxicol. 31, 139-147.

McFarland, J.W., 1970. On the parabolic relationship between drug potency and hydrophobicity. J. Med. Chem. 13, 1092-1196.

McKarns, S.C., Hansch, C., Caldwell, W.S., Morgan, W.T., Moore, S.K., Doolittle, D.J., 1997. Correlation between hydrophobicity of short-chain aliphatic alcohols and their ability to alter plasma membrane integrity. Fund. Appl. Toxicol. 36, 62-70.

Mckim, J.M., Bradbury, S.P., Niemi, G.J., 1987. Fish acute toxicity syndromes and their use in the QSAR approach to hazard assessment. Environ. Health prospect. 71, 171-186.

McKim, J.M., Schmieder, P.K., Carlson, R.W., Hunt, E.P., Niemi, G.J., 1987. Use of Respiratory-Cardiovascular Responses of Rainbow Trout (*Salmo gairdneri*) in Identifying Acute Toxicity Syndromes in Fish: Part 1. Pentachlorop. Environ. Toxicol. Chem. 6, 295-312.

Mekenyan, O.G., Veith, G.D., 1994. The electronic factor in QSAR: MO-parameters, competing interactions, reactivity, and toxicity. SAR QSAR Environ. Res. 2, 129-143.

Mekapati, S.B., Hansch, C., 2002. On the parametrization of toxicity of organic chemicals to Tetrahymena pyriformis. The problem of establishing a uniform activity. J. Chem. Inf. Comput. Sci. 42, 956-961.

Mingazzini, M., Saenz, M.E., Albergoni, F.G., Marre, M.T., 1997. Algal

photosynthesis measurements in toxicity testing. Fresenius Envir Bull. 6, 308-313.

Nirmalakhandan, N., Egemen, E., Trevizo, C., Xu, S., 1998. Structure-and property-activity relationship models for prediction of microbial toxicity of organic chemicals to activated sludge. Ecotox. Environ. Safe. 39, 112-119.

Nyholm, N., Damgaard, B.M., 1990. A comparison of the algal growth inhibition toxicity test method with the short term ^{14}C -assimilation test. Chemosphere. 21, 671-679.

Nyholm, N., Källqvist, T., 1989. Methods for growth inhibition toxicity tests with freshwater algae. Environ. Toxicol. Chem. 8, 689-703.

Office of Pesticide Programs. 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C.

Organization for Economic Cooperation and Development (OECD), 1984. Guideline for testing chemicals. No. 201. Alga growth inhibition test. Paris, France.



Organization for Economic Cooperation and Development (OECD), 1995. Guidance Document for Aquatic Effects Assessment, NO. 92 OECD, Paris.

Padrtova, R.R., Marsalek, B., Holoubek, I., 1998. Evaluation of alternative and standard toxicity assays for screening of environmental samples: selection of an optimal test battery. Chemosphere. 37, 495-507.

Phipps, G.L., Holcombe, G.W., Fiandt, J.T., 1981. Acute Toxicity of Phenol and Substituted Phenols to the Fathead Minnow. Bull. Environ. Contam. Toxicol. 26, 585-593.

Poirier, S.H., Knuth, M.L., Anderson-Buchou, C.D., Brooke, L.T., Lima, A.R., Shubat, P.J., 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull. Environ. Contam. Toxicol. 37, 615-621.

Ramos, E.U., Vaal, M.A., Hermens, J.L.M., 2002. Interspecies sensitivity in the aquatic toxicity of aromatic amines. Environ. Toxicol. Pharm. 11, 149-158.


Ramos, E.U., Vermeer, C., Vaes, W.H.J., Hermens, J.L.M., 1998. Acute Toxicity of Polar Narcotics to Three Aquatic Species (*Daphnia magna*, *Poecilia reticulata* and *Lymnaea stagnalis*) and Its Relation to Hydrophobicity. Chemosphere. 37, 633-650.

Randall, T.L., Knopp, P.V., 1980. Detoxification of Specific Organic Substances by Wet Oxidation. J. Water Pollut. Control Fed. 52, 2117-2130.

Randic, M., 1975. On the characterization of molecular branching. J. Am. Chem. Soc. 97, 6609-6615.

Ren, S., 2002. Predicting three narcosis mechanisms of aquatic toxicity. Toxicol. Lett. 133, 127-139.

Ribo, J.M., Kaiser, K.L.E., 1984. Toxicities of chloroanilines to Photobacterium and their correlations with effects on their organisms and structural parameters. QSAR in environmental toxicology. 319-336.



Robert, D.W., 1987. In:Kaiser, K.L.E. (Ed.), QSAR in Environmental Toxicology – II. Reidel, Dordrecht, 295-308.

Roberts, R.O., Berk, S.G., 1990. Development of a Protozoan Chemoattraction Bioassay for Evaluating Toxicity of Aquatic Pollutants. Toxic Assess. 5, 279-292

Rogerson, A., Shiu, W.Y., Huang, G.L., Mackay, D., Berger, J., 1983. Determination and Interpretation of Hydrocarbon Toxicity to Ciliate Protozoa. Aquat. Toxicol. 3, 215-228.

Russom, C.L., Bradbury, S.P., Broderius, S.J., Hammermeister, D.E., Drummond, R A., 1997. Predicting modes of toxic action from chemical structure : acute toxicity in the fathead minnow (*Pimephales promelas*).Environ. Toxicol. Chem. 16, 5, 948-967.

Schultz, T.W., 1987. The use of the ionization constant (pKa) of toxicity of

phenols. Ecotox. Environ. Saf. 14, 178-183.

Schultz, T.W., Bearden, A.P., Jaworska, J.S., 1996. A novel QSAR approach for estimating toxicity of phenols. SAR QSAR Environ. Res. 5, 99-112.

Schultz, T.W., Sinks, G.D., Bearden, A.P., 1998. QSAR in aquatic toxicology : A mechanism of action approach comparing toxic potency to *Pimephales promelas*, *Tetrahymena pyriformis*, and *Vibrio fischeri*. In : Devillers J, editor. Comparative QSAR. New York : Taylor & Francis. 51-109.

Shigeoka, T., Sato, Y., Takeda, Y., 1988. Acute toxicity of chlorophenols to green algae *Selenastrum capricornutum* and *Chlorella vulgaris*, and quantitative structure-activity relationships. Environ. Toxicol. Chem. 7, 847-854.

Shubat, P.J., Poirier, S.H., Knuth, M.L., Brooke, L.T., 1982. Acute Toxicity of Tetrachloroethylene and Tetrachloroethylene with Dimethylformamide to Rainbow Trout (*Salmo gairdneri*). Bull. Environ. Contam. Toxicol. 28, 7-10.

Sixt, S., Altschuh, J., Bruggemann, R., 1995. Quantitative structure-toxicity relationship for 80 chlorinated compounds using quantum chemical descriptors. Chemosphere. 30, 2397-2414.

Sorvari, J., Sillanpää, M., 1996. Influence of metal complex formation on heavy metal and free EDTA and DTPA acute toxicity determined by *Daphnia magna*. Chemosphere. 33, 1119-1127.

Takahashi, I.T., Cowgill, U.M., Murphy, P.G., 1987. Comparison of Ethanol Toxicity to *Daphnia magna* and *Ceriodaphnia dubia* Tested at Two Different Temperatures: Static Acute Toxicity Test Results. Bull. Environ. Contam. Toxicol. 39, 229-236.

Tao, S., X., Xiaohuan X., Fuli, Richard, D., 2002. A QSAR model for predicting toxicity (LC50) to Rainbow trout. Water Res. 36, 2926-2930.

Thellen, C., Blaise, C., Roy, Y., Hickey, C., 1989. Round Robin Testing with the *Selenastrum capricornutum* Microplate Toxicity Assay. Hydrobiologia. 188/189, 259-268.

Thurston, R.V., Gilfoil, T.A., Meyn, E.L., Zajdel, R.K., Aoki, T.L., Veith, G.D., 1985. Comparative Toxicity of Ten Organic Chemicals to Ten Common Aquatic Species. *Water Res.* 19, 1145-1155.

Tichy, M., Schultz, T.W., 1995. Excess toxicity of unsaturated aldehydes-Log P-dependent QSAR model. In: Sanz, F., Giraldo, J., Manaut, F. (Eds.), *QSAR and Molecular Modeling: Concepts, Computational Tools and Biological Applications*. Prous Science, Barcelona, Spain. 125.

Tong, Z., Huailan, Z., Hongjun, J., 1996. Chronic Toxicity of Acrylonitrile and Acetonitrile to *Daphnia magna* in 14-d and 21-d Toxicity Tests. *Bull. Environ. Contam. Toxicol.* 57, 655-659.

Trevizo, C., and Nirmalakhandan, N., 1999. Prediction of microbial toxicity of industrial organic chemicals. *Water Sci. Tech.* 39, 10-11, 63-69.

Turbak, S.C., Olson, S.B., McFeters, G.A., 1986. Comparison of algal assay systems for detecting waterborne herbicides and metals. *Water Res.* 20, 91-96.

Thurston, R.V., Gilfoil, T.A., Meyn, E.L., Zajdel, R.K., Aoki, T.L., Veith, G.D., 1985. Comparative Toxicity of Ten Organic Chemicals to Ten Common Aquatic Species. *Water Res.* 19, 1145-1155.

United States Environmental Protection Agency (U.S. EPA), 1996. Ecological Effect Test Guidelines. OPPTS 850.5400. Algal Toxicity, Tiers I and II.

U.S. Environmental Protection Agency, 1978. In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. Contract No.68-01-4646, U.S.EPA. 9.

Van Leeuwen, C.J., Griffioen, P.S., Vergouw, W.H.A., Maas-Diepeveen, J.L., 1985. Differences in Susceptibility of Early Life Stages of Rainbow Trout (*Salmo gairdneri*) to Environmental Pollutants. *Aquat Toxicol.* 7, 59-78.

Veith, G.D., Broderius, S.J., 1990. Rules for distinguishing toxicants that cause typeI and type II narcosis syndrome. *Environ. Health Persp.* 87, 207-211.

Verhaar, H.J.M., Van Leeuwen,, C.J., Hermens, J.L.M., 1992. Classfyding

environmental pollutants: 1-structure-activity relationships for prediction of aquatic toxicity. *Chemosphere*. 25, 471-491.

Walbridge, C.T., Fiandt, J.T., Phipps, G.L., Holcombe, G.W., 1983. Acute Toxicity of Ten Chlorinated Aliphatic Hydrocarbons to the Fathead Minnow (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 12, 661-666.

Walker, J.D., 1990. Effect of chemicals on microorganisms. *Research Journal WPCF*. 62, 618-624.

Yen, J.H., Lin, K.H., Wang, Y.S., 2002. Acute Lethal Toxicity of Environmental Pollutants to Aquatic Organisms. *Ecotox. Environ. Safe.* 52, 113-116.

Yoshioka, Y., Ose, Y., Sato, T., 1985. Testing for the Toxicity of Chemicals with Tetrahymena pyriformis. *Sci. Total Environ.* 42, 149-157.

