

參考文獻

1. **Ma, J., Lin, F., Wang, S., Xu, L., 2003.** Toxicity of 21 Herbicides to the Green Alga *Scenedesmus quadricauda*. Bull. Environ. Contam. Toxicol. 71, 594–601.
2. **羅惠齡, 王慶裕, 1999,** 植物對乙醯輔酵素 A 羧化酵素抑制型除草劑之抗性, *科學農業* 47, 346-350。
3. **Herbicide Resistance Action Committee (HRAC) , 2002.** Classification of Herbicides According to Mode of Action. <http://www.plantprotection.org/HRAC>.
4. **Ghosh, S.K., Bhatnagar, P.B., Yadav, V.K., Derasri, S., Kulkarni, A., Kashyap, P.K., 1997.** Response of three microbial test systems to pesticides. Bull. Environ. Contam. Toxicol. 58, 482-488.
5. **Hermens, J., Canton, H., Janssen, P., DeJong, R., 1984b.** Quantitative structure-activity relationships and toxicity studies of mixtures of chemicals with anaesthetic potency: Acute lethal and sublethal toxicity to *Daphnia magna*. Aquat. Toxicol. 5, 143-154.
6. **Fernández-Alba, A.R., Guil, L.H., López, G.D., Chisti, Y., 2001.** Toxicity of pesticides in wastewater: a comparative assessment of rapid bioassays. Anal. Chim. Acta. 426, 289-301.
7. **Veith, G.D., Lipnick, R.L., Russom, C.L., 1989.** The toxicity of acetylenic alcohol to the fathead minnow, *Pimephales promelas*: narcosis and proelectrophile activation. Xenobiotica 5, 555-565.
8. **Arensberg, P., Vicky, H.H., Nyholm, N., 1995.** A miniscale algal toxicity test. Chemosphere 30, 2103-2115.

9. **Annette, C.D., Jerald, L.S., 2001.** Phytotoxicity of chlorinated aliphatics to hybrid poplar (POPLUS DELTOIDES×NIGRA DN34). *Environ. Toxicol. Chem.* 20, 389-393.
10. **Glassi, S., Vighi, M., 1981.** Testing toxicity of volatile substances with algae. *Chemosphere* 10, 1123-1126.
11. **Halling-Sorensen, B., Nyholm, N., Baun, A., 1996.** Algal toxicity tests with volatile and hazardous compounds in air-tight test flasks with CO₂ enriched headspace. *Chemosphere* 32, 1513-1526.
12. **Hsu, C.H., 2002.** Toxicity assessment of non-polar narcotic chemicals using a close-system algal test. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.
13. **Lin, J.H., 2001.** Experimental design of the algal toxicity test based on BOD bottle. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.
14. 行政院農業委員會農業藥物毒物試驗所, 2004.
<http://www.coa.gov.tw/program/pesticides/index.htm>
15. **Cobb, A., 1992.** *Herbicides and plant physiology.* : Herbicides that inhibit photosynthesis. Chapman and Hall Publishers, London, pp 36-81.
16. **Heap, I.M., 2002.** International survey of herbicide resistant weeds. Online Internet. www.weedscience.com.
17. **Weed Society of America., 1994.** *Herbicide Handbook*, 6th ed. Champaign, IL, USA.
18. **Wright, K., Corbett, J.R., 1979.** Biochemistry of herbicides affecting photosynthesis. *Z. Naturforsch C.* 34, 966-972.
19. **Pfister, K., Arntzen, C.J., 1979.** The mode of action of photosystem

II –specific inhibitors in herbicide-resistant weed biotypes. Z. Naturforsch C. 34, 996-1009.

20. **Corbett, J.R., Wright, K., Baillie, A.C., 1984.** The biochemical mode of action of pesticides: Herbicides interfering with photosynthesis. Academic Press Inc, Ltd, London, pp 50-61.
21. **Lichtenthaler, H.K., 1988.** Applications of chlorophyll fluorescence. Kluwer Academic Publishers. Netherlands, pp 129-165.
22. **Dodge, A.D., 1989.** Herbicides and plant metabolism: Herbicides interacting with photosystem II . Cambridge University Press. Cambridge.
23. **Fuerst, E.P., Norman, M.A., 1991.** Interactions of herbicides with photosynthetic electron transport. Weed Sci 39, 458-464.
24. **Fuks, B., Homble, F., Eycken, F.V., Figeys, H., Lannoye, R.L., 1992.** Photoacoustic spectroscopy as a tool for monitoring herbicide effects on triaine-resistant and –susceptible biotypes of black nightshade (*Solanum nigrum*) . Weed Sci 40, 371-377.
25. **Nakamura, C., Hasegawa, M., Nakamura, N., Miyake, J., 2003.** Rapid and specific detection of herbicides using a self-assembled photosynthetic reaction center from purple bacterium on an SPR chip. Biosens. Bioelectron. 18, 599-603.
26. **Follak, S., Hurle, K., 2003.** Effect of airborne bromoxynil–octanoate and metribuzin on non-target plants. Environ. Pollut. 126, 139–146.
27. **Burton, J.D., Maness, E.P., 1992.** Constitutive and inducible bentazon hydroxylation in shattercane (*Sorghum bicolor*) and johnsongrass (*S. halapense*) . Pestic. Biochem. Phys. 44, 40-49.
28. **McFadden, J.J., Gronwald, J.W., Eberlein, C.V., 1990.** In vitro

hydroxylation of bentazon by microsomes from naphthalic anhydride-treated corn shoots. *Biochem Biophys Res Commun* 168, 206-213

29. 羅惠齡，王慶裕，1999，生長素類型除草劑對植物生長的影響，
中華民國雜草學會簡訊 6(1), 4-7。
30. Ma, J., 2002. Differential Sensitivity to 30 Herbicides Among Populations of Two Green Algae *Scenedesmus obliquus* and *Chlorella pyrenoidosa*. *Bull. Environ. Contam. Toxicol.* 68, 275–281.
31. Chiang, Y.J., 2000. Herbicide Injury on Crops. *Weed Sci Bull* 21, 103-112.
32. Huang, S.F., 2000. Studying on the differential tolerance of rice varieties to fluazifop-butylzeng. A Dissertation Submitted to Institute Agronomy of National Taiwan University.
33. Zapp, R.G., Baughman, G.L., Scholtzhauer, P.F., 1981. Comparison of photochemical behavior of various humic substances in waters:1. Sunlight induced reaction of aquatic pollutant photosynthesized by humic substances. *Chemosphere* 10, 119.
34. 張志傑編著，1998，環境生態學，科技圖書出版社，pp 100-215。
35. Choudry, G.G., 1980. Interaction of humic substances with environmental chemicals. In handbook of environmental chemistry (ed. Hutzinger, O.) , Springer-Verlag, Heidelberg.
36. Esser, H.O., Moser, P., 1982. An appraisal of problems related to the measurement and evaluation of bioaccumulation *Ecotox. Environ. Safe.* 6, 131-148.
37. Nygaard, G., Komarek, T., Kristiase, J., Skulberg, O.M., 1986. Taxonomic designation of the bioassay alga NIVA-Chll (*Selenastrum*

- capricornutum*) and some related strains. Opera Botanica. 90, 5-46.
38. **Oya, S.O., Alec, G., 1996.** Toxicity of 2,4-D Acid to Phytoplakton. Water Res. 30, 688-696.
 39. **Piere-Yves, C., Lucie, M., Rober, AK., 1996.** Comparative study of effects of MCPA, Butylate, Atrazine, and Cyanazine on *Selenastrum capricornutum*. Environ. Pollut. 92, 219-225.
 40. **Herman, D.C., Inniss, W.E., Mayfield, C.I., 1990.** Impact of volatile aromatic hydrocarbons, alone and in combination, on growth of the freshwater alga *Selenastrum capricornutum*. Aquat. Toxicol. 18, 87-100.
 41. **Julia, S.L., Thomas, F.L., 2001.** Use of Plants for Toxicity Assessmet of Estuarine Ecosystems. Environ. Toxicol. Chem. 20, 68-83.
 42. **Lewis, M.A., 1992.** Periphyton photosynthesis as an indicator of effluent toxicity: Relationship to effects on animal test species. Aquat. Toxicol. 23, 279-288
 43. **Lewis, M.A., 1995.** Use of freshwater plats for phytotoxicity testing : A review. Environ. Pollut. 87, 319-336
 44. **Fairchild, J.F., Ruessler, D.S., Carlson, A.R., 1998.** Comparative sensitivity of five species of macrophytes and six species of algae to atrazine, metribuzin, alachlor, and metolachlor. Environ. Toxicol. Chem. 17, 1830–1834.
 45. **Amblard, C., Couture, P., Bourdier, G., 1990.** Effects of a pulp and paper mill effluent on the structure and metabolism of periphytic algae in experimental streams. Aquat. Toxicol. 18, 137–162.
 46. **Havens, K.E., Heath, R.T., 1990.** Phytoplankton succession during acidification with and without increasing aluminum levels. Environ.

Pollut. 68, 129–145.

47. **Thomas, J.M., Skalski, J.R., Cline, J.F., McShane, M.C., Simpson, J.C., 1986.** Characterization of chemical waste site contamination and determination of its extent using bioassays. *Environ. Toxicol. Chem.* 5, 487–501.
48. **Klaine, S.J., Lewis, M.A., 1995.** Algal and plant toxicity testing. In Hoffman DJ, Rattner BA, Burton GA Jr, Cairns J Jr, eds, *Handbook of Ecotoxicology*. CRC, Boca Raton, FL, USA, pp 163–184.
49. **Bartlett, L., Rabe, R.W., Funk, W.H., 1974.** Effects of copper, zinc, and cadmium on *Selenastrum capricornutum*. *Water Res.* 8, 179–185.
50. **Greene, J.C., Miller, W.E., Debacon, M., Long, M.A., Bartels, C.L., 1988.** Use of *Selenastrum capricornutum* to assess the toxicity potential of surface and ground water contamination caused by chromium waste. *Environ. Toxicol. Chem.* 7, 35–39.
51. **Turbak, S.C., Olson, S.B., McFeters, G.A., 1986.** Comparison of algal assay systems for detecting waterborne herbicides and metals. *Water Res.* 20, 91–96.
52. **St-Laurent, D., Blaise, C., MacQuarrie, P., Scroggins, R., Trottier, B., 1992.** Comparative assessment of herbicide phytotoxicity to *Selenastrum capricornutum* using microplate and flask bioassay procedures. *Environ. Toxicol. Water Qual.* 7, 35–48.
53. **Chen, C.Y., 1994.** Theoretical evaluation of the inhibitory effects of mercury on algal growth at various orthophosphate levels. *Water Res.* 28, 931-937.
54. **U.S. Environmental Protection Agency, 1996.** Ecological Effect Test Guildlines. OPPTS 850.5400. *Algal Toxicity*, Tiers II and I.

55. **Organization for Economic Cooperation and Development (OECD) , 1984.** Alga, growth inhibition test. OECD-Guideline No. 201; 07/06/1984 and Official Journal of European Communities, 92/69/EEC: C.3.
56. **Versteeg, D.J., 1990.** Comparison of short- and long-term toxicity test results for the green alga, *Selenastrum capricornutum*. *ASTM STP* 1091: 40-48.
57. **International Organization for Standardization (ISO) , 1987.** Water quality- Algal growth inhibition test. Draft International Standard ISO/DIS 8692. Geneva, Switzerland.
58. **Christensen, E.R., Chen, D., Nyholm, N., Kusk, O., 2001.** Joint action of chemicals in algal toxicity tests: influence of response level and dose – response regression model. *Environ. Toxicol. Chem.* 20, 2361-2369
59. **Hoda, W., Abou-Setta, M.M., Nigg, H.N., Mallory, L.L., 1991.** Growth response of freshwater algae, *Anabaena flos-aquae* and *Selenastrum capricornutum* to Atrazine and Hexazinone Herbicides. *Bull. Environ. Contam. Toxicol.* 46, 223-229.
60. **Brack, W., Rottler, H., 1994.** Toxicity testing of highly volatile chemicals with green algae—A new assay. *Environ. Sci. Pollut. R.* 1, 223–228.
61. **Galassi, S., Vighi, M., 1981.** Testing toxicity of volatile substances with algae. *Chemosphere* 10, 1123–1126.
62. **Herman, D.C., Inniss, W.E., Mayfield, C.I., 1990.** Impact of volatile aromatic hydrocarbons, alone and in combination, on growth of the freshwater algae *Selenastrum capricornutum*. *Aquatic. Toxicol.* 18,

87–100.

63. **Kühn, R., Pattard, M., 1990.** Results of the harmful effects of water pollutants to green algae *Scenedesmus subsicatus* in the cell multiplication inhibition test. *Water Res.* 24, 31–38.
64. **Mayer, P., Nyholm, N., Verbruggen, E.M.J., Hermens, J.L.M., Tolls, J., 2000.** Algal growth inhibition test in filled, closed bottles for volatile and sorptive materials. *Environ. Toxicol. Chem.* 20, 826-832.
65. **Lin, J.H., Kao, W.C., Tsai, K.P., Chen, C.Y., 2005.** A novel algal toxicity testing technique for assessing the toxicity of both metallic and organic toxicants. *Water Res.* 39, 1869-1877.
66. **Organization for Economic Cooperation and Development (OECD) , 2000.** Guidance document on aquatic toxic testing of difficult substances and mixtures. Environmental Health and Safety Publications Series on Testing and Assessment, No. 23. Paris, France.
67. **Chen, C.Y., Lin, J.H., 2005.** Toxicity of chlorophenols to *Pseudokirchneriella subcapitata* under Air-Tight test environment. *Chemosphere* (accepted).
68. **Chen, C.Y., Chen, S.L., Christensen, E.R., 2005.** Individual and combined toxicity of nitriles and aldehydes to *Raphidocelis Subcapitata*. *Environ. Toxicol. Chem.* 24, 1067-1073.
69. **Yeh, H.J., 2004.** Toxicity assessment of pesticides using a closed-system algal test. A thesis Submitted to Institute of Environmental Engineering of National Chiao Ting University.
70. **Fairchild, J.F., Ruessler, D.S., Haverland, P.S., Carlson, A.R., 1997.** Comparative Sensitivity of *Selenastrum capricornutum* and *Lemna minor* to Sixteen Herbicides. *Arch. Environ. Contam. Toxicol.* 32,

353–357.

71. **Reboud, X., 2002.** Response of *Chlamydomonas reinhardtii* to Herbicides: Negative Relationship Between Toxicity and Water Solubility Across Several Herbicide Families. Bull. Environ. Contam. Toxicol. 69, 554-561.
72. **Ma, J., Lin, F., Wang, S., Xu, L., 2003.** Toxicity of 21 Herbicides to the Green Alga *Scenedesmus Quadricauda*. Bull. Environ. Contam. Toxicol. 71, 594–601.
73. **Russom, C.L., Bradbury, S.P., Broderius, S.J., Hammermeister, D.E., Drummond, R.A., 1997.** Predicting modes of toxic action from chemical structure: acute toxicity in the fathead minnow (*pimephales promelas*). Environ. Toxicol. Chem. 16, 948-967
74. **Akers, S.K., Sinks, G.D., Schultz, T.W., 1999.** Structure–toxicity relationships for selected halogenated aliphatic chemicals. Environ. Toxicol. Pharm. 7, 33-39.
75. **Ramos, E.U., Vaal, M.A., Hermens, J.L.M., 2002.** Interspecies sensitivity in the aquatic toxicity of aromatic amines. Environ. Toxicol. Pharm. 11, 149–158
76. **Tsai, K.P., 2005.** The study on the Quantitative Structure Activity Relationships for toxicity assessment of organic chemicals using a closed-system algal test. A thesis Submitted to Institute of Environmental Engineering of National Chiao Ting University.
77. **Lee, P.L., 2003.** Toxicity assessment of polar narcotic chemicals using a closed-system algal test. A thesis Submitted to Institute of Environmental Engineering of National Chiao Ting University.
78. **Prakash, J., Nirmalakhandan, N., Sun, B., Peace, J., 1996.** Toxicity

of binary mixtures of organic chemicals to microorganisms. *Water Res.* 30, 1459–1463.

79. **Christensen, E.R., Chen, C.Y., 1985.** A general noninteractive toxicity model including Probit, Logit, and Weibull transformations. *Biometrics.* 41, 711-725.
80. **Moreno-Garrido, I., Lubián, L.M., Soares, A.M.V.M., 2000.** Influence of cellular density on determination of EC50 in microalgal growth inhibition tests. *Ecotox. Environ. Safe.* 47, 112-116.
81. **U.S. Environmental Protection Agency, 2005.**
http://www.epa.gov/cgi-bin/ecotox_quick_search.
82. **Hickey, C.W., 1991.** Microtesting appraisal of ATP and cell recovery toxicity end points after acute exposure of *Selenastrum capricornutum* to selected chemicals. *Environ. Toxicol. Water Qual.* 6, 383-403.

