

Chapter 5. Reference

1. Baumann, H., and J. Gauldie. 1994. The acute phase response. *Immunol Today* 15:74.
2. Bowman, B. H., and A. Kurosky. 1982. Haptoglobin: the evolutionary product of duplication, unequal crossing over, and point mutation. *Adv Hum Genet* 12:189.
3. Bowman, B. H. 1993. *Haptoglobin. In Hepatic Plasma Proteins.* Academic Press, San Diego, CA.
4. Dobryszczyka, W., R. Zeineh, E. Ebroon, and J. C. Kukral. 1969. Metabolism of plasma proteins in injury states. II. Incorporation of [14C] glucosamine and [35S] methionine into human and canine haptoglobin. *Clin Sci* 36:231.
5. Boe, A., U. Canosi, S. Donini, R. Mastrangeli, A. Ythier, and O. S. Crescenzi. 1994. Determination of haptoglobin expression in IL-6 treated HepG2 cells by ELISA and by RNA hybridization--evaluation of a quantitative method to measure IL-6. *J Immunol Methods* 171:157.
6. Peppard, J. V., H. D. Smith, and S. Zhou. 1994. Kinetics of a cellular response to interleukin 6. *Cell Immunol* 155:253.

7. Moretti, J., J. Borel, W. Dobryszczycka, and M. F. Jayle. 1963. Determination de la demi-vie de l'haptoglobine plasmatique humaine. *Biochim. Biophys. Acta* 69:205.
8. Maung, M., D. G. Baker, and R. K. Murray. 1968. Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. *Can J Biochem* 46:477.
9. Cid, M. C., D. S. Grant, G. S. Hoffman, R. Auerbach, A. S. Fauci, and H. K. Kleinman. 1993. Identification of haptoglobin as an angiogenic factor in sera from patients with systemic vasculitis. *J Clin Invest* 91:977.
10. Saeed, S. A., F. Mahmood, B. H. Shah, and A. H. Gilani. 1997. The inhibition of prostaglandin biosynthesis by human haptoglobin and its relationship with haemoglobin binding. *Biochem Soc Trans* 25:S618.
11. Jue, D. M., B. S. Shim, and Y. S. Kang. 1983. Inhibition of prostaglandin synthase activity of sheep seminal vesicular gland by human serum haptoglobin. *Mol Cell Biochem* 51:141.
12. Frohlander, N., O. Ljunggren, and U. H. Lerner. 1991. Haptoglobin synergistically potentiates bradykinin and thrombin induced prostaglandin biosynthesis in isolated osteoblasts. *Biochem Biophys Res Commun* 178:343.

13. Yamashita, G, S. Ginanni Corradini, R. Secknus, A. Takabayashi, C. Williams, L. Hays, A. L. Chernosky, and R. T. Holzbach. 1995. Biliary haptoglobin, a potent promoter of cholesterol crystallization at physiological concentrations. *J Lipid Res* 36:1325.
14. Hanasaki, K., L. D. Powell, and A. Varki. 1995. Binding of human plasma sialoglycoproteins by the B cell-specific lectin CD22. Selective recognition of immunoglobulin M and haptoglobin. *J Biol Chem* 270:7543.
15. Xie, Y., Y. Li, Q. Zhang, M. J. Stiller, C. L. Wang, and J. W. Streilein. 2000. Haptoglobin is a natural regulator of Langerhans cell function in the skin. *J Dermatol Sci* 24:25.
16. El Ghmati, S. M., E. M. Van Hoeyveld, J. G. Van Strijp, J. L. Ceuppens, and E. A. Stevens. 1996. Identification of haptoglobin as an alternative ligand for CD11b/CD18. *J Immunol* 156:2542.
17. Oh, S. K., D. L. Very, J. Walker, S. Raam, and S. T. Ju. 1987. An analogy between fetal haptoglobin and a potent immunosuppressant in cancer. *Cancer Res* 47:5120.
18. Quaye, I. K., J. Brandful, F. A. Ekuban, B. Gyan, and N. A. Ankrah. 2000. Haptoglobin polymorphism in human immunodeficiency virus infection:

- Hp0 phenotype limits depletion of CD4 cell counts in HIV-1-seropositive individuals. *J Infect Dis* 181:1483.
19. Balestrieri, M., L. Cigliano, M. L. Simone, B. Dale, and P. Abrescia. 2001. Haptoglobin inhibits lecithin-cholesterol acyltransferase in human ovarian follicular fluid. *Mol Reprod Dev* 59:186.
20. Pintera, J., and V. Tomasek. 1970. The protective influence of haptoglobin on hemoglobinuric kidney. II. Microscopic observations and clinical aspect. *Int Z Klin Pharmakol Ther Toxikol* 4:371.
21. Putnam, F. W. 1975. *In the Plasma Proteins*. Academic Press, New York.
22. Katnik, I., C. Lammler, T. Guszczynski, and W. Dobryszcka. 1993. Quantitation of human haptoglobin by ELISA system based on streptococcal haptoglobin receptors. *Arch Immunol Ther Exp (Warsz)* 41:105.
23. Javid, J. 1978. Human haptoglobins. *Curr Top Hematol* 1:151.
24. Hwang, P. K., and J. Greer. 1979. Identification of residues involved in the binding of hemoglobin alpha chains to haptoglobin. *J Biol Chem* 254:2265.
25. Nagel, R. L., and Q. H. Gibson. 1971. The binding of hemoglobin to haptoglobin and its relation to subunit dissociation of hemoglobin. *J Biol*

- Chem* 246:69.
26. Keene, W. R., and J. H. Jandl. 1965. The sites of hemoglobin catabolism. *Blood* 26:705.
27. Halliwell, B., and J. M. Gutteridge. 1999. *Free radicals in Biology and Medicine*. Oxford University Press, Oxford.
28. Gutteridge, J. M. 1987. The antioxidant activity of haptoglobin towards haemoglobin-stimulated lipid peroxidation. *Biochim Biophys Acta* 917:219.
29. Haugen, T. H., J. M. Hanley, and E. C. Heath. 1981. Haptoglobin. A novel mode of biosynthesis of a liver secretory glycoprotein. *J Biol Chem* 256:1055.
30. Langlois, M. R., and J. R. Delanghe. 1996. Biological and clinical significance of haptoglobin polymorphism in humans. *Clin Chem* 42:1589.
31. Smithies, O. 1955. Zone electrophoresis in starch gels: group variations in the serum proteins of normal human adults. *Biochem J* 61:629.
32. Smithies, O., G. E. Connell, and G. H. Dixon. 1962. Inheritance of haptoglobin subtypes. *Am J Hum Genet* 14:14.
33. Mastana, S. S., and P. Fisher. 1994. Haptoglobin subtypes in the East

- Midlands (United Kingdom). *Int J Legal Med* 107:52.
34. Alonso, A., G. Visedo, M. Sancho, and J. Fernandez-Piqueras. 1990. Haptoglobin subtyping by isoelectric focusing in miniaturized polyacrylamide gels rehydrated in presence of 2-mercaptoethanol. *Electrophoresis* 11:321.
35. Shindo, S. 1990. Haptoglobin subtyping with anti-haptoglobin alpha chain antibodies. *Electrophoresis* 11:483.
36. Delanghe, J., M. Langlois, C. Alvarado Esquivel, H. De Haene, and M. De Buyzere. 2000. Haptoglobin 1F allele frequency is high among indigenous populations in the state of Durango, Mexico. *Hum Hered* 50:263.
37. Teige, B., B. Olaisen, and P. Teisberg. 1992. Haptoglobin subtypes in Norway and a review of HP subtypes in various populations. *Hum Hered* 42:93.
38. Okazaki, T., Y. Yanagisawa, and T. Nagai. 1997. Analysis of the affinity of each haptoglobin polymer for hemoglobin by two-dimensional affinity electrophoresis. *Clin Chim Acta* 258:137.
39. Tseng, C. F., C. C. Lin, H. Y. Huang, H. C. Liu, and S. J. Mao. 2004. Antioxidant role of human haptoglobin. *Proteomics* 4:2221.

40. Melamed-Frank, M., O. Lache, B. I. Enav, T. Szafrank, N. S. Levy, R. M. Ricklis, and A. P. Levy. 2001. Structure-function analysis of the antioxidant properties of haptoglobin. *Blood* 98:3693.
41. Bernard, D., A. Christophe, J. Delanghe, M. Langlois, M. De Buyzere, and F. Comhaire. 2003. The effect of supplementation with an antioxidant preparation on LDL-oxidation is determined by haptoglobin polymorphism. *Redox Rep* 8:41.
42. Langlois, M., J. Delanghe, J. Philippe, J. Ouyang, D. Bernard, M. De Buyzere, G. Van Nooten, and G. Leroux-Roels. 1997. Distribution of lymphocyte subsets in bone marrow and peripheral blood is associated with haptoglobin type. Binding of haptoglobin to the B-cell lectin CD22. *Eur J Clin Chem Clin Biochem* 35:199.
43. Delanghe, J., M. Langlois, D. Duprez, M. De Buyzere, and D. Clement. 1999. Haptoglobin polymorphism and peripheral arterial occlusive disease. *Atherosclerosis* 145:287.
44. Miyoshi, H., S. Ohshiba, A. Matsumoto, K. Takada, E. Umegaki, and I. Hirata. 1991. Haptoglobin prevents renal dysfunction associated with intravariceal infusion of ethanolamine oleate. *Am J Gastroenterol* 86:1638.

45. Levy, A. P., A. Roguin, I. Hochberg, P. Herer, S. Marsh, F. M. Nakhoul, and K. Skorecki. 2000. Haptoglobin phenotype and vascular complications in patients with diabetes. *N Engl J Med* 343:969.
46. Hochberg, I., A. Roguin, E. Nikolsky, P. V. Chandrashekhar, S. Cohen, and A. P. Levy. 2002. Haptoglobin phenotype and coronary artery collaterals in diabetic patients. *Atherosclerosis* 161:441.
47. Porta, A., E. Cassano, M. Balestrieri, M. Bianco, R. Picone, C. De Stefano, and P. Abrescia. 1999. Haptoglobin transport into human ovarian follicles and its binding to apolipoprotein A-1. *Zygote* 7:67.
48. Langlois, M. R., M. E. Martin, J. R. Boelaert, C. Beaumont, Y. E. Taes, M. L. De Buyzere, D. R. Bernard, H. M. Neels, and J. R. Delanghe. 2000. The haptoglobin 2-2 phenotype affects serum markers of iron status in healthy males. *Clin Chem* 46:1619.
49. Frohlander, N. 1987. Haptoglobin groups and serum cholesterol levels. *Hum Hered* 37:323.
50. Saha, N., Y. Liu, J. S. Tay, J. Basair, and C. H. Ho. 1992. Association of haptoglobin types with serum lipids and apolipoproteins in a Chinese population. *Clin Genet* 42:57.
51. Delanghe, J. R., D. A. Duprez, M. L. De Buyzere, B. M. Bergez, B. Y.

- Callens, G. G. Leroux-Roels, and D. L. Clement. 1993. Haptoglobin polymorphism and complications in established essential arterial hypertension. *J Hypertens* 11:861.
52. Delanghe, J. R., D. A. Duprez, M. L. De Buyzere, B. M. Bergez, L. R. Claeys, G. G. Leroux-Roels, and D. L. Clement. 1995. Refractory hypertension is associated with the haptoglobin 2-2 phenotype. *J Cardiovasc Risk* 2:131.
53. Hong, S. H., B. Y. Kang, J. H. Lim, Y. Namkoong, M. Y. Oh, J. Q. Kim, and C. C. Lee. 1997. Haptoglobin polymorphism in Korean patients with cardiovascular diseases. *Hum Hered* 47:283.
54. Braeckman, L., D. De Bacquer, J. Delanghe, L. Claeys, and G. De Backer. 1999. Associations between haptoglobin polymorphism, lipids, lipoproteins and inflammatory variables. *Atherosclerosis* 143:383.
55. Delanghe, J., B. Cambier, M. Langlois, M. De Buyzere, H. Neels, D. De Bacquer, and P. Van Cauwelaert. 1997. Haptoglobin polymorphism, a genetic risk factor in coronary artery bypass surgery. *Atherosclerosis* 132:215.
56. Mao, S. J., M. T. Yates, and R. L. Jackson. 1994. Antioxidant activity and serum levels of probucol and probucal metabolites. *Methods Enzymol*

- 234:505.
57. Awadallah, S., and M. Hamad. 2003. A study of haptoglobin phenotypes in patients with chronic renal failure. *Ann Clin Biochem* 40:680.
58. Levy, A. P., P. Friedenber, R. Lotan, P. Ouyang, M. Tripputi, L. Higginson, F. R. Cobb, J. C. Tardif, V. Bittner, and B. V. Howard. 2004. The effect of vitamin therapy on the progression of coronary artery atherosclerosis varies by haptoglobin type in postmenopausal women. *Diabetes Care* 27:925.
59. Tseng, C. F., H. Y. Huang, Y. T. Yang, and S. J. Mao. 2004. Purification of human haptoglobin 1-1, 2-1, and 2-2 using monoclonal antibody affinity chromatography. *Protein Expr Purif* 33:265.
60. Liao, C. Y., T. M. Chang, J. P. Pan, W. L. Chen, and S. J. Mao. 2003. Purification of human plasma haptoglobin by hemoglobin-affinity column chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 790:209.
61. Yang, S. J., and S. J. Mao. 1999. Simple high-performance liquid chromatographic purification procedure for porcine plasma haptoglobin. In *J Chromatogr B Biomed Sci Appl*, Vol. 731, p. 395.
62. Mao, S. J., J. P. Miller, A. M. Gotto, Jr., and J. T. Sparrow. 1980. The

- antigenic structure of apolipoprotein A-I in human high density lipoproteins. Radioimmunoassay using surface-specific antibodies. *J Biol Chem* 255:3448.
63. Mao, S. J., A. E. Rechten, J. L. Krstenansky, and R. L. Jackson. 1990. Characterization of a monoclonal antibody specific to the amino terminus of the alpha-chain of human fibrin. *Thromb Haemost* 63:445.
64. Mao, S. J., A. E. Rechten, and R. L. Jackson. 1988. Monoclonal antibodies that distinguish between active and inactive forms of human postheparin plasma hepatic triglyceride lipase. *J Lipid Res* 29:1023.
65. Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680.
66. Chen, W. L., M. T. Hwang, C. Y. Liao, J. C. Ho, K. C. Hong, and S. J. Mao. 2005. Beta-lactoglobulin is a thermal marker in processed milk as studied by electrophoresis and circular dichroic spectra. *J Dairy Sci* 88:1618.
67. Song, C. Y., W. L. Chen, M. C. Yang, J. P. Huang, and S. J. Mao. 2005. Epitope mapping of a monoclonal antibody specific to bovine dry milk: involvement of residues 66-76 of strand D in thermal denatured beta-lactoglobulin. *J Biol Chem* 280:3574.

68. Frank, R. 1992. *Tetrahedron* 48:9217.
69. Mao, S. J., J. T. Sparrow, A. M. Gotto, Jr., and R. L. Jackson. 1980. *Biochim Biophys Acta* 617:245.
70. Rademacher, B. E., and W. J. Steele. 1987. A general method for the isolation of haptoglobin 1-1, 2-1, and 2-2 from human plasma. *Anal Biochem* 160:119.
71. Wassdal, I., A. H. Myrset, and L. Helgeland. 1991. A simple and rapid method for purification of rat haptoglobin for production of antiserum. *Scand J Clin Lab Invest* 51:565.
72. Travis, J. C., and B. G. Sanders. 1972. Haptoglobin evolution: polymeric forms of Hp in the Bovidae and Cervidae families. *J Exp Zool* 180:141.
73. Miller, E. J., and A. B. Cohen. 1991. Use of antibodies in the study of protein structure and function in lung diseases. *Am J Physiol* 260:L1.
74. Mao, S. J., J. G. Patton, J. J. Badimon, B. A. Kottke, M. C. Alley, and A. D. Cardin. 1983. Monoclonal antibodies to human plasma low-density lipoproteins. I. Enhanced binding of ¹²⁵I-labeled low-density lipoproteins by combined use of two monoclonal antibodies. *Clin Chem* 29:1890.
75. Patton, J. G., J. J. Badimon, and S. J. Mao. 1983. Monoclonal antibodies to human plasma low-density lipoproteins. II. Evaluation for use in

- radioimmunoassay for apolipoprotein B in patients with coronary artery disease. *Clin Chem* 29:1898.
76. Davies, D. R., and G. H. Cohen. 1996. Interactions of protein antigens with antibodies. *Proc Natl Acad Sci U S A* 93:7.
77. Atassi, M. Z. 1984. Antigenic structures of proteins. Their determination has revealed important aspects of immune recognition and generated strategies for synthetic mimicking of protein binding sites. *Eur J Biochem* 145:1.
78. Saito, S., P. C. Roche, D. J. McCormick, and R. J. Ryan. 1989. Synthetic peptide segments of inhibin alpha- and beta-subunits: preparation and characterization of polyclonal antibodies. *Endocrinology* 125:898.
79. Bernard, D. R., M. R. Langlois, J. R. Delanghe, and M. L. De Buyzere. 1997. Evolution of haptoglobin concentration in serum during the early phase of acute myocardial infarction. *Eur J Clin Chem Clin Biochem* 35:85.
80. Levy, A. P., I. Hochberg, K. Jablonski, H. E. Resnick, E. T. Lee, L. Best, and B. V. Howard. 2002. Haptoglobin phenotype is an independent risk factor for cardiovascular disease in individuals with diabetes: The Strong Heart Study. *J Am Coll Cardiol* 40:1984.

81. Nakhoul, F. M., R. Zoabi, Y. Kanter, M. Zoabi, K. Skorecki, I. Hochberg, R. Leib, B. Miller, and A. P. Levy. 2001. Haptoglobin phenotype and diabetic nephropathy. *Diabetologia* 44:602.
82. Asleh, R., J. Guetta, S. Kalet-Litman, R. Miller-Lotan, and A. P. Levy. 2005. Haptoglobin genotype- and diabetes-dependent differences in iron-mediated oxidative stress in vitro and in vivo. *Circ Res* 96:435.
83. Lee, Y. W., W. K. Min, S. Chun, W. Lee, H. Park, Y. K. Lee, H. Lee do, and J. E. Son. 2004. Lack of association between oxidized LDL-cholesterol concentrations and haptoglobin phenotypes in healthy subjects. *Ann Clin Biochem* 41:485.
84. Dobryszczyka, W. 1997. Biological functions of haptoglobin--new pieces to an old puzzle. *Eur J Clin Chem Clin Biochem* 35:647.
85. Sadrzadeh, S. M., and J. Bozorgmehr. 2004. Haptoglobin phenotypes in health and disorders. *Am J Clin Pathol* 121 Suppl:S97.
86. Delanghe, J. R., and M. R. Langlois. 2002. Haptoglobin polymorphism and body iron stores. *Clin Chem Lab Med* 40:212.