Reference

- [1] 金順志等撰寫, 超臨界流體技術與應用發展趨勢,初版,工研院經資中心,台北, 民國九十一年。
- [2] J.B.Rubin, et al., <u>Carbon Dioxide Based Supercritical Fluids as IC</u> <u>Manufactureing Solvent</u>, Electronics and the Environment, 1999. ISEE-1999.
 Proceedings of the IEEE International Symposium, pp.13-20, May 1999.
- [3] Laura B.Rothman, et al., <u>Supercritical Fluid Process for Semiconductor Device</u> <u>Fabrication</u>, SC Fluids, Inc. USA.
- [4] David J.Mount, et al., <u>Supercritical fluid cleaning process for precision surfaces</u>, United States Patent 6,602,349, August 2003.

متلللته

- [5] S. Wolf and R. N. Tauber, <u>Silicon Processing for the VLSI Era</u>, Vol. 1, 2.sup.nd edition, Lattice Press, Sunset Beach, Calif., pp. 488, 2000.
- [6] Peter. van Zant, <u>Microchip Fabrication</u>, 3.sup.rd edition, McGraw Hill, New York, pp. 273, 1997.
- [7] Tony Clifford, <u>Fundamentals of Supercritical Fluids</u>, Oxford University, London, 1998.
- [8] J.B Rubin, et al., <u>A Comparsion of DI Water/Ozone and CO2-Based Supercritical</u> <u>Fluid as Replacements for Photoresist-Stripping Solvents</u>, Physical Organic Chemictry Group (CST-12) Chemical Science & Technology Division Los Alamos National Laboratory, Los Alamos, New Mexico.

- [9] William H.Mullee, et al., <u>Removal of photoresist and residue from substrate using</u> <u>supercritical carbon dioxide process</u>, United States Patent 6,500,605, December 2002.
- [10] H. Klein and T. Marquis, <u>Cyclic Organic Carbonates Serve as Solvents and Reactive Diluents</u>, Coatings World, May/June, 1997.
- [11] James P.DeYoung, et al., <u>Methods and compositions for etch cleaning</u> <u>microelectronic substrates in carbon dioxide</u>, United States Patent 6,669,785, December 2003.
- [12] Leisa B.Davenhall, et al., <u>Composition and method for removing photoresist</u> <u>materials from electronic components</u>, United States Patent 6,403,544, June 2002.

ATTILLES .

 Kenneth John. McCullough, et al., <u>Residue removal By Supercritical Fluids</u>, United States Patent 5,908,510, June 1999.

1896

- Brian B.Vaartstra, et al., <u>Supercritical compositions for removal of organic material</u> and methods of using same, United States Patent 6,242,165, June 2001.
- [15] Adrianne Kay.Tipton, et al., <u>Method for removing photoresist and post-etch residue</u> <u>using activated peroxide followed by supercritical fluid treatment</u>, United States Patent 6,800,142, October 2004.
- [16] William H.Mullee, et al., <u>Removal of photoresist and photoresist residue from</u> <u>semiconductors using supercritical carbon dioxide process</u>, United States Patent 6,509,141, January 2003.
- [17] R.F.Reidy, et al., Effects of Supercritical CO₂ Drying and Photoresist Strip on

Low-k Films, Department of Materials Science and Engineering, University of North Texas, Denton, Texas 76203-5310.

- [18] Maria A. Lester, et al., <u>Supercritical CO₂ Cleaning Enables Sub-65 nm Processing</u>, Semiconductor International, 2/1/2003.
- [19] Los Alamos National Laboratory, <u>Innovations-SCORR One for the Environment</u>, Environmental Health Perspectives, 109, pp.A382-385, 2001.
- [20] Jim Rubin, <u>Supercritical Fluids as Wafer Cleaners</u>, Los Alamos National Laboratory.
- [21] Gina Weibel, Ph.D candidate, <u>Supercritical CO2 for Semiconductor Applications</u>, Department of Materials Science & Engineering, Cornell University.
- [22] SCFlids Incorporated, presentation, July 2002.