

References

Chapter 1

- [1.1] Y. Y. Lin, D. J. Gundlach, S. F. Nelson, and T. N. Jackson, *IEEE Electron Device Lett.* 18, 606(1997)
- [1.2] D. J. Gundlach, Y. Y. Lin, T. N. Jackson, S. F. Nelson, and D. G. Schlom, *IEEE Electron Device Lett.* 18, 87(1997)
- [1.3] Christos D. Dimitrakopoulos, D. J Mascaro, “Organic thin film transistors : A review of recent advances ” *IBM J. RES. & DEV.* 45(1), 11, (2001)
- [1.4] Christos D. Dimitrakopoulos, Parick R. Malenfant, “Organic thin film transistorsfor large area electronics” *Adv. Mater.* 2002, 14, No2, January 16
- [1.5] A. Assadi, C. Svensson, M. Willander, O. Inganäs, “Field-effect mobility of poly(3-hexylthiophene)” *Appl. Phys. Lett.* 53(3), 18 July 1988
- [1.6] Zhenan Bao,a) Ananth Dodabalapur, and Andrew J. Lovinger ; “Soluble and processable regioregular poly(3-hexylthiophene) for thin film field-effect transistor applications with high mobility” *Appl. Phys. Lett.*, Vol. 69, No. 26, 23 December 1996
- [1.7] Bao, Z.; Lovinger, A. J, “Soluble Regioregular Polythiophene Derivatives as Semiconducting Materials for Field-Effect Transistors” *Chem. Mate.*(Article); 1999
- [1.8] Sirringhaus Henning, Tessler Nir, et al., “Integrated optoelectronic devices based on conjugated polymers,” *Science*, vol. 280, No. 5370, pp. 1741, Dec. 1998.
- [1.9] H. Sirringhaus, P. J. Brown, R. H. Friend, M. M. Nielsen, K. Bechgaard, B. M. W. Langeveld-Voss et al., “Microstructure-mobility correlation in self-organized, conjugated polymer field-effect transistors,” *Synth. Metals*, vol. 111-112, pp. 129-132, Jun. 2000.
- [1.10] Cheng Yang, Francesco P. Orfino, and Steven Holdcroft, “A phenomenological model for predicting thermochromism of regioregular and nonregioregular poly(3-alkylthiophenes),” *Macromolecules*, vol. 29, No. 20, 1996.

- [1.11] Guangming Wang, James Swensen, Daniel Moses, and Alan J. Heeger, “Increased mobility from regioregular poly(3-hexylthiophene) field-effect transistors,” *J. Appl. Phys.*, vol. 93, No. 10, pp. 6137-6141, May 2003.
- [1.12] H. Sirringhaus, P. J. Brown, R. H. Friend, M. M. Nielsen, “Two-dimensional charge transport in self-organized, high-mobility conjugated polymers,” *Nature*, vol. 401, pp. 685-688, Oct. 1999
- [1.13] By Christos D. Dimitrakopoulos and Patrick R. L. Malenfant, “Organic Thin Film Transistors for Large Area Electronics,” *Adv. Mater.* 2002, 14, No. 2, January 16

Chapter 2

- [2.1] C. J. Drury, C.M.J. Mutsaers, C.M. Hart, M. Matters, and D. M. de Leeuw, *Appl. Phys. Lett.* 73,108(1998)
- [2.2] G. H. Gelinck, T. C. T. Geuns, and D. M. de Leeuw, *Appl. Phys. Lett.* 77, 1487(2000)
- [2.3] F.J. Touwslager, N.P. Willard, and D.M. de Leeuw, *Appl. Phys. Lett.* 81, 4556(2002)
- [2.4] Yong-Hoon Kim, Dae-Gyu Moon, and Jeong-In Han, *IEEE Electron Device Lett.* 25,10(2004)
- [2.5] Sung Kyu Park, Young Hoon Kim, Jeong In Han, Dae Gyu Moon, and Won Keun Kim, *IEEE Electron Device Lett.* 49,11(2002)
- [2.6] Sung Kyu Park, Young Hoon Kim, Jeong In Han, Dae Gyu Moon, Won Keun Kim, Min Gi Kwak, *Synthetic Metals* 139(2003)377-384
- [2.7] Florian Eder, Hagen Klauk, Marcus Halik, Ute Zschieschang, Gunter Schmid, and Christine Dehm, *Appl. Phys. Lett.*, vol.84,no.14, 2004.
- [2.8] Seungmoon Pyo, Son H, Kil-Yeong Choi, Mi Hye Yi, Sung Kwon Hong. *Appl. Phys. Lett.*, vol.86, no.13, 2005
- [2.9] H. Nagayama, H.Honda, and H. Kawahara, *J. Electrochem. Soc.*, vol.135,

p.2013, 1988.

- [2.10] T. Homma, K. Katoh, Y. Yamada, J. Shimizu, and Y. Murao," A new interlayer formation technology for completely planarized multilevel interconnection by using LPD," in Symp. In VLSI Tech., p. 3,1990.
- [2.11] T. Homma, T. Katoh, Y. Yamada, and Y. Murao,"A selective SiO₂ film formation technology using liquid-phase deposition for fully planarized multilevel interconnections, " *J. Electrochem. Soc.*, vol. 140, p.2410, 1993.
- [2.12] K. Kanba, T. Horiuchi, T. Homma, Y. Murao, and K. Okumura, "A 7 mask CMOS technology utilizing liquid-phase selective oxide deposition," in IEDM Tech. Dig.,p.673, 1991.
- [2.13] T. Horiuchi, T. Homma, Y. Murao, and K. Okumura, "An asymmetric sidewall process for high performance LDD MOSFETs, " *IEEE Trans. on Electron Device*, vol. 41, p. 186, 1994.
- [2.14] C. F. Yeh, S. S. Lin, C.L. Chern, and Y.C. Yang."Novel technique for SiO₂ formed by liquid-phase deposition for low-temperature processed Polysilicon TFT. " *IEEE Electron Device Lett.*, vol. 14, p.403, 1993.
- [2.15] C.F. Yeh, S.S. Lin, T.Z. Yang, C.L. Chern, and Y.C. Yang,"Performance and off-state current mechanisms of low-temperature processed polysilicon thin-film transistors with liquid phase deposited SiO₂ gate insulator," *IEEE Trans. Electron Devices*, vol. 41, p.173, 1994
- [2.16] H. Sirringhaus, P. J. Brown, R. H. Friend, M. M. Nielsen, "Two-dimensional charge transport in self-organized, high-mobility conjugated polymers," *Nature*, vol. 401, pp. 685-688, Oct. 1999
- [2.17] S. S. Lin "Development and Application of Novel Room-Temperature Liquid-Phase Deposited SiO_{2-x}F_x“, Graduate thesis.
- [2.18] B.L. Liou "Process Investigation of Spin-On Organic TFT", Graduate thesis.

Chapter 3

- [3.1] C. D. Dimitrakopoulos, S. Purushothaman, J. Kymissis, A. Callegari, and J. M.

- Shaw, Science **283**, 822 (1999).
- [3.2] H. E. Katz and Z. Bao, J. Phys. Chem. B **104**, 671 (2000).
- [3.3] Y. Roichman and N. Tessler, Appl. Phys. Lett. **80**, 151 (2002).
- [3.4] Y. S. Yang, S. H. Kim, J. Lee, H. Y. Chu, L. Do, H. Lee, J. Oh, and T. Zyung, Appl. Phys. Lett. **80**, 1595 (2002).
- [3.5] Z. Bao, A. Bodabalapur, and A. J. Lovinger, and A. Dodabalapur, Chem. Mater. **8**, 2542 (1996).

Chapter 4

- [4.1] Brian A. Mattis, Paul C. Chang, and Vivek Subramanian “Effect of thermal cycling on performance of Poly(3-hexylthiophene) Transistors” Mat. Res. Soc. Symp. Proc. Vol. 771 © 2003 Materials Research Society
- [4.2] C.D. Dimitrakopoulos, S. Purushothaman, J. Kymissis, A. Callegari, J.M. Shaw “Low-Voltage Transistors on Plastic Comprising High-Dielectric Constant Gate Insulator” 5 February 1999 Vol 283
- [4.3] Carmen Bartic, Henri Jansen, Andrew Campitelli, Staf Borghs “Ta₂O₅ as Gate Dielectric Material for Low-Voltage Organic Thin-Film Transistors” Organic Electronics 3(2002) 65-72
- [4.4] Guangming Wang, Daniel Moses, Alan J. Heeger “Poly(3-hexylthiophene) field-effect transistors with high dielectric constant gate insulator” *Journal of Applied Physics* Vol95,Number1 January 2004