

# Contents

|   |     |
|---|-----|
| ABSTRACT  | i   |
| ACKNOWLEDGMENT  | ii  |
| CONTENTS  | iii |
| LIST OF FIGURES   | iv  |
| <br>  |     |
| Chapter 1      Introduction   | 1   |
| Chapter 2      Chaos in a Nonlinear Damped Mathieu System, in a Nano Resonator System and in Its Fractional Order Systems         | 5   |
| 2.1      Method for the Approximation of the Fractional Derivative  | 5   |
| 2.2      The Chaos of the Nonlinear Damped Mathieu System and of the Nano Resonator System with Its Fractional Order Form         | 6   |
| 2.3      Numerical Simulations for the Integral and Fractional Order Systems  | 8   |
| Chapter 3      Parameter Excited Chaos Synchronizations of Integral and Fractional Order Nano Resonator Systems                   | 28  |
| 3.1      Preliminaries  | 28  |
| 3.2      Numerical Simulations for the Synchronizations of Integral and Fractional Order Chaotic Nano Resonator Systems           | 28  |
| Chapter 4      Anti-Control of Chaos of Fractional Order Nano Resonator Systems   | 52  |
| 4.1      Preliminaries  | 52  |
| 4.2      Numerical Simulations for the Anti-Control of Chaos of Fractional Order Chaotic Nano Resonator Systems                   | 52  |
| Chapter 5      Parameter Excited Anti-Control of Chaos of Fractional Order Nano Resonator Systems                                 | 62  |
| 5.1      Preliminaries  | 62  |
| 5.2      A Modified Van der Pol System  | 62  |
| 5.3      Numerical Simulations for the Parameter Excited Anti-Control of Chaos of Fractional Order Chaotic Nano Resonator Systems | 62  |
| Chapter 6      Conclusions  | 74  |
| References  | 75  |
| Appendix  | 84  |
| Paper List  | 85  |

## LIST OF FIGURES

Figure 2.1 The phase portraits, bifurcation diagram and the Lyapunov exponent for the damped Mathieu system.

Figure 2.2 The phase portraits, bifurcation diagram and the Lyapunov exponent for the nano resonator system with order  $\alpha = 1$  and  $\beta = 1$ .

Figure 2.3 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.1$  and  $\beta = 0.9$ .

Figure 2.4 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.9$  and  $\beta = 1.1$ .

Figure 2.5 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.2$  and  $\beta = 0.8$ .

Figure 2.6 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.8$  and  $\beta = 1.2$ .

Figure 2.7 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.6$  and  $\beta = 0.4$ .

Figure 2.8 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.4$  and  $\beta = 1.6$ .

Figure 2.9 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.7$  and  $\beta = 0.3$ .

Figure 2.10 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.5$  and  $\beta = 1.5$ .

Figure 2.11 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.8$  and  $\beta = 0.2$ .

Figure 2.12 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.2$  and  $\beta = 1.8$ .

Figure 2.13 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.9$  and  $\beta = 0.1$ .

Figure 2.14 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.1$  and  $\beta = 1.9$ .

Figure 2.15 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 1.8$  and  $\beta = 0.1$ .

Figure 2.16 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.7$  and  $\beta = 1.2$ .

Figure 2.17 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.6$  and  $\beta = 1.3$ .

Figure 2.18 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.3$  and  $\beta = 1.6$ .

Figure 2.19 The phase portraits and the bifurcation diagram for the nano resonator system with order  $\alpha = 0.2$  and  $\beta = 1.7$ .

Figure 3.1 The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order

$\alpha = \beta = 0.1$  for Case 1.

Figure 3.2

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 1.

Figure 3.3

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 1.

Figure 3.4

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 1.

Figure 3.5

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 1.

Figure 3.6

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 1.

Figure 3.7

The phase portraits of the synchronized nano resonator integral order systems (2.4) and (2.5) with order  $\alpha = \beta = 1$  for Case 1.

Figure 3.8

3.8 The time histories of the errors of the states of the synchronized nano resonator integral order systems (2.4) and (2.5) with order  $\alpha = \beta = 1$  for Case 1.

Figure 3.9

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 2.

Figure 3.10

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 2.

Figure 3.11

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 2.

Figure 3.12

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 2.

Figure 3.13

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 2.

Figure 3.14

The time histories of the errors of the states of the synchronized nano resonator fractional order systems

(2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 2.

Figure 3.15

The phase portraits of the synchronized nano resonator integral order systems (2.4) and (2.5) with order  $\alpha = \beta = 1$  for Case 2.

Figure 3.16

The time histories of the errors of the states of the synchronized nano resonator integral order systems (2.4) and (2.5) with order  $\alpha = \beta = 1$  for Case 2.

Figure 3.17

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 3.

Figure 3.18

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 3.

Figure 3.19

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 3.

Figure 3.20

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 3.

Figure 3.21

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 3.

Figure 3.22

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 3.

Figure 3.23

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.9$  for Case 3.

Figure 3.24

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.9$  for Case 3.

Figure 3.25

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 4.

Figure 3.26

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 4.

Figure 3.27

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order

$\alpha = \beta = 0.4$  for Case 4.

Figure 3.28

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 4.

Figure 3.29

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 4.

Figure 3.30

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 4.

Figure 3.31

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.9$  for Case 4.

Figure 3.32

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.9$  for Case 4.

Figure 3.33

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 5.

Figure 3.34

Fig. 3.34 The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.1$  for Case 5.

Figure 3.35

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 5.

Figure 3.36

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.4$  for Case 5.

Figure 3.37

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 5.

Figure 3.38

The time histories of the errors of the states of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.7$  for Case 5.

Figure 3.39

The phase portraits of the synchronized nano resonator fractional order systems (2.4) and (2.5) with order  $\alpha = \beta = 0.9$  for Case 5.

Figure 3.40

The time histories of the errors of the states of the synchronized nano resonator fractional order systems

(2.4) and (2.5) with order  $\alpha = \beta = 0.9$  for Case 5.

Figure 4.1

The bifurcation diagram for the system (4.1) with order  $\alpha = 0.2$  and  $\beta = 1.7$ .

Figure 4.2

The bifurcation diagram for the system (4.1) with order  $\alpha = 0.3$  and  $\beta = 1.6$ .

Figure 4.3

The bifurcation diagram for the system (4.1) with order  $\alpha = 0.5$  and  $\beta = 1.5$ .

Figure 4.4

The bifurcation diagram for the system (4.1) with order  $\alpha = 0.6$  and  $\beta = 1.3$ .

Figure 4.5

The bifurcation diagram for the system (4.1) with order  $\alpha = 0.7$  and  $\beta = 1.2$ .

Figure 4.6

The bifurcation diagram for the system (4.1) with order  $\alpha = 0.9$  and  $\beta = 1.1$ .

Figure 4.7

The bifurcation diagram for the system (4.1) with order  $\alpha = 1.1$  and  $\beta = 0.9$ .

Figure 4.8

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.2$  and  $\beta = 1.7$ .

Figure 4.9

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.2$  and  $\beta = 1.8$ .

Figure 4.10

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.3$  and  $\beta = 1.6$ .

Figure 4.11

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.5$  and  $\beta = 1.5$ .

Figure 4.12

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.6$  and  $\beta = 1.3$ .

Figure 4.13

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.7$  and  $\beta = 1.2$ .

Figure 4.14

The bifurcation diagram for the system (4.2) with order  $\alpha = 0.8$  and  $\beta = 1.2$ .

Figure 4.15

The bifurcation diagram for the system (4.2) with order  $\alpha = 1.1$  and  $\beta = 0.9$ .

Figure 4.16

The bifurcation diagram for the system (4.2) with order  $\alpha = 1.8$  and  $\beta = 0.2$ .

Figure 5.1

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.9$ .

Figure 5.2

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.9$ .

$$\alpha = \beta = 0.8 .$$

Figure 5.3

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.7 .$

Figure 5.4

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.6 .$

Figure 5.5

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.5 .$

Figure 5.6

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.4 .$

Figure 5.7

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.3 .$

Figure 5.8

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.2 .$

Figure 5.9

The bifurcation diagram for the system (5.6) with order  $\alpha = \beta = 0.1 .$

