

參考文獻

1. **Moore DRJ., Caux PY.,** 1997. Estimating Low Toxic Effects, *Environ. Toxicol. Chem.* 16: 794–801.
2. **Hoeven NVD.,** 1997. How to measure on effect. part III: Statistical aspects of NOEC, EC_x and NEC estimates. *Environmetrics* 8:255-261.
3. **Organization for Economic Cooperation and Development (OECD)** . 1997. *Report of the Final Ring Test of the Daphnia magna Reproduction Test.* OECD Environmental Health and Safety Publications. Series on Testing and Assessment, n° 6, OECD/GD(97)19: Paris.
4. **CEE.** 1979. Directive du Conseil. 79/831. J.O.L. 259/10, 15-10-79.
5. **Kühn R., Pattard M., Pernak KD., Winter A.,** 1989. Results of the harmful effects of water pollutants to *Daphnia magna* in the 21 day reproduction test. *Wat. Res.* 23: 501-510.
6. **United States Environmental Protection Agency (U.S. EPA)** . 1991. *Technical support document for water quality-based toxics control.* EPA/505/2-90-001. U. S. Environmental Protection Agency, Office of Water: Washington DC.
7. **Dunnett CW.,** 1955. A multiple comparison procedure for comparing several treatments with a control. *J. Am. Statistic Assos.* 50:1096–1121.
8. **Dunnett CW.,** 1964. New table of multiple comparison with a control. *Biometrics* 20:482–491.
9. **Williams DA.,** 1971. A test for differences between treatment means when several dose levels are compared with a zero dose control. *Biometrics* 27:103–117.
10. **Campbell PJ., Hoy SP.,** 1996. ED points and NOELs: How they are used by UK pesticide regulators. *Ecotoxicology* 5:139–144.

11. **de Bruijn JHM., Hof M., 1997.** How to measure no effect. IV : How acceptable is the ECx from an environmental policy point of view? *Environmetrics* 8:263–267.
12. **Organization for Economic Cooperation and Development (OECD) 1996.** Report of the OECD workshop on statistical analysis of aquatic toxicity data, Braunschweig, Germany, October 15–17, 1996. Organization for Economic Cooperation and Development, Paris, France.
13. **Laskowski R., 1995.** Some good reasons to ban the use of NOEC, LOEC and related concepts in ecotoxicology. *Oikos* 73:40–144.
14. **Kooijman SALM., Hanstveit AO., Hynolmn N., 1996,** No-effect-concentration in algal growth inhibition test. *Wat. Res.* 30:1625-1632
15. **Chapman PM., Caldwell RS., Chapman PF., 1996,** A warning NOECs are inappropriate for regulatory use. *Environ. Toxicol. Chem.* 15: 77-79
16. **Organization for Economic Cooperation and Development (OECD) . 1998.** Report of the OECD Workshop on Statistical Analysis of Aquatic Toxicity Data. OECD Environmental Health and Safety Publications. Series on Testing and Assessment, n° 10, ENV/MC/CHEM(98)18: Paris.
17. **Crane M., Newman MC., 2000.** What level of effect is a no observed effect?. *Environ Toxicol Chem.* 19:516–519.
18. **Chao MR., Shieh JN., Chen CY., 2001.** Statistical comparisons of the no-observed-effect concentration and the effective concentration at 10% inhibition (EC10) in algal toxicity tests. *Water Sci Technol.* 43(2): 141–146
19. **Isnard P., Flammarionb P., Romana G., Babutc M., Ph. Bastiend, Binteine S., Esserméantf L., Férardg JF., Gallotti-Schmitth S., Saouteri E., Sarolij M., Thiébaudk H., Tomassonel R., Vindimianm E., 2001.** Statistical analysis of regulatory ecotoxicity tests. *Chemosphere*

45:659-669

20. **Cox C.** 1987. Threshold dose-response models in toxicology. *Biometrics* 43: 511-523.
21. **Bedaux JJM., Kooijman SALM.,**1994. Statistical analysis of bioassays, based on hazard modeling. *Environ Ecol Sta.*, 1: 303-314.
22. **Chapman PF., Crane M., Wiles JA., Noppert F., McIndoe, EC., Eds.** 1995. *Asking the Right Questions: Ecotoxicology and Statistics. (The report of a Workshop held at Royal Holloway University of London, Egham, Surrey, United Kingdom, 26-27 April,1995)* Society of Environmental Toxicology and Chemistry and Europe: Brussels.
23. **Hoeven NVD., Noppert F., Leopold A.,** 1997. How to measure no effect. I : Towards a new measure of chronic toxicity in ecotoxicology. Introduction an workshop result. *Environmetrics* 8:241-248
24. **Kenaga EE.,** 1982. Predictability of chronic toxicity from acute toxicity of chemicals in fish and invertebrates. *Environ. Toxicol. Chem.* 1: 347-358.
25. **Mayer FL., Krause GF., Buckler DR., Ellersieck MR.,** 1994. Predicting chronic lethality of chemicals to fishes from acute toxicity test data : concepts and linear analysis. *Environ. Toxicol. Chem.* 13: 671-678.
26. **European Centre for Ecotoxicology and Toxicology of Chemicals.**1993. Environmental hazard assessment of substances. Technical Report 51. Brussels, Belgium.
27. **Persoone G., Janssen CR.,** 1994. Field validation of predictions based on laboratory toxicity tests. In Hill IR, Heimbach F, Leeuwangh P, Matthiessen P, eds, *Freshwater Field Tests for Hazard Assessment of Chemicals.* Lewis, Boca Raton, FL, USA, pp 379–397.
28. **Länge R., Hutchinson TH., Scholz N., Solbé J.,**1998, Analysis of the ECETOC aquatic toxicity(EAT) database II – Comparison of acute to

chronic ratios for various aquatic organism and chemical substances.
Chemosphere .36:115-127

29. **Roex EWM., Van Gestel CAM., Van Wezel AP., Van Straalen NM.,** 2000. Ratios between acute aquatic toxicity and effects on population growth rate in relation to toxicant mode of action, *Environ. Toxicol. Chem.* 19(3):685-693.
30. **Cowgill UM., Milazzo DP.,** 1991. The sensitivity of *Ceriodaphnia dubia* and *Daphnia magna* to seven chemicals utilizing the threebrood test. *Arch Environ Contam Toxicol* 20:211–217.
31. **Hansch C.,** 1977. On the predictive value of QSAR. In J.A. Keverling Buisman(Ed.), *Biological Activity and Chemical Structure*. Elsevier, Amsterdam. 47-61.
32. **Verhaar HJM., Van Leeuwen CJ., Hermens JLM.,** 1992. Classifying environmental pollutants: 1-structure-activity relationships for prediction of aquatic toxicity. *Chemosphere*. 25:471-491
33. **Rusom CL., Bradbury SP., Broderius SJ., Hammermeister DE., Drummond RA.,** 1997. Predicting modes of toxic action from chemical structure : acute toxicity in the fathead minnow (Pimephales promelas).*Environ. Toxicol. Chem.* 16(5), 948-967.
34. **Broderius SJ., Michael DK., Marilyn DH.,** 1995. Use of joint response to define the primary modes of toxic action for diverse industrial organic chemicals. *Environ. Toxicol. Chem.* 14:1591-1605.
35. **Mckim JM., Bradbury SP., Niemi GJ.,** 1987. Fish acute toxicity syndromes and their use in the QSAR approach to hazard assessment. *Environ. Health prespect.* 71:171-186.
36. **Akers KS., Sinks GD., Schultz T.W.,** 1999. Structure-toxicity relationships for selected halogenated aliphatic chemicals. *Enviro. Toxicol.*

Phar. 7:33-39.

37. **Blum DJW.,** 1989. Chemical toxicity to environmental bacteria: Quantitative structure-activity relationships and interspecies correlations and comparison. PhD thesis. Drexel University, Philadelphia, PA, USA.
38. **Chen C.Y., Lin KC.,**1997. Optimization and performance evaluation of the continuous algal toxicity test. *Environ. Toxicol. Chem.* 16: 1337-1344.
39. **Chen CY., Chen YM.,** 1999. Combined toxic effects and joint actions of binary metal mixtures observed from batch and continuous algal toxicity tests. *In: Proc. IAWQ 7th Asia-Pacific Regional Conf.* 1:316-321.
40. **Chao ML., Chen CY.,** 2000. Discrepancies between different response parameters in batch and continuous algal toxicity tests. *J. Hazardous Material*, 82 (2): 129-136
41. **United States Environmental Protection Agency (U.S. EPA) .,** 1996. Ecological Effect Test Guidelines. OPPTS 850 .5400. Algal Toxicity, Tiers I and II.
42. **Organization for Economic Cooperation and Development (OECD) .** 1984. Guideline for testing chemicals. No. 201. Alga growth inhibition test. Paris, France.
43. **International Organization for Standardization (ISO) .** 1987. Water quality- Algal growth inhibition test. Draft International Standard ISO/DIS 8692. Geneva, Switzerland.
44. **American Public Health Association (APHA), American Water Works Association and Water Pollution Control Federation.** 1995. Toxicity testing with phytoplankton, in Standard Methods for Examination of Water and Wastewater, 19th edn, APHA, Washington, DC.

45. **American Society for Testing and Materials (ASTM)** . 1994. Standard Guide for Conducting Static 96h Toxicity Tests with Microalgae. Annual Book of ASTM Standards. ASTM E1218-90. Philadelphia, PA.
46. **U.S. Environmental Protection Agency.** 1996. Ecological Effect Test Guildlines. OPPTS 850.5400. *Algal Toxicity*, Tiers II and I.
47. **Kuhn R., Pattard M.,** 1990. Results of the harmful effects of water pollutants to green algae (*Scenedesmus subspicatus*) in the cell multiplication inhibition test. *Wat. Res.* 24:31-38
48. **Galassi, S. and Vighi. M.** 1981. Testing toxicity of volatile substances with algae. *Chemosphere.* 10: 1123-1126.
49. **Mayer P., Nyholm N., Verbruggen EMJ., Hermens JLM., Tolls J.,** 2000. Algal growth inhibition test in filled, closed bottles for volatile and sorptive materials. *Environ Toxicol Chem* 19 : 2551–2556
50. **Hsieh SH., Hsu CH., Tsai DY.,Chen CY.,**2006. Quantitative structure–activity relationships for toxicity of nonpolar narcotic chemicals to *Pseudokirchneriella subcapitata*. *Environ. Toxicol. Chem.* 25, (In press).
51. **Hsieh SH., Tsai KP., Chen CY. ,**2006.The combined toxic effects of nonpolar narcotic chemicals to *Pseudokirchneriella subcapitata*. *Wat. Res.*, 40:1957-1964.
52. **Lin JH., Kao WC., Tsai K P., Chen CY.,**2005.A novel algal toxicity testing technique for assessing the toxicity of both metallic and organic toxicants. *Wat. Res.*, 39:869-1877.
53. **Chen C Y., Lin JH.,** 2006. Toxicity of chlorophenols to *Pseudokirchneriella subcapitata* under air-tight test environment. *Chemosphere*, 62:503-509.

54. **Huang CP., Wang YJ. and Chen CY.** ,2006. Toxicity and quantitative structure–activity relationships of nitriles based on *Pseudokirchneriella subcapitata*. *Ecotoc. Environ. Safe*, (accepted).
55. **Chen CY., Chen SL., Christensen ER.,** 2005. Individual and combined toxicity of nitriles and aldehydes to *Raphidocelis subcapitata*. *Environ. Toxicol. Chem.* 24(5):1067-1073.
56. **Lee PL.,** 2003. Toxicity assessment of polar narcotic chemicals using a close-system algal test. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.
57. **Chen CY., Yan YK., Yang CF.,** 2006. Toxicity assessment of polycyclic aromatic hydrocarbons using an air-tight algal toxicity test. Paper to be presented in IWA World Water Congress, Beijing, China (10-14 September, 2006).
58. **Yeh HJ., Chen CY.,** 2006. Toxicity assessment of pesticides to *Pseudokirchneriella subcapitata* under air-tight test environment. *J. Hazardous Materials*, 13:16-12.
59. **Caux PY., Moore DRJ.,** 1997. A spreadsheet program for estimating low toxic effects. *Environ. Toxicol. Chem.* 16:802–80
60. **Chao MR., Shieh JN. and Chen CY.,**2001. Statistical comparisons of the no-observed-effect concentration and the effective concentration at 10% inhibition (EC10) in algal toxicity tests. *Water Sci Technol* 43(2): 141–146
61. **Seber GAF., Wild CJ.,**1989. *Nonlinear Regression*. Wiley: New York.
62. **Liber K., Kaushik NK., Solomon KR., Carey JH.,** 1992. Experimental designs for aquatic mesocosm studies: A comparison of the ANOVA and regression design for assessing the impact of tetrachlorophenol on zooplankton populations in limnocorrals. *Environ Toxicol Chem* 11:61–77.
63. **Paulsson M., Nyström B., Blanck H.,**2000. Long-term toxicity of zinc to

bacteria and algae in periphyton communities from the river Go'ta A8 Iv, based on a microcosm study, *Aquat. Toxicol.*, 47 . 243–257

64. **Draper NR, Smith H.** 1981. Applied Regression Analysis. John Wiley & Sons, New York, NY, USA.
65. **Hsu CH.**, 2002. Toxicity assessment of non-polar narcotic chemicals using a close-system algal test. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.
66. **Kao WC.**, 2001. A comparison of the results of several freshwater aquatic toxicity testing on synthetic and real wastewaters. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.
67. **Lin JH.**, 2001. Experimental design of the algal toxicity test based on BOD bottle. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.
68. **Chen SL.**,2003. Toxicity assessment of aldehyde chemical.A Thesis Submitted to Insitute of Environmental of National Chiao Tung University.
69. **Yeh HJ.**, 2004. Toxicity assessment of pesticides using a closed-system algal test. A thesis Submitted to Institute of Environmental Engineering of National Chiao Ting University.
70. **Chen CY., Chao MR.**, 2000. No-observed-effect concentrations in batch and continuous algal toxicity test. *Environ Toxicol Chem.* 19, 1589-1596.
71. **Gray WD., Sova C.**, 1956 ,Relation of molecule size and structure to alcohol inhibition of glucose utilization by yeast. *J. Bacteriol* 72,349-356
72. **McGrath JA, Parkerton TF., Di Toro DM.**, 2004. Application of the narcosis target lipid model to algal toxicity and deriving predicted-no-effect concentrations. *Environ Toxicol Chem* 23:222–236.
73. **Schultz TW., Sinks GD., Bearden AP.**, 1998. QSAR in aquatic toxicology : A mechanism of action approach comparing toxic potency to

- Pimephales promelas*, *Tetrahymena pyriformis*, and *Vibrio fischeri*. In : Devillers J, editor. Comparative QSAR. New York : Taylor & Francis. 51-109.
74. **Schmitt H., Altenburger R., Jastorff B.**, 2000. Quantitative structure – activity analysis of the algae toxicity of nitroaromatic compounds. *Chem. Res. Toxicol.* 13,:441 – 450.
75. **Yan XF, Xiao HM, Gong XD, Ju XH**, 2005, Quantitative structure – activity relationships of nitroaromatics toxicity to the algae (*Scenedesmus obliquus*). *Chemosphere* .59: 467 – 471
76. **Abe T., Szito H., Niikura Y., Shigeoka T.**,2000,Embryonic development assay with *Daphnia magna*: application to toxicity of chlorophenol, *Water Sci Technol.* 42:297-304
77. **Trevizo C., Nirmalakhandan N.**, 1999. Prediction of microbial toxicity of industrial organic chemicals. *Water Sci. Technol.* 39:63-69.
78. **Terada H.**, 1990. Uncouplers of oxidative phosphorylation. *Environ. Health Perspect.* 87:213 – 218.
79. **Dupuis G., Benerza C.**, 1982. Allergic contact dermatitis to simple chemicals: A molecular approach. Marcel Dekker, New York.
80. **O'Brien PJ.**, 1991. Molecular mechanisms of quinone cytotoxicity. *Chem. – Biol. Interact.* 80:1 – 41.
81. **Monks TJ., Hanzlik RP., Cohen GM., Ross D., Graham DG.**, 1992. Quinone chemistry and toxicity. *Toxicol. Appl. Pharmacol.* 112 (1):2 – 16.
82. **Eastmond DA.**, 1993. Induction of micronuclei and aneuploidy by the quinone-forming agents benzene and ophenylphenol. *Toxicol. Lett.* 67(1 – 3):105 – 118.
83. **Schultz TW., Sinks GD., Cronin MTD.**, 1997. Quinone induced toxicity

- to Tetrahymena: structure – activity relationships. *Aquat. Toxicol.*, 39 (3 – 4): 267 – 278.
84. **Cronin MTD., Aptula AO., Duffy JC., Netzeva TI., Rowe PH., Valkova IV., Schultz TW.**,2002 Comparative assessment of methods to develop QSARs for the prediction of the toxicity of phenols to Tetrahymena pyriformis, *Chemosphere* 49:1201 – 1221
85. **Bearden AP., Schultz TW.** 1997. Structure–activity relationships for Pimephales and Tetrahymena: A mechanism of action approach. *Environ Toxicol Chem.* 16:1311–1317.
86. **Abe T., Szito H., Niikura Y., Shigeoka T., Nakano Y.**,2001.Embryonic development assay with *Daphnia magna*: application to toxicity of aniline derivatives. *Chemosphere.* 45:487-495
87. **Mayer P., Oldersma H., Hanstveit AO.**,2001. Determination of the effect of benzene on the growth of the freshwater green alga *Selenastrum capricornutum*. TNO Report 00-2360/01TNO. Nutrition and Food Research, Delft, The Netherlands
88. **Calamari D., Galassi S., Setti F., Vighi M.**, 1983. Toxicity of selected chlorobenzenes to aquatic organisms. *Chemosphere* 12:253–262.
89. **European Commission—Joint Research Centre Institute for Health and Consumer Protection European Chemicals Bureau.** 2003. European Union Risk Assessment Report Toluene CAS 108-88-3 EINECS 203-625-9 Series, 2nd Priority List, Vol 30. Office for Official Publications of the European Communities, Luxembourg, Luxembourg.
90. **Hermens JLM. , Broekhuizen E., Canton H., Wegman R. ,**1985 Quantitative structure activity relationship and mixture toxicity studies of alcohols and chlorohydrocarbons: effect on growth of *Daphnia Magna*., *Aquat. Toxicol.*, 6:209-217

91. **Kühn R., Pattard M. Pernak KD., Winter A.,** 1989. Results of the harmful effects of water pollutants to *Daphnia magna* in the 21 day reproduction test. *Water Res.* 23:501–510.
92. **European Commission—Joint Research Centre Institute for Health and Consumer Protection European Chemicals Bureau.** 2003. European Union Risk Assessment Report Naphthalene CAS 91-20-3 EINECS 202-049-5 Series: 1st Priority List, Vol 33.
93. **Di Toro DM., McGrath JA., Hansen DJ.,** 2000. Technical basis for narcotic chemicals and polycyclic aromatic hydrocarbon criteria. I. Water and tissue. *Environ Toxicol Chem* 19:1951–1970.
94. **Holcombe GW., Phipps GL., Fiandt JT.,** 1982. Effects of phenol, 2,4-dimethylphenol, 2,4-dichlorophenol, and pentachlorophenol on embryo, larval, and early-juvenile fathead minnows (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 11:73 – 82.

