

## 參考文獻

- [1] C. A. Staples, W. J. Adams, T. F. Parkerton, J. W. Gorsuch, G. R. Biddinger, and K. H. Reinert. 1997. Aquatic toxicity of eighteen phthalate esters. *Environ. Toxicol. Chem.* **16** : 875–891.
- [2] T. F. Parkerton, W. J. Konkel. 2000. Application of Quantitative Structure/Activity Relationships for Assessing the Aquatic toxicity of Phthalate Esters. *Ecotoxicology and Environmental Safety* **45** : 61 – 78
- [3] 陳佳飛，2002，「食品容器及包裝用塑膠材質之塑化劑溶出研究」，國立陽明大學環境衛生研究所碩士論文
- [4] 洪益夫，2003，「水中鄰苯二甲酸酯類採樣分析方法之研究」，國立清華大學原子科學系碩士論文
- [5] W. J. Adams, G. R. Biddinger, K. A. Robillard, and J. W. Gorsuch. 1995. A Summary of the toxicity of 14 phthalate esters to representative aquatic organics. *Environmental toxicology and Chemistry* **14** : 1569 – 1574.
- [6] 廖健森,張碧芬,袁紹英，2001，「環境荷爾蒙—塑膠添加物 鄰苯二甲酸酯類在環境中的流佈」，環境檢驗雙月刊第三十八期
- [7] 行政院環保署，1998，「淡水河水體環境分析及研究」，環保署環境檢驗所年度報告
- [8] 張碧芬，2000，「河川環境鄰苯二甲酸酯類化合物之調查及生物降解之研究」，環境荷爾蒙研討會論文集
- [9] C.A. Staples,D.R. peterson, T. F. Parkerton, W. J. Adams. 1997. The environmental fate of phthalate esters: a literature review. *Chemosphere* **35** : 667 – 749.
- [10] 王正雄，1999，「淺談『環境，荷爾蒙』---干擾動物內分泌之化學物質」，環境檢驗雙月刊第二十四期
- [11] S. Jonsson and A. Baun. 2003. Toxicity of mono- and diester of o-phthalic esters to a Crustacean, a green alga, and a bacterium. *Environmental Toxicology and Chemistry* **22**, No. 12 : 3037–3043
- [12] D. J. Call, T. P. Markee,D. L. Geiger, L. T. Brooke, F. A. Vandeventer, D. A. Cox,K. I. Genisot, K. A. Robillard, J. W. Gorsuch,T. F. Parkerton, M. C. Reiley, G. T. Ankley, and D. R. Mount. 2001. An assessment of the toxicity of

phthalate esters to freshwater Benthos. 1. aqueous exposures. *Environmental Toxicology and Chemistry*, Vol. 20, No. 8 : 1798–1804.

[13] N. Ghorpade, V. Mehta, M. Khare, P. Sinkar, S. Krishnan, and C. V. Rao. 2002. Toxicity Study of Diethyl Phthalate on Freshwater Fish Cirrhina mrigala. *Ecotoxicology and Environmental Safety* 53 : 255 – 258

[14] H. H. Sung , W. Y. Kao, Y.-J. Su. 2003. Effects and toxicity of phthalate esters to hemocytes of giant freshwater prawn, *Macrobrachium rosenbergii*. *Aquatic Toxicology* 64 : 25 – 37.

[15] O Horn, S Nalli, D Cooper, J Nicell. 2004. Plasticizer metabolites in the environment. *Water Research* 38 : 3693–3698.

[16] D.R. Shelton, S.A. Boyd, J.M. Tiedje. 1984. Anaerobic biodegradation of phthalic acid esters in sludge. *Environ Sci Technol* 18 : 93–97.

[17] J.C. Inman, S.D. Strachan, L.E. Sommers, D.W. Nelson. 1984. The decomposition of phthalate esters in soil. *J Environ Sci Health Part B Pestic Food Contam Agric Wastes B* 19 : 245–257.

[18] J. Ejlertsson, U. Meyerson, B.H. Svensson. 1996. Anaerobic degradation of phthalic acid esters during digestion of municipal solid waste under landfilling conditions. *Biodegradation* 7 : 345–352.

[19] S. Ren. 2002. Predicting three narcosis mechanisms of aquatic toxicity. *Toxicology Letters* 133 : 127–139

[20] C.M. Auer, J.V. Nabholz, K.P. Baetcke. 1990. Mode of action and the assessment of chemical hazards in the presence of limited data: use of structure activity relationships (SAR) under TSCA Section 5. *Environ. Health Perspect.* 87 : 183–187.

[21] S.G. Abernethy, D. Machay , L.S. McCarty. 1988. Volume fraction correlation for narcosis in aquatic organisms: the key role of partitioning. *Environ. Toxicol. Chem.* 7 : 469– 481.

[22] T.M.D. Cronin, T.W. Schultz. 1996. Structure-toxicity relationships for phenols to *Tetrahymena pyriformis*. *Chemosphere* 32 : 1453–1468.

[23] O.G. Mekenyan, G.D. Veith,. 1993. Relationships between descriptors for hydrophobicity and soft electrophilicity in predicting toxicity. SAR QSAR *Environ. Res.* 1 : 335–344.

- [24] A.D. Gunatilleka, C.F. Poole, 1999. Models for estimating the non-specific aquatic toxicity of organic compounds. *Anyl. Commun.* 36 : 235–242.
- [25] H.J.M. Verhaar, C.J. Van Leeuwen, J.L.M. Hermens. 1992. Classifying environmental pollutants. 1: structure–activity relationships for prediction of aquatic toxicity. *Chemosphere* 25 : 471–491.
- [26] M.J. Kamlet, R.M. Doherty, R.W. Taft, M.H. Abraham, G.D. Veith, D.J. Abraham. 1987. Solubility properties in polymers and biological media. 8. an analysis of the factors that influence toxicities of organic nonelectrolytes to the golden orfe fish (*Leucidiscus idus melanotus*). *Environ. Sci. Technol.* 21 : 149–155.
- [27] T.W. Schultz, G.D. Sinks, A.P. Bearden. 1998. QSAR in aquatic toxicology: a mechanism of action approach comparing toxic potency to *Pimephales promelas*, *Tetrahymena pyriformis*, and *Vibrio fischeri*. In: Devillers, J. (Ed.), Comparative QSAR. Taylor & Francis, New York : 51–109.
- [28] J. S. Jaworska, R. S. Hunter, and T. W. Schultz. 1995. Quantitative structure-toxicity relationships and volume fraction analyses for selected esters. *Arch. Environ. Contam. toxicol.* 29 : 86–93.
- [29] R.R. Padrtova, B. Marsalek, I. Holoubek. 1998. Evaluation of alternative and standard toxicity assays for screening of environmental samples: selection of an optimal test battery. *Chemosphere*. 37 : 495–507.
- [30] C.Y. Chen, M.R. Chao. 2000. No-observed-effect concentrations in batch and continuous algal toxicity tests. *Environ. Toxicol. Chem.* 19 : 1589-1596.
- [31] United States Environmental Protection Agency (U.S. EPA), 1996. Ecological Effect Test Guidelines. OPPTS 850.5400. Algal Toxicity, Tiers I and II.
- [32] Organization for Economic Cooperation and Development (OECD), 1984. Guideline for testing chemicals. No. 201. Alga growth inhibition test. Paris, France.
- [33] International Organization for Standardization (ISO), 1987. Water quality-Algal growth inhibition test. Draft International Standard ISO/DIS 8692. Geneva, Switzerland.
- [34] American Public Health Association (APHA), American Water Works Association and Water Pollution Control Federation, 1995. Toxicity testing

with phytoplankton, in Standard Methods for Examination of Water and Wastewater, 19th edn, APHA, Washington, DC.

[35] American Society for Testing and Materials(ASTM), 1994. Standard Guide for Conducting Static 96h Toxicity Tests with Microalgae. Annual Book of ASTM Standards. ASTM E1218-90. Philadelphia, PA.

[36] H.P. Hostetter, 1976. A rapid bioassay for algal nutrients and toxins. *J. Phycol.* 12 : 10.

[37] C.Y. Chen. 1989. The effects of limiting nutrient to algal toxicity assessment: A theoretical approach. *Toxicity Assessment*. 4 : 35—42

[38] N. Nyholm, T. Källqvist. 1989. Methods for growth inhibition toxicity tests with freshwater algae. *Environ. Toxicol. Chem.* 8 : 689—703.

[39] C.Y. Chen, C.K. Lin. 1997. Optimization and performance evaluation of the continuous algal toxicity test. *Environmental Toxicology Chemistry*. 16 : 1337—1344.

[40] J.H. Lin, W.C. Kao, K.P. Tsai, C.Y. Chen. 2005. A novel algal toxicity testing technique for assessing the toxicity of both metallic and organic toxicants. *Water Res.* 39 : 1869—1877.

[41] H.J. Huang 2000. Experimental design of the algal toxicity test based on photosynthetic response. A Thesis Submitted to Institute of Environmental Engineering of National Chiao Tung University.

[42] J.H. Lin. 2001. Experimental design of the algal toxicity test based on BOD bottle. A Thesis of Institute of Environmental Engineering of National Chiao Tung University.

[43] P. Vassur and P. Pandard. 1988. Influence of some experimental factors on metal toxicity to *Selenastrum capricornutum*. *Toxicity Assessment* 3:331—343

[44] P. J.M. Bergers, A.C. Degroot. 1994. The analysis of EDTA in water by HPLC. *Water Research.* : 28 639—642

[45] C. N. Mazidji, B. Koopman, G. Bitton, and D. Neita. 1992. Distinction between heavy metal and organic toxicity using EDTA chelation and microbial assays. *Environmental Toxicology and Water Quality*. 7 : 339—353

[46] T. Abe, H. Saito, Y. Niikura, T. Shigeoka, Y. Nakano. 2001. Embryonic development assay with *Daphnia magna* : application to toxicity of aniline

derivatives. Chemosphere 45 : 487-495

[47] D.L. Geiger, C.E. Northcott, D.J. Call, and L.T. Brooke. 1985. Acute Toxicities of Organic Chemicals to *Fathead Minnows (Pimephales promelas)*, Volume 2. *Ctr.for Lake Superior Environ.Stud., Univ.of Wisconsin-Superior, Superior, WI* : 326

[48] Y. Barera, and W.J. Adams. 1983. Resolving Some Practical Questions About Daphnia Acute Toxicity Tests. In: *W.E.Bishop (Ed.), Aquatic Toxicology and Hazard Assessment, 6th Symposium, ASTM STP 802, Philadelphia* : 509—518.

[49]顏丞凱，2005，「以密閉式藻類毒性試驗評估多環芳香烴化合物之光誘導毒性效應」，國立交通大學環工所碩士論文。

[50]張庭偉，2000，「食物鏈」，中國大百科智慧藏。

[51]T. W. Schultz and J. R. Seward 2000. Dimyristoyl phosphatidylcholine/water partitioning-dependent modeling of narcotic toxicity to *Tetrahymena pyriformis*. *Quant. Struct-Act. Relat.*, 19 : 339—344.

[52]E. U. Ramos, M. A. Vaal, J.L.M. Hermens. 2002. Interspecies sensitivity in the aquatic toxicity of aromatic amines. *Environmental toxicology and pharmacology* 11 : 149—158.

[53]T. W. Schultz, M.T.D. Cronin, T. I. Netzeva. 2003. The present status of QSAR in toxicology. *Journal of molecular structure* 622 : 23-38.

[54] H.J.M. Verhaar, J. Solb, J. Speksnijder, C. J. van Leeuwen, J.L.M. Hermens. 2000. Classifying environmental pollutants: Part 3. External validation of the classification system. *Chemosphere* 40 : 875~883.

[55] S.H. Hsieh, C.H. Hsu, D.Y. Tsai and C.Y. Chen 2006. Quantitative structure–activity relationships for toxicity of nonpolar narcotic chemicals to *Pseudokirchneriella subcapitata*. *Environmental Toxicology and Chemistry* (in press).