

Reference

- [1] J. M. Reifsnider, D. W. Gotthold, A. L. Holmes, Jr., and B. G. Streetman, *J. Vac. Sci. Technol. B* **16**, 1278 (1998)
- [2] H. Morkoc, et al, *J. Appl. Phys.* 76 (1994) 1363.
- [3] R. Gaska, et al, *Appl. Phys. Lett.* 72 (1998) 707.
- [4] K. H. Ploog, O. Brandt, R. Muralidharan, A. Thamm, and P. Waltereit, *J. Vac. Sci. Technol. B* **18**, 2290 (2000)
- [5] B. Daudin, F. Widmann, G. Feuillet, Y. Samson, M. Arlery, and J. L. Rouviere, *Phys. Rev. B* **56**, R7069 (1997)
- [6] H. Amano, N. Sawaki, I. Akasaki, and Y. Toyoda. *Appl. Phys. Lett.* **48** (1986) 353.
- [7] S. Nakamura, *Jpn. J. Appl. Phys.*, **30** (1991) L1705.
- [8] X. Q. Shen et. al., *Appl. Phys. Lett.* 86, 021912 (2005)
- [9] H.P. Maruska, J.J. Tietjen, *Appl. Phys. Lett.* 15 (1969) 327.
- [10] Y. Okada, Y. Tokumaru, *J. Appl. Phys.* 56 (1984) 314.
- [11] F. Semond, P. Lorenzini, N. Grandjean, J. Massies, *Appl. Phys. Lett.* 78 (2001) 335.
- [12] Xinqiang Wang, et al, *Progress in Crystal Growth and Characterization of Materials* 48/49 (2004) 42.
- [13] Q. Ambacher, et al, *J. Appl. Phys.* 85 3222 (1999).
- [14] T. Sasaki and T. Matsuoka, *J. Appl. Phys.*, 64 (1988) 13 4531.
- [15] F.A. Ponce, D.P. Bour, W.T. Young, M. Saunders, and J.W. Steeds, *Appl. Phys. Lett.*, 69 (1996) 337.
- [16] E.S. Hellman, *Internet Journal of Nitride Semiconductor Research*, 3 (1998) 11.
- [17] X.Q. Shen, et al., *J. Cryst. Growth*, 218 (2000) 155.
- [18] X.Q. Shen, T. Ide, S.-H. Cho, M. Shimizu, S. Hara, H. Okumura, S. Sonoda, and S. Shimizu, *Jpn. J. Appl. Phys.*, 39 (2000) L16.

- [19] Gon Namkoong et al., J. Vac. Sci. Technol. B20(3) (2002).
- [20] Maria Losurdo et al., J. Appl. Phys. 91, 2508 (2002)
- [21] A. M. Sanchez et al., Mater. Sci. Eng. B 80, 299 (2001)
- [22] X. Q. Shen et al., Appl. Phys. Lett. 86, 021912 (2005)
- [23] X. Q. Shen, T. Ide, S. H. Cho, M. Shimizu, S. Hara, H. Okumura, S. Sonoda, and S. Shimizu, J. Cryst. Growth 218, 155 (2000)
- [24] X. Q. Shen, T. Ide, S. H. Cho, M. Shimizu, S. Hara, and H. Okumura, Appl. Phys. Lett. 77, 4013 (2000)
- [25] M. Seelmann-Eggebert, J.L. Weyher, H. Obloh, H. Zimmermann, A. Rar, and S. Porowski, Appl. Phys. Lett., 71 2635 (1997).
- [26] L.T. Romano, T.H. Myers, Appl. Phys. Lett. 71 (1997) 3486.
- [27] L.T. Romano, M.A O'Keefe, Appl. Phys. Lett. 69 (2003) 2394
- [28] B. Heying, X. H. Wu, S. Keller, Y. Li, D. Kapolnek, B. P. Keller, S. P. DenBaars, and J. S. Speck, Appl. Phys. Lett. 68, 643 (1996)
- [29] Balkas, C et. al., Power Diffraction. 10, 266 (1995).
- [30] H.P. Maruska, J.J. Tietjen, Appl. Phys. Lett. 15 (1969) 327.
- [31] Y. Okada, Y. Tokumaru, J. Appl. Phys. 56 (1984) 314.
- [32] F. Semond, P. Lorenzini, N. Grandjean, J. Massies, Appl. Phys. Lett. 78 (2001) 335.
- [33] T. Takeuchi, H. Amano, K. Hiramatsu, N.Sawaki, I. Akasaki, J. Crystal Growth 115 (1991) 634.
- [34] P.Kung, A. Saxler, X. Zhang, D. Walker, T. C. Wang, I. Ferguson, M. Razeghi, Appl. Phys. Lett. 66 (1995) 2958.
- [35] L. Wang, X. Liu, Y. Zan, J. Wang, D. Wang, D. Lu, Z. Wang, Appl. Phys. Lett. 72 (1998) 109.
- [36] Chung-Lin Wu, Jih-Chun Wang, Meng-Hsuan Chan, Tom T. Chen, and Shangjr Gwo, Appl. Phys. Lett. 83 (2003) 4530

- [37] Kazuhide Kusakabe, Akihiko Kikuchi and Katsumi Kishino, Jpn. J. Appl. Phys. Vol. 40 (2001) L192.
- [38] H.P.D. Schenk, G.D. Kipshidze, V.B. Lebedev, S. Shokhovets, R. Goldhahn, J. Krauß, A. Fissel, W. Richter, J. Crystal Growth 201/202 (1999) 359.
- [39] E. Calleja, et al., J. Cryst. Growth 201/202 (1999) 296.
- [40] M. Yoshizawa, et al., Jpn. J. Appl. Phys., Part 2 36, L459 (1997).
- [41] K. Kusakabe, A. Kikuchi, K. Kishino, Jpn. J. Appl. Phys. 40 (2001) L192.
- [42] K. Kusakabe, A. Kikuchi, and K. Kishino, J. Cryst. Growth. 237-239, 988 (2002).
- [43] S. Joblot, et al., Superlattices and Microstructures. 40 (2006) 295
- [44] X.Y. Liu, et al., J. Cryst. Growth. 300 (2007) 114
- [45] Balkas, C et. al., Power Diffraction. 10, 266 (1995).
- [46] Michael A. Reshchikov et. al., J. Appl. Phys. 97, 061301 (2005).

