

Table of Contents

Abstract (Chinese)	
Abstract (English)	
Acknowledgments	
Table of Contents	
Figure Caption	
Chapter 1	
Introduction	1
1.1 Portable Display Technology.....	1
1.2 Liquid Crystal Displays.....	2
1.2.1 Transmissive LCD.....	2
1.2.2 Reflective LCD.....	3
1.2.3 Transflective LCD.....	5
1.3 Organic Electroluminescence Displays	6
1.4 Motivation and Objective of this thesis	7
1.5 Organization of this thesis.....	8
Chapter 2 Principle.....	10
2.1 Overview.....	10
2.2 Principle of Reflective Liquid Crystal Displays.....	10
2.2.1 Reflective LCDs.....	10
2.3 Operation Principle of EL devices.....	14
2.3.1 Electroluminescence.....	14
2.3.2 The Electroluminescence Structures.....	15
2.3.3 Passivation of EL Devices.....	16
2.4 Addressing Schemes for LCD and OLED displays.....	18
2.4.1 Passive Matrix Addressing.....	18
2.4.1.1 Passive Matrix LCDs.....	18
2.4.1.2 Passive Matrix OLED Displays.....	18
2.4.2 Active Matrix Addressing.....	19
2.4.2.1 Active Matrix LCDs.....	19
2.4.2.1 Active Matrix OLED Displays.....	20
2.5 Non-uniformity of the OLED panel.....	22
2.5.1 The variation of Threshold Voltage.....	22
2.5.2 IR Drop.....	23
2.6 Emi-flective Display of R-LCD and Electroluminescence Device.....	23
2.6.1 The Variation of Threshold Voltage.....	23
2.6.2 The Operation of the Emi-flective Display.....	24

2.6.3 The Pixel Circuit for Emi-flective Display.....	26
2.6.4 Operation of the Pixel Circuit.....	27
2.6.4.1 Operation in the Emissive Mode.....	27
2.6.4.2 Operation in the Reflective Mode.....	28
2.7 Summary.....	29

Chapter 3 Fabrication and Measurement Instrument

3.1 Overview.....	30
3.2 Fabrication Process.....	30
3.3 Measurement Instruments.....	34
3.3.1 Optical Performance Measurement System.....	34
3.3.1.1 ConoScope.....	34
3.3.2 Surface Measurement System.....	36
3.3.2.1 Atomic Force Microscope.....	36

Chapter 4 Simulation Results and Discussions

4.1 Overview.....	38
4.2 Operation in the Emission Mode.....	39
4.2.1 Transient Response.....	40
4.2.2 Threshold Voltage Variation.....	42
4.2.3 Turn-on Voltage Shift of OLED.....	43
4.3 Operation in the Reflective Mode.....	45
4.3.1 Transient Response.....	45
4.4 Summary.....	47

Chapter5 Experimental Results and Discussions

5.1 Overview.....	48
5.2 Surface Morphology.....	48
5.2.1 ITO Substrate.....	48
5.2.2 Passivation Layer.....	50
5.2.3 Alignment Layer.....	51
5.3 Electrical Characteristics.....	52
5.3.1 Top Emission OLED.....	52
5.3.2 The Stability of the Operation.....	54
5.4 Optical Performance.....	55
5.4.1 The Ambience Contrast Ratio.....	55
5.4.2 The Viewing Angle.....	58
5.4.3 The Visual Performance.....	59
5.5 Discussion.....	60

5.5.1 The Optical Performance.....	60
5.5.2 The Electrical Performance.....	63
5.6 Summary.....	68

Chapter6 Conclusions and Future Work

6.1 Conclusions.....	69
6.2 Future Work.....	70



Figure Caption

Fig. 2.14 The simplified pixel circuit in the reflective mode.....	29
Fig. 3.1 The flow chart of the fabrication process of the emiflective display.....	31
Fig. 3.2 Schematic diagram of a conoscope.....	34
Fig. 3.3 The concept of a conoscope receiver.....	35
Fig. 3.4 The function of a conoscope lens system.....	36
Fig. 3.5 Schematic diagram of AFM.....	37
Fig. 3.6 The operation principle of AFM.....	37
Fig. 4.1 The transient response of (a) gate voltage of DTFT, (b) gate-to-source voltage of DTFT and (c) OLED current.....	41
Fig. 4.2 The simulation results of the OLED current with different threshold voltage of poly-Si TFTs.....	42
Fig. 4.3 The electrical characteristics of OLEDs with different sheet resistance.....	43
Fig. 4.4 The simulation results of the OLED with different sheet resistance.....	44
Fig. 4.5 The transient response of (a) OLED current , (b) voltage of node1 and (c) LC voltage.....	46
Fig. 4.6 Schematic diagram of emi-flective display.....	47
Fig. 5.1 (a) The roughness and (b) the thickness of ITO substrate.....	49
Fig. 5.2 (a) The SEM photograph and (b) the roughness of thin film encapsulation.....	50
Fig. 5.3 The thickness of alignment layer.....	52
Fig. 5.4 The electrical characteristics with the relationship between (a) luminance and voltage and one between (b) luminance and current.....	54
Fig. 5.5 The lifetime of the emiflective display.....	55
Fig. 5.6 The ambience contrast ratio of the emission mode.....	56
Fig. 5.7 The configurations of the measurements with (a) one circular polarizer	

and (b) two cross linear polarizers	57
Fig. 5.8 The ambience contrast ratio of the reflective mode.....	57
Fig. 5.9 The viewing angle of the reflective mode with (a) one circular polarizer and (b) two cross linear polarizers	58
Fig. 5.10 The viewing angle of the emission mode (a) with and (b) without segment recorder	59
Fig. 5.11 The photograph of the reflective and emission mode.....	59
Fig. 5.12 The photograph of the emi-flective display.....	60
Fig. 5.13 Schematic diagram of the emi-flective display.....	61
Fig. 5.14 Configurations of hybrid displays proposed by (a) E. Lueder and (b) Jiuw-Haw Lee.	62
Fig. 5.15 The diagram of the proposed pixel circuit.....	64
Fig. 5.16 The pixel circuits proposed by (a) Mutsumi Kimura and (b) Jiun-Haw Lee.....	65
Fig. 5.17 The schematic diagram of the optimized structure in the reflective mode.....	66
Fig. 5.18 The simulated contrast ratio of (a) optimized MTN R-LCD and (b) fabricated TN R-LCD at the wavelengths of 450, 550, and 650 nm... <td>67</td>	67

List of Tables

Table 4.1 Simulation parameters.....	39
Table 4.2 The comparison of different pixel circuits for uniformity.....	44
Table 5.1 Experimental parameters of spinning coating.....	51
Table 5.2 The pretilt angle of the alignment layer.....	51
Table 5.3 The deviation of operating voltage of top emission OLED.....	53
Table 5.4 The comparison of different hybrid display structures.....	62
Table 5.5 The comparison of different pixel circuits for hybrid displays.....	65

