

# 目 錄

| 表次                                 | 頁次  |
|------------------------------------|-----|
| 目錄.....                            | I   |
| 表目錄.....                           | III |
| 圖目錄.....                           | IV  |
| <b>一、前 言</b>                       |     |
| 1.1 研究緣起-----                      | 1   |
| 1.2 研究目的-----                      | 3   |
| 1.3 研究方法架構-----                    | 4   |
| <b>二、文獻回顧</b>                      |     |
| 2.1 雜草之定義-----                     | 6   |
| 2.2 除草劑之分類-----                    | 7   |
| 2.3 藻類毒性試驗-----                    | 13  |
| 2.3.1 試驗物種簡介-----                  | 13  |
| 2.3.2 藻類毒性試驗優點-----                | 13  |
| 2.3.3 批次式藻類毒性試驗-----               | 14  |
| 2.3.4 密閉式試驗方法-----                 | 15  |
| 2.3.5 密閉式 BOD 瓶藻類毒性試驗-----         | 16  |
| 2.3.6 觀測終點之量測-----                 | 17  |
| <b>三、基本理論</b>                      |     |
| 3.1 單一毒性模式-----                    | 18  |
| 3.1.1 劑量反應關係-----                  | 18  |
| 3.1.2 半致影響濃度-----                  | 18  |
| 3.1.3 劑量反應關係模式-----                | 19  |
| 3.2 NOEC、LOEC 與 Cut-off value----- | 22  |

#### **四、實驗設備與方法**

|                        |    |
|------------------------|----|
| 4.1 儀器設備與試劑-----       | 23 |
| 4.1.1 儀器設備-----        | 23 |
| 4.1.2 試劑及耗材-----       | 28 |
| 4.2 實驗方法-----          | 37 |
| 4.2.1 藻類毒性試驗-----      | 30 |
| 4.2.2 除草劑藥品之配置與定量----- | 38 |
| 4.3 實驗數據之處理-----       | 41 |
| 4.3.1 試驗濃度的產生-----     | 41 |
| 4.3.2 模式的運用-----       | 41 |
| 4.4 實驗之 QA/QC-----     | 42 |
| 4.4.1 定量之再現性-----      | 42 |
| 4.4.2 檢量線配置-----       | 42 |
| 4.4.3 實驗條件之控制-----     | 42 |

#### **五、結果與討論**

|                            |    |
|----------------------------|----|
| 5.1 藻類毒性試驗數據-----          | 43 |
| 5.2 最佳化模式 -----            | 59 |
| 5.3 Low Toxic Effects----- | 63 |
| 5.4 試驗物種數據收集與比較-----       | 68 |
| 5.5 毒性試驗數據與環境中除草劑濃度比較----- | 71 |

#### **六、結論與建議**

|             |     |
|-------------|-----|
| 結論與建議 ----- | 74  |
| 參考文獻-----   | 76  |
| 附錄一-----    | 83  |
| 附錄二-----    | 102 |

## 表 目 錄

---

|  |    |
|--|----|
| Table 2.1.1 Classification of herbicides-----  | 11 |
| Table 2.1.2 Physical and chemical properties of herbicides-----                                    | 12 |
| Table 3.1.1 Weibull、Probit 與 Logit 容忍度分布模式-----  | 21 |
| Table 4.1.1 The analysis conditions and apparatuses of HPLC-----                                   | 27 |
| Table 4.1.2 Physical and chemical properties of herbicides-----                                    | 29 |
| Table 4.2.1 The composition of macro-algal medium-----   | 31 |
| Table 4.2.2 The composition of micro-algal medium-----   | 32 |
| Table 4.2.3 Operational parameters of Coulter Counter-----   | 34 |
| Table 5.1.1 Median effective concentration ( $EC_{50}$ ) based on dissolved oxygen production----- | 45 |
| Table 5.1.2 Median effective concentration ( $EC_{50}$ ) based on Final Yield-----                 | 46 |
| Table 5.1.4 Median effective concentration ( $EC_{50}$ ) based on Growth Rate-----                 | 47 |
| Table 5.2.1 G values based on dissolved oxygen production in three models--                        | 60 |
| Table 5.2.2 G values based on Final Yield in three models-----                                     | 61 |
| Table 5.2.3 G values based on Growth rate in three models-----                                     | 62 |
| Table 5.3.1 Relationship of NOEC, LOEC, $EC_{10}$ and $EC_{50}$ -----                              | 66 |
| Table 5.3.2 Statistical parameters based on three endpoints-----                                   | 67 |
| Table 5.4.1 $EC_{50}/LC_{50}$ values of this study and literatures-----                            | 70 |
| Table 5.5.1 Comparison of herbicide toxicities and environmental concentrations-----               | 73 |

## 圖 目 錄

---

|   |    |
|---|----|
| Fig 1.3.1 Flow chart of this study-----                             | 5  |
| Fig 3.1.1 Dose-response relationships of common toxicity tests----- | 19 |
| Fig. 4.2.1 Flow chart of algal toxicity tests-----                  | 37 |
| Fig. 4.2.2 Flow chart of HPLC analysis-----                         | 40 |
| Fig. 4.4.1 The display of luminosity upper the shaker-----          | 52 |
| Fig. 5.1.1 Dose-response Curves of clodinafop-propargyl-----        | 48 |
| Fig. 5.1.2 Dose-response Curves of diclofop-methyl-----             | 48 |
| Fig. 5.1.3 Dose-response Curves of fluzaifop-p-butyl-----           | 49 |
| Fig. 5.1.4 Dose-response Curves of Propaquizaifop-----              | 49 |
| Fig. 5.1.5 Dose-response Curves of quizalofop-p-ethyl-----          | 50 |
| Fig. 5.1.6 Dose-response Curves of clethodim-----                   | 50 |
| Fig. 5.1.7 Dose-response Curves of cycloxydim-----                  | 51 |
| Fig. 5.1.8 Dose-response Curves of tralkoxydim-----                 | 51 |
| Fig. 5.1.9 Dose-response Curves of bensulfuron-methyl-----          | 52 |
| Fig. 5.1.10 Dose-response Curves of chlorsulfuron-----              | 52 |
| Fig. 5.1.11 Dose-response Curves of cinosulfuron-----               | 53 |
| Fig. 5.1.12 Dose-response Curves of cyclosulfamuron-----            | 53 |
| Fig. 5.1.13 Dose-response Curves of imazamox-----                   | 54 |
| Fig. 5.1.14 Dose-response Curves of imazethapyr-----                | 54 |
| Fig. 5.1.15 Dose-response Curves of metsulfuron-methyl-----         | 55 |
| Fig. 5.1.16 Dose-response Curve of primisulfuron-methyl-----        | 55 |
| Fig. 5.1.17 Dose-response Curves of rimsulfuron-----                | 56 |
| Fig. 5.1.18 Dose-response Curves of halosulfuron-methyl-----        | 56 |
| Fig. 5.1.19 Dose-response Curves of flumetsulam-----                | 57 |

|  |    |
|--|----|
| Fig. 5.1.20 Dose-response Curves of pyrithiobac-Na-----  | 57 |
| Fig. 5.1.21 Herbicide toxicities and baseline toxicities based on three response<br>endpoints----- | 58 |
| Fig 5.2.1 The Dose-response Curve between Weibull and Probit model-----                            | 77 |